



**ATRIO<sup>TM</sup>**  
HEALTH PLANS

# 2025 Comprehensive Formulary

# Nevada

*Carson City, Churchill, Douglas, Lyon,  
Storey and Washoe Counties*

---

**ATRIO Choice Rx (PPO)**  
**ATRIO Select Rx (PPO)**

---

**January 1, 2025 - December 31, 2025**



**ATRIO Choice Rx (PPO)**  
**ATRIO Select Rx (PPO)**

**2025 Formulary**  
**(List of Covered Drugs)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission 25197, Number Version 21

This formulary was updated on 10/31/2025

**Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you even if you haven't paid your deductible. Call Member Services for more information.

**Important Message About What You Pay for Insulin (Part D)** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on, even if you haven't paid your deductible.

For more recent information or other questions, please contact ATRIO Health Plans Member Services at **1-877- 672-8620** (TTY 711), daily from 8 a.m. to 8 p.m. local time, or visit **[atriohp.com/nevada/find-a-drug](https://atriohp.com/nevada/find-a-drug)**. **Note to existing members:** This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (Formulary) refers to "we," "us", or "our," it means ATRIO Health Plans. When it refers to "plan" or "our plan," it means ATRIO Choice Rx (PPO) or ATRIO Select Rx (PPO).

This document includes a list of the drugs (formulary) for our plan which is current as of 11/01/2025. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

## What is the ATRIO Health Plans formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by ATRIO Health Plans in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. ATRIO Health Plans will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at an ATRIO Health Plans network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your *Evidence of Coverage*.

## Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website at <https://atriohp.com/nevada/members/find-a-drug/>.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the ATRIO Health Plans’ Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the ATRIO Health Plans’ Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 11/01/2025. To get updated information about the drugs covered by ATRIO Health Plans, please contact us. Our contact information appears on the front and back cover pages. ATRIO Health Plans will update formularies monthly and provide a document that lists the formulary changes. This list will be posted on [atriohp.com/nevada/find-a-drug](https://atriohp.com/nevada/find-a-drug) or can be sent to you by calling 1-877-672-8620 (TTY 711), daily from 8 a.m. to 8 p.m. local time.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents." If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

ATRIO Health Plans covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

## What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** ATRIO Health Plans requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from ATRIO Health Plans before you fill your prescriptions. If you don't get approval, ATRIO Health Plans may not cover the drug.
- **Quantity Limits:** For certain drugs, ATRIO Health Plans limits the amount of the drug that ATRIO Health Plans will cover. For example, ATRIO Health Plans provides 30 per prescription for simvastatin. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, ATRIO Health Plans requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, ATRIO Health Plans may not cover Drug B unless you try Drug A first. If Drug A does not work for you, ATRIO Health Plans will then cover Drug B.
- **Part B vs. Part D review** – some drugs are covered as part of your medical Part B coverage, and others are covered under your Part D coverage.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask ATRIO Health Plans to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the ATRIO Health Plans’ formulary?” on page VI for information about how to request an exception.

## What are over-the counter (OTC drugs)?

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. ATRIO Health Plans pays for certain OTC drugs. ATRIO Health Plans will provide these OTC drugs at no cost to you. The cost to ATRIO Health Plans of these OTC drugs will not count toward your total Part D drug costs.

## Covered Over-the-Counter (OTC) Drugs

ATRIO covers a limited amount of OTC drugs under the plan formulary (shown in the table below). You will need a prescription to present at the Pharmacy in order to cover the formulary OTC drugs.

### OTC formulary drugs covered

| Generic Name                 | Brand Name –<br>For Reference Only<br>(ATRIO only covers generic<br>as OTC) | Dosage Form                                                |
|------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------|
| Cetirizine                   | (Zyrtec)                                                                    | Chewable Tablet, Solution, Tablet, Rapid Tablets           |
| Cetirizine/Pseudoephedrine   | (Zyrtec-D)                                                                  | 12 Hour Tablet                                             |
| Fexofenadine                 | (Allegra)                                                                   | 12 Hour Tablet, 24 Hour Tablet, Tablet Rapids, Suspension  |
| Fexofenadine/Pseudoephedrine | (Allegra-D)                                                                 | 12 Hour Tablet, 24 Hour Tablet                             |
| Ketotifen                    | (Zaditor)                                                                   | Ophthalmic Drops                                           |
| Levocetirizine               | (Xyzal)                                                                     | Tablet                                                     |
| Loratadine                   | (Claritin)                                                                  | Solution, Tablet, Tablet Rapids, Chewable Tablet, Capsules |
| Loratadine/Pseudoephedrine   | (Claritin-D)                                                                | 12 Hour Tablet, 24 Hour Tablet                             |
| Nicotine                     | (Nicorelief, Nicoderm)                                                      | Patch, Gum, Lozenge                                        |
| Olopatadine                  | (Pataday)                                                                   | Ophthalmic Drops                                           |

However, ATRIO Health Plans provide additional benefit coverage on OTC drugs. You will receive an allowance toward any OTC items you choose from the catalog. The catalog can be found on our website at <https://atriohp.com/2025-extra-benefits/>. You can also call **1-855-253-5768** for more information. The Federal Drug Administration reports that OTC medications are safe as long as they are taken as directed. Some products may save you money by offering similar therapeutic effects.

Talk to your healthcare provider to see if this is the right choice for you. Here are just few examples of popular OTC drugs available through the catalog:

- Pain relievers, including Tylenol (acetaminophen), Ibuprofen, Lidocaine patch, and diclofenac gel
- Heartburn medicines, including Tums, Pepcid AC, and Prilosec (omeprazole)
- Antihistamines/decongestants for allergy or cold symptoms
- Eye drops for lubricating or cleansing

### Supplemental Drug Benefit

| Generic name | Brand Name –<br>For Reference Only<br>( <i>ATRIO only covers generic</i> ) | Limitations       |
|--------------|----------------------------------------------------------------------------|-------------------|
| Sildenafil   | Viagra                                                                     | Max 6 per 30 days |

### What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that ATRIO Health Plans does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by ATRIO Health Plans. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by ATRIO Health Plans.
- You can ask ATRIO Health Plans to make an exception and cover your drug. See below for information about how to request an exception.

### How do I request an exception to the ATRIO Health Plans Formulary?

You can ask ATRIO Health Plans to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction, including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, ATRIO Health Plans limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at a lower cost-sharing level (if this drug is not on the specialty tier). If approved, this would lower the amount you must pay for your drug.

Generally, ATRIO Health Plans will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier or utilization restriction exception. **When you request a formulary, tier or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

### **What can I do if my drug is not on the formulary or has a restriction?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, during the first 90 days you are a member of our plan, we may cover your drug up to a maximum 30-day supply.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you are being admitted or discharged from a facility, we will cover "early refills" of previously covered drugs as needed upon admission to or discharge from the facility.

### **For more information**

For more detailed information about your ATRIO Health Plans prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about ATRIO Health Plans, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## ATRIO Health Plans Formulary

The formulary below begins on page 3. The formulary provides coverage information about the drugs covered by ATRIO Health Plans. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., CRESTOR) and generic drugs are listed in lower-case italics (e.g., rosuvastatin).

The information in the “Requirements/Limits” column tells you if ATRIO Health Plans has any special requirements for coverage of your drug.

### COST SHARING TIERS

Carson City, Churchill, Douglas, Lyon  
and Storey Counties, NV

| ATRIO Select Rx (PPO)<br><i>H7006-015</i> |               |               |
|-------------------------------------------|---------------|---------------|
| Drug deductible                           | \$0           |               |
| Drug Tiers                                | 30-day supply | 90-day supply |
| <b>Tier 1</b><br>Preferred Generic        | \$0           | \$0           |
| <b>Tier 2</b><br>Generic                  | \$0           | \$0           |
| <b>Tier 3*</b><br>Preferred Brand         | \$35          | \$70          |
| <b>Tier 4*</b><br>Non-Preferred Drugs     | \$100         | \$200         |
| <b>Tier 5*</b><br>Specialty Drugs         | 33%           | N/A           |
| <b>Tier 6</b><br>Select Care Drugs        | \$0           | \$0           |

Washoe County, NV

| ATRIO Choice Rx (PPO)<br><i>H7006-010</i> |               |               |
|-------------------------------------------|---------------|---------------|
| Drug deductible                           | \$0           |               |
| Drug Tiers                                | 30-day supply | 90-day supply |
| <b>Tier 1</b><br>Preferred Generic        | \$0           | \$0           |
| <b>Tier 2</b><br>Generic                  | \$12          | \$24          |
| <b>Tier 3*</b><br>Preferred Brand         | \$47          | \$94          |
| <b>Tier 4*</b><br>Non-Preferred Drugs     | \$100         | \$200         |
| <b>Tier 5*</b><br>Specialty Drugs         | 33%           | N/A           |
| <b>Tier 6</b><br>Select Care Drugs        | \$0           | \$0           |

### A new program's available to you to help spread out your prescription drug costs

The new Medicare Prescription Payment Plan program (M3P/MPPP) will be available to you January 1, 2025. Participation in the M3P program is optional and can help you manage your out-of-pocket drug costs by spreading them out across the calendar year, though it will not save you money or lower your drug costs. ATRIO members who are most likely to benefit from the program will receive more details in the mail. Information will also be available online at [atriohp.com](https://atriohp.com).

The following Utilization Management restriction abbreviations can be found in the column titled “Requirements/Limits” in the drug listing that follows.

## COVERAGE ABBREVIATIONS

| ABBREVIATION | DESCRIPTION                                                                 | EXPLANATION                                                                                                                                                                                                                                                                                                                                      |
|--------------|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LA           | Limited Access Drug                                                         | This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Customer Service at <b>1-877-672-8620</b> (TTY 711), daily from 8 a.m. to 8 p.m. local time.                                                                                                                         |
| LIS          | Low-Income Subsidy                                                          | A Medicare Extra Help program that helps members pay for their prescription drugs.                                                                                                                                                                                                                                                               |
| NDS          | Non-Extended Day Supply                                                     | This drug is not available for a 90-day supply.                                                                                                                                                                                                                                                                                                  |
| NM           | No Mail Order                                                               | This drug is not available at mail order pharmacy                                                                                                                                                                                                                                                                                                |
| PA           | Prior Authorization Restriction                                             | You (or your physician) are required to get prior authorization from ATRIO Health Plans before you fill your prescription for this drug. Without prior approval, ATRIO Health Plans may not cover this drug.                                                                                                                                     |
| PA BvD       | Prior Authorization Restriction<br>for<br>Part B vs Part D<br>Determination | This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from ATRIO Health Plans to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, ATRIO Health Plans may not cover this drug. |
| PA NSO       | Prior Authorization Restriction<br>for<br>New Starts Only                   | If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from ATRIO Health Plans before you fill your prescription for this drug. Without prior approval, ATRIO Health Plans may not cover this drug.                                                                  |
| QL           | Quantity Limit Restriction                                                  | ATRIO Health Plans limits the amount of this drug that is covered per prescription, or within a specific time frame.                                                                                                                                                                                                                             |
| ST           | Step Therapy Restriction                                                    | Before ATRIO Health Plans will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.                                                                                                                                     |

## Table of Contents

|                                                        |     |
|--------------------------------------------------------|-----|
| Analgesics .....                                       | 3   |
| Anesthetics .....                                      | 6   |
| Anti-Addiction/Substance Abuse Treatment Agents .....  | 7   |
| Antianxiety Agents .....                               | 8   |
| Antibacterials .....                                   | 9   |
| Anticancer Agents .....                                | 16  |
| Anticonvulsants .....                                  | 35  |
| Antidementia Agents .....                              | 40  |
| Antidepressants .....                                  | 41  |
| Antidiabetic Agents .....                              | 44  |
| Antifungals .....                                      | 49  |
| Antigout Agents .....                                  | 51  |
| Antihistamines .....                                   | 52  |
| Anti-Infectives (Skin And Mucous Membrane) .....       | 52  |
| Antimigraine Agents .....                              | 52  |
| Antimycobacterials .....                               | 53  |
| Antinausea Agents .....                                | 54  |
| Antiparasite Agents .....                              | 55  |
| Antiparkinsonian Agents .....                          | 56  |
| Antipsychotic Agents .....                             | 57  |
| Antivirals (Systemic) .....                            | 64  |
| Blood Products/Modifiers/Volume Expanders .....        | 71  |
| Caloric Agents .....                                   | 74  |
| Cardiovascular Agents .....                            | 75  |
| Central Nervous System Agents .....                    | 85  |
| Contraceptives .....                                   | 89  |
| Dental And Oral Agents .....                           | 98  |
| Dermatological Agents .....                            | 98  |
| Devices .....                                          | 102 |
| Enzyme Cofactors/Chaperones .....                      | 148 |
| Enzyme Replacement/Modifiers .....                     | 149 |
| Eye, Ear, Nose, Throat Agents .....                    | 149 |
| Gastrointestinal Agents .....                          | 154 |
| Genitourinary Agents .....                             | 157 |
| Heavy Metal Antagonists .....                          | 158 |
| Hormonal Agents, Stimulant/Replacement/Modifying ..... | 158 |
| Immunological Agents .....                             | 163 |
| Inflammatory Bowel Disease Agents .....                | 176 |

|                                       |     |
|---------------------------------------|-----|
| Metabolic Bone Disease Agents.....    | 177 |
| Miscellaneous Therapeutic Agents..... | 178 |
| Ophthalmic Agents.....                | 179 |
| Replacement Preparations.....         | 180 |
| Respiratory Tract Agents.....         | 182 |
| Skeletal Muscle Relaxants.....        | 186 |
| Sleep Disorder Agents.....            | 187 |
| Vasodilating Agents.....              | 187 |
| Vitamins And Minerals.....            | 188 |

| Drug Name                                                                                                                         | Drug Tier | Requirements/Limits           |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <b>Analgesics</b>                                                                                                                 |           |                               |
| <b>Analgesics, Miscellaneous</b>                                                                                                  |           |                               |
| <i>acetaminophen-codeine 120-12 mg/5 ml cup inner 120 mg-12 mg /5 ml (5 ml)</i>                                                   | 1         | NDS; QL (4500 per 30 days)    |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>                                                                         | 1         | NDS; QL (4500 per 30 days)    |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>                                                                     | 1         | NDS; QL (360 per 30 days)     |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>                                                                                | 1         | NDS; QL (180 per 30 days)     |
| <i>buprenorphine transdermal patch</i> (Butrans)<br><i>weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> | 2         | NDS; QL (4 per 28 days)       |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>                                                                 | 2         | NDS; QL (180 per 30 days)     |
| <i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)                                                         | 2         | QL (180 per 30 days)          |
| <i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>                                                                    | 2         | QL (180 per 30 days)          |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>                                                                     | 1         | QL (180 per 30 days)          |
| <i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen)                                                                    | 2         | NDS; QL (180 per 30 days)     |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen)                                                         | 2         | NDS; QL (360 per 30 days)     |
| <i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)                                                                   | 2         | NDS; QL (240 per 30 days)     |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>                                | 5         | PA; NDS; QL (120 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>                                                                        | 2         | PA; NDS; QL (120 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>                                  | 2         | NDS; QL (10 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>hydrocodone-acetaminophen oral solution 10-300 mg/15 ml, 10-325 mg/15 ml, 7.5-325 mg/15 ml</i> | 2                | NDS; QL (2700 per 30 days)    |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>                                | 1                | NDS; QL (180 per 30 days)     |
| <i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>                                             | 1                | NDS; QL (240 per 30 days)     |
| <i>hydromorphone oral tablet 2 mg, 4 mg</i> (Dilaudid)                                            | 1                | NDS; QL (180 per 30 days)     |
| <i>hydromorphone oral tablet 8 mg</i> (Dilaudid)                                                  | 2                | NDS; QL (180 per 30 days)     |
| <i>methadone oral tablet 10 mg</i>                                                                | 1                | NDS; QL (120 per 30 days)     |
| <i>methadone oral tablet 5 mg</i>                                                                 | 1                | NDS; QL (180 per 30 days)     |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>                                  | 1                | PA; NDS; QL (180 per 30 days) |
| <i>morphine oral solution 10 mg/5 ml</i>                                                          | 1                | NDS; QL (700 per 30 days)     |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>                                                | 1                | NDS; QL (300 per 30 days)     |
| MORPHINE ORAL TABLET 15 MG                                                                        | 4                | NDS; QL (180 per 30 days)     |
| MORPHINE ORAL TABLET 30 MG                                                                        | 4                | NDS; QL (120 per 30 days)     |
| <i>morphine oral tablet extended release 100 mg, 200 mg</i>                                       | 2                | NDS; QL (60 per 30 days)      |
| <i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)                             | 2                | NDS; QL (90 per 30 days)      |
| <i>morphine oral tablet extended release 60 mg</i> (MS Contin)                                    | 2                | NDS; QL (60 per 30 days)      |
| <i>oxycodone oral capsule 5 mg</i>                                                                | 2                | NDS; QL (180 per 30 days)     |
| <i>oxycodone oral tablet 10 mg, 5 mg</i>                                                          | 2                | NDS; QL (180 per 30 days)     |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)                                            | 2                | NDS; QL (120 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                            | Drug Tier | Requirements/Limits           |
|------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>oxycodone oral tablet 20 mg</i>                                                                   | 2         | NDS; QL (120 per 30 days)     |
| <i>oxycodone-acetaminophen oral tablet (Endocet) 10-325 mg</i>                                       | 2         | NDS; QL (180 per 30 days)     |
| <i>oxycodone-acetaminophen oral tablet (Endocet) 2.5-325 mg, 5-325 mg</i>                            | 2         | NDS; QL (360 per 30 days)     |
| <i>oxycodone-acetaminophen oral tablet (Endocet) 7.5-325 mg</i>                                      | 2         | NDS; QL (240 per 30 days)     |
| <i>tramadol oral tablet 50 mg</i>                                                                    | 1         | NDS; QL (240 per 30 days)     |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>                                                | 1         | NDS; QL (300 per 30 days)     |
| <b>Nonsteroidal Anti-Inflammatory Agents</b>                                                         |           |                               |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)                               | 2         | QL (60 per 30 days)           |
| <i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)                                | 4         | PA; QL (60 per 30 days)       |
| <i>diclofenac potassium oral tablet 50 mg</i>                                                        | 2         | QL (120 per 30 days)          |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>                                   | 2         |                               |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>                                  | 1         |                               |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>                                  | 1         | QL (120 per 30 days)          |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>                                  | 1         | QL (60 per 30 days)           |
| <i>diclofenac sodium topical drops 1.5 %</i>                                                         | 2         | QL (300 per 30 days)          |
| <i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))                               | 1         | QL (1000 per 30 days)         |
| <i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid) | 5         | PA; NDS; QL (224 per 28 days) |
| <i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)    | 2         |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                      | Drug Tier | Requirements/Limits      |
|------------------------------------------------------------------------------------------------|-----------|--------------------------|
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75) | 2         |                          |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                                    | 2         |                          |
| <i>etodolac oral tablet 400 mg</i> (Lodine)                                                    | 2         |                          |
| <i>etodolac oral tablet 500 mg</i>                                                             | 2         |                          |
| <i>flurbiprofen oral tablet 100 mg</i> (Lurbiro)                                               | 1         |                          |
| <i>ibu oral tablet 400 mg</i> (ibuprofen)                                                      | 1         | QL (240 per 30 days)     |
| <i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)                                              | 1         |                          |
| <i>ibuprofen oral tablet 400 mg</i> (IBU)                                                      | 1         | QL (240 per 30 days)     |
| <i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)                                              | 1         |                          |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                                                  | 1         |                          |
| <i>ketorolac oral tablet 10 mg</i>                                                             | 1         | QL (20 per 30 days)      |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                                     | 1         |                          |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                                   | 1         |                          |
| <i>naproxen oral tablet 250 mg, 375 mg</i>                                                     | 1         |                          |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn)                                                  | 1         |                          |
| <i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)                       | 1         |                          |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                                     | 1         |                          |
| <b>Anesthetics</b>                                                                             |           |                          |
| <b>Local Anesthetics</b>                                                                       |           |                          |
| <i>dermacinrx lidocan 5% patch outer</i> (lidocaine)                                           | 2         | PA; QL (90 per 30 days)  |
| <i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)                           | 1         | QL (30 per 30 days)      |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)                           | 1         | QL (30 per 30 days)      |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)                     | 2         | PA; QL (90 per 30 days)  |
| <i>lidocaine topical ointment 5 %</i>                                                          | 2         | PA; QL (240 per 30 days) |
| <i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)                          | 1         |                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                               | Drug Tier | Requirements/Limits       |
|---------------------------------------------------------------------------------------------------------|-----------|---------------------------|
| <i>lidocaine-prilocaine topical cream</i><br>2.5-2.5 %                                                  | 1         | PA; QL (30 per 30 days)   |
| <i>lidocaine iii topical adhesive</i> (lidocaine)<br><i>patch,medicated 5 %</i>                         | 2         | PA; QL (90 per 30 days)   |
| ZTLIDO TOPICAL ADHESIVE<br>PATCH,MEDICATED 1.8 %                                                        | 3         | PA; QL (90 per 30 days)   |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                                                  |           |                           |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                                                  |           |                           |
| <i>acamprosate oral tablet,delayed</i><br><i>release (dr/ec) 333 mg</i>                                 | 2         |                           |
| <i>buprenorphine hcl sublingual tablet</i><br><i>2 mg, 8 mg</i>                                         | 2         | QL (90 per 30 days)       |
| <i>buprenorphine-naloxone sublingual</i> (Suboxone)<br><i>film 12-3 mg</i>                              | 2         | QL (60 per 30 days)       |
| <i>buprenorphine-naloxone sublingual</i> (Suboxone)<br><i>film 2-0.5 mg, 4-1 mg, 8-2 mg</i>             | 2         | QL (90 per 30 days)       |
| <i>buprenorphine-naloxone sublingual</i><br><i>tablet 2-0.5 mg, 8-2 mg</i>                              | 1         | QL (90 per 30 days)       |
| <i>bupropion hcl (smoking deter) oral</i><br><i>tablet extended release 12 hr 150 mg</i>                | 1         |                           |
| <i>disulfiram oral tablet 250 mg, 500</i><br><i>mg</i>                                                  | 2         |                           |
| KLOXXADO NASAL<br>SPRAY, NON-AEROSOL 8<br>MG/ACTUATION                                                  | 3         | QL (4 per 30 days)        |
| <i>naloxone injection solution 0.4 mg/ml</i>                                                            | 1         |                           |
| <i>naloxone injection syringe 0.4 mg/ml,</i><br><i>0.4 mg/ml (prefilled syringe), 1</i><br><i>mg/ml</i> | 2         |                           |
| <i>naloxone nasal spray,non-aerosol 4</i> (Narcan)<br><i>mg/actuation</i>                               | 2         | QL (4 per 30 days)        |
| <i>naltrexone oral tablet 50 mg</i>                                                                     | 2         |                           |
| NICOTROL NS NASAL<br>SPRAY, NON-AEROSOL 10<br>MG/ML                                                     | 4         | ST; QL (240 per 180 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                               | Drug Tier | Requirements/Limits       |
|---------------------------------------------------------------------------------------------------------|-----------|---------------------------|
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)                                          | 2         | QL (336 per 365 days)     |
| <i>varenicline tartrate oral tablet 1 mg (56 pack)</i>                                                  | 2         | QL (336 per 365 days)     |
| <i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 2         |                           |
| <b>Antianxiety Agents</b>                                                                               |           |                           |
| <b>Benzodiazepines</b>                                                                                  |           |                           |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)                                             | 1         | NDS; QL (120 per 30 days) |
| <i>alprazolam oral tablet 2 mg</i> (Xanax)                                                              | 1         | NDS; QL (150 per 30 days) |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>                                             | 1         | NDS; QL (120 per 30 days) |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)                                                   | 1         | QL (90 per 30 days)       |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin)                                                           | 1         | QL (300 per 30 days)      |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>                           | 2         | QL (90 per 30 days)       |
| <i>clonazepam oral tablet, disintegrating 2 mg</i>                                                      | 2         | QL (300 per 30 days)      |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>                                       | 2         | QL (180 per 30 days)      |
| <i>diazepam injection solution 5 mg/ml</i>                                                              | 1         | QL (10 per 28 days)       |
| <i>diazepam injection syringe 5 mg/ml</i>                                                               | 2         |                           |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)                                            | 2         | QL (1200 per 30 days)     |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                                                       | 2         | QL (1200 per 30 days)     |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)                                                  | 1         | QL (120 per 30 days)      |
| <i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)                                              | 1         | NDS; QL (150 per 30 days) |
| <i>lorazepam 4 mg/ml vial inner</i> (Ativan)                                                            | 1         |                           |
| <i>lorazepam injection solution 2 mg/ml</i> (Ativan)                                                    | 1         | QL (2 per 30 days)        |
| <i>lorazepam injection solution 4 mg/ml</i> (Ativan)                                                    | 4         | QL (2 per 30 days)        |
| <i>lorazepam injection syringe 2 mg/ml</i>                                                              | 1         | QL (2 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                    | Drug Tier | Requirements/Limits             |
|------------------------------------------------------------------------------|-----------|---------------------------------|
| <i>lorazepam intensol oral concentrate</i> (lorazepam)<br>2 mg/ml            | 1         | NDS; QL (150 per 30 days)       |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)                           | 1         | NDS; QL (90 per 30 days)        |
| <i>lorazepam oral tablet 2 mg</i> (Ativan)                                   | 1         | NDS; QL (150 per 30 days)       |
| <i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)                        | 1         | NDS; QL (30 per 30 days)        |
| <i>temazepam oral capsule 22.5 mg</i> (Restoril)                             | 2         | NDS; QL (30 per 30 days)        |
| <i>temazepam oral capsule 7.5 mg</i> (Restoril)                              | 2         | NDS; QL (120 per 30 days)       |
| <i>triazolam oral tablet 0.125 mg</i>                                        | 2         | NDS; QL (120 per 30 days)       |
| <i>triazolam oral tablet 0.25 mg</i> (Halcion)                               | 2         | NDS; QL (60 per 30 days)        |
| <b>Antibacterials</b>                                                        |           |                                 |
| <b>Aminoglycosides</b>                                                       |           |                                 |
| <i>amikacin injection solution 500 mg/2 ml</i>                               | 2         |                                 |
| ARIKAYCE INHALATION<br>SUSPENSION FOR<br>NEBULIZATION 590 MG/8.4 ML          | 5         | PA; NDS; QL (235.2 per 28 days) |
| <i>gentamicin injection solution 40 mg/ml</i>                                | 2         |                                 |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>           | 2         |                                 |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i> | 1         |                                 |
| <i>neomycin oral tablet 500 mg</i>                                           | 2         |                                 |
| <i>streptomycin intramuscular recon soln 1 gram</i>                          | 5         | NDS                             |
| TOBI PODHALER INHALATION<br>CAPSULE, W/INHALATION<br>DEVICE 28 MG            | 5         | NDS; QL (224 per 28 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>tobramycin in 0.225 % nacl (Tobi)<br/>inhalation solution for nebulization<br/>300 mg/5 ml</i>     | 5                | PA BvD; NDS                |
| <i>tobramycin sulfate injection solution<br/>10 mg/ml, 40 mg/ml</i>                                   | 2                |                            |
| <b>Antibacterials, Miscellaneous</b>                                                                  |                  |                            |
| <i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl)<br/>300 mg, 75 mg</i>                           | 1                |                            |
| <i>clindamycin phosphate injection<br/>solution 150 (mg/ml) (4 ml), 150<br/>(mg/ml) (6 ml)</i>        | 2                |                            |
| <i>clindamycin phosphate injection (Cleocin)<br/>solution 150 mg/ml</i>                               | 2                |                            |
| <i>colistin (colistimethate na) injection (Coly-Mycin M<br/>recon soln 150 mg Parenteral)</i>         | 5                | NDS                        |
| <i>daptomycin intravenous recon soln<br/>350 mg, 500 mg</i>                                           | 5                | NDS                        |
| <i>linezolid in dextrose 5% intravenous (Zyvox)<br/>piggyback 600 mg/300 ml</i>                       | 2                |                            |
| <i>linezolid oral suspension for (Zyvox)<br/>reconstitution 100 mg/5 ml</i>                           | 5                | NDS                        |
| <i>linezolid oral tablet 600 mg (Zyvox)</i>                                                           | 2                |                            |
| <i>methenamine hippurate oral tablet 1<br/>gram</i>                                                   | 2                |                            |
| <i>metronidazole in nacl (iso-os) (Metro I.V.)<br/>intravenous piggyback 500 mg/100<br/>ml</i>        | 1                |                            |
| <i>metronidazole oral tablet 250 mg,<br/>500 mg</i>                                                   | 1                |                            |
| <i>nitrofurantoin macrocrystal oral<br/>capsule 100 mg, 50 mg</i>                                     | 1                | QL (120 per 30 days)       |
| <i>nitrofurantoin monohyd/m-cryst oral (Macrobid)<br/>capsule 100 mg</i>                              | 1                | QL (60 per 30 days)        |
| <i>trimethoprim oral tablet 100 mg</i>                                                                | 1                |                            |
| <i>vancomycin intravenous recon soln<br/>1,000 mg, 1.25 gram, 10 gram, 5<br/>gram, 500 mg, 750 mg</i> | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                       | Drug Tier | Requirements/Limits          |
|---------------------------------------------------------------------------------|-----------|------------------------------|
| <i>vancomycin oral capsule 125 mg</i> (Vancocin)                                | 2         | QL (56 per 14 days)          |
| <i>vancomycin oral capsule 250 mg</i> (Vancocin)                                | 2         | QL (112 per 14 days)         |
| XIFAXAN ORAL TABLET 200 MG                                                      | 3         | PA; QL (9 per 30 days)       |
| XIFAXAN ORAL TABLET 550 MG                                                      | 5         | PA; NDS; QL (90 per 30 days) |
| <b>Cephalosporins</b>                                                           |           |                              |
| <i>cefaclor oral capsule 250 mg, 500 mg</i>                                     | 2         |                              |
| <i>cefadroxil oral capsule 500 mg</i>                                           | 1         |                              |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>   | 2         |                              |
| <i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>                   | 2         |                              |
| <i>cefdinir oral capsule 300 mg</i>                                             | 1         |                              |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>     | 2         |                              |
| <i>cefepime injection recon soln 1 gram, 2 gram</i>                             | 2         |                              |
| <i>cefixime oral capsule 400 mg</i>                                             | 2         |                              |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>                 | 2         |                              |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i>                                   | 2         |                              |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>                                     | 2         |                              |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)        | 2         |                              |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 2         |                              |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>                             | 1         |                              |
| <i>cefuroxime sodium injection recon soln 750 mg</i>                            | 2         |                              |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>              | 2         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                           | Drug Tier | Requirements/Limits      |
|-----------------------------------------------------------------------------------------------------|-----------|--------------------------|
| <i>cephalexin oral capsule 250 mg, 500 mg</i>                                                       | 1         |                          |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>                       | 1         |                          |
| <i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)                            | 2         |                          |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG                                                       | 5         | NDS                      |
| <b>Macrolides</b>                                                                                   |           |                          |
| <i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)                                       | 2         |                          |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)         | 2         |                          |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>                            | 1         |                          |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)                                          | 1         |                          |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>                   | 2         |                          |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                                    | 2         |                          |
| DIFICID ORAL TABLET 200 MG (fidaxomicin)                                                            | 5         | NDS; QL (20 per 10 days) |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules) | 2         |                          |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)      | 2         |                          |
| <i>erythromycin oral tablet 250 mg, 500 mg</i>                                                      | 2         |                          |
| <i>fidaxomicin oral tablet 200 mg</i> (Dificid)                                                     | 5         | NDS; QL (20 per 10 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                 | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Miscellaneous B-Lactam Antibiotics</b>                                                                 |           |                     |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)                                            | 2         |                     |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML                                                     | 5         | PA; LA; NDS         |
| <i>ertapenem injection recon soln 1 gram</i>                                                              | 2         |                     |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i>                                                  | 2         |                     |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)                                    | 2         |                     |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i>                                                    | 2         |                     |
| <i>meropenem intravenous recon soln 2 gram</i>                                                            | 4         |                     |
| <b>Penicillins</b>                                                                                        |           |                     |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>                                                            | 1         |                     |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>  | 1         |                     |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>                                                             | 1         |                     |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>                                                   | 1         |                     |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>    | 2         |                     |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)        | 2         |                     |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 2         |                     |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>                                     | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)                        | 1                |                            |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>              | 2                |                            |
| <i>ampicillin oral capsule 500 mg</i>                                                        | 1                |                            |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>                        | 2                |                            |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)          | 2                |                            |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 4                |                            |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i>                                             | 2                |                            |
| EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT  | 4                |                            |
| LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT                    | 4                |                            |
| <i>naftcillin injection recon soln 1 gram, 10 gram, 2 gram</i>                               | 2                |                            |
| <i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)             | 2                |                            |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>    | 2                |                            |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>                       | 1                |                            |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>                                     | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>         | 2         |                     |
| <b>Quinolones</b>                                                                                        |           |                     |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)                                              | 1         |                     |
| <i>ciprofloxacin hcl oral tablet 750 mg</i>                                                              | 1         |                     |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>                  | 2         |                     |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>              | 2         |                     |
| <i>levofloxacin oral solution 250 mg/10 ml</i>                                                           | 2         |                     |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>                                                   | 1         |                     |
| <i>moxifloxacin 400 mg/250 ml bag suv, p/f, inner</i>                                                    | 2         |                     |
| <i>moxifloxacin oral tablet 400 mg</i>                                                                   | 2         |                     |
| <i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic)) | 2         |                     |
| <b>Sulfonamides</b>                                                                                      |           |                     |
| <i>sulfadiazine oral tablet 500 mg</i>                                                                   | 2         |                     |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)                          | 2         |                     |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)                                     | 1         |                     |
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)                                 | 1         |                     |
| <b>Tetracyclines</b>                                                                                     |           |                     |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i>                                                         | 2         |                     |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)                                      | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)          | 2                |                                   |
| <i>doxycycline hyclate oral capsule 100 mg</i>                               | 2                |                                   |
| <i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)                     | 2                |                                   |
| <i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>          | 2                |                                   |
| <i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)                      | 2                |                                   |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxine NL)            | 1                |                                   |
| <i>doxycycline monohydrate oral capsule 150 mg</i>                           | 1                | QL (60 per 30 days)               |
| <i>doxycycline monohydrate oral capsule 50 mg</i>                            | 1                |                                   |
| <i>doxycycline monohydrate oral capsule 75 mg</i> (Mondoxine NL)             | 1                | QL (60 per 30 days)               |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> | 2                |                                   |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)                  | 2                |                                   |
| <i>doxycycline monohydrate oral tablet 50 mg</i>                             | 2                |                                   |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>                         | 1                |                                   |
| <i>tetracycline oral capsule 250 mg, 500 mg</i>                              | 2                |                                   |
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)                    | 5                | NDS                               |
| <b>Anticancer Agents</b>                                                     |                  |                                   |
| <b>Anticancer Agents</b>                                                     |                  |                                   |
| <i>abiraterone oral tablet 250 mg</i> (Abitrega)                             | 5                | PA NSO; NDS; QL (120 per 30 days) |
| <i>abiraterone oral tablet 500 mg</i> (Zytiga)                               | 5                | PA NSO; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-------------------------------------------------------------------|------------------|-----------------------------------|
| <i>abirtega oral tablet 250 mg</i> (abiraterone)                  | 2                | PA NSO; QL (120 per 30 days)      |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil) | 2                | PA BvD                            |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                          | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| ALECENSA ORAL CAPSULE 150 MG                                      | 5                | PA NSO; NDS; QL (240 per 30 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG                                | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| ALUNBRIG ORAL TABLET 30 MG                                        | 5                | PA NSO; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)             | 5                | PA NSO; NDS                       |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex)                    | 1                |                                   |
| ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML                      | 5                | PA NSO; NDS; QL (1.6 per 28 days) |
| AUGTYRO ORAL CAPSULE 160 MG                                       | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| AUGTYRO ORAL CAPSULE 40 MG                                        | 5                | PA NSO; NDS; QL (240 per 30 days) |
| AVMAPKI ORAL CAPSULE 0.8 MG                                       | 5                | PA NSO; NDS; QL (24 per 28 days)  |
| AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG                       | 5                | PA NSO; NDS; QL (66 per 28 days)  |
| AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG                       | 5                | NDS                               |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG          | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza)           | 5                | NDS                               |
| BALVERSA ORAL TABLET 3 MG                                         | 5                | PA NSO; NDS; QL (84 per 28 days)  |
| BALVERSA ORAL TABLET 4 MG                                         | 5                | PA NSO; NDS; QL (56 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                             | Drug Tier | Requirements/Limits               |
|-----------------------------------------------------------------------|-----------|-----------------------------------|
| BALVERSA ORAL TABLET 5 MG                                             | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| <i>bendamustine intravenous recon soln</i> (Treanda)<br>100 mg, 25 mg | 5         | PA NSO; NDS                       |
| BENDAMUSTINE (Bendeka)<br>INTRAVENOUS SOLUTION 25 MG/ML               | 5         | PA NSO; NDS                       |
| BENDEKA INTRAVENOUS (bendamustine)<br>SOLUTION 25 MG/ML               | 5         | PA NSO; NDS                       |
| <i>bexarotene oral capsule</i> 75 mg (Targretin)                      | 5         | PA NSO; NDS                       |
| <i>bexarotene topical gel</i> 1 % (Targretin)                         | 5         | PA NSO; NDS                       |
| <i>bicalutamide oral tablet</i> 50 mg (Casodex)                       | 1         |                                   |
| BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)              | 5         | PA NSO; NDS; QL (75 per 28 days)  |
| <i>bleomycin injection recon soln</i> 15 unit, 30 unit                | 1         |                                   |
| <i>bortezomib injection recon soln</i> 1 mg, 2.5 mg                   | 4         | PA NSO                            |
| <i>bortezomib injection recon soln</i> 3.5 mg (Velcade)               | 4         | PA NSO                            |
| BORUZU INJECTION SOLUTION 2.5 MG/ML                                   | 4         | PA NSO                            |
| BOSULIF ORAL CAPSULE 100 MG                                           | 5         | PA NSO; NDS; QL (180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG                                            | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| BOSULIF ORAL TABLET 100 MG                                            | 5         | PA NSO; NDS; QL (180 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG                                    | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| BRAFTOVI ORAL CAPSULE 75 MG                                           | 5         | PA NSO; NDS; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG                                           | 5         | PA NSO; NDS; QL (120 per 30 days) |
| BRUKINSA ORAL TABLET 160 MG                                           | 5         | PA NSO; NDS; QL (60 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                      | Drug Tier | Requirements/Limits                  |
|--------------------------------------------------------------------------------|-----------|--------------------------------------|
| CABOMETYX ORAL TABLET 20 MG, 60 MG                                             | 5         | PA NSO; NDS; QL (30 per 30 days)     |
| CABOMETYX ORAL TABLET 40 MG                                                    | 5         | PA NSO; NDS; QL (60 per 30 days)     |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG                               | 5         | PA NSO; NDS; QL (60 per 30 days)     |
| CALQUENCE ORAL CAPSULE 100 MG                                                  | 5         | PA NSO; NDS; QL (60 per 30 days)     |
| CAPRELSA ORAL TABLET 100 MG (vandetanib)                                       | 5         | PA NSO; NDS; QL (60 per 30 days)     |
| CAPRELSA ORAL TABLET 300 MG (vandetanib)                                       | 5         | PA NSO; NDS; QL (30 per 30 days)     |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY) | 5         | PA NSO; NDS                          |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)                            | 5         | PA NSO; NDS; QL (112 per 28 days)    |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                                             | 5         | PA NSO; NDS; QL (56 per 28 days)     |
| COTELLIC ORAL TABLET 20 MG                                                     | 5         | PA NSO; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>          | 5         | PA BvD; NDS                          |
| <i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>              | 5         | PA BvD; NDS                          |
| <i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)             | 5         | PA BvD; NDS                          |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                              | 2         | PA BvD; ST                           |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i>                               | 3         | PA BvD; ST                           |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML                                          | 5         | PA NSO; NDS; QL (120 per 28 days)    |
| DANZITEN ORAL TABLET 71 MG, 95 MG                                              | 5         | PA NSO; NDS; QL (112 per 28 days)    |
| <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Phyrago)     | 5         | PA NSO; NDS; QL (30 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>dasatinib oral tablet 20 mg</i> (Phyrago)                              | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| DATROWAY INTRAVENOUS RECON SOLN 100 MG                                    | 5                | PA NSO; NDS                       |
| DAURISMO ORAL TABLET 100 MG                                               | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| DAURISMO ORAL TABLET 25 MG                                                | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| <i>decitabine intravenous recon soln 50 mg</i>                            | 5                | NDS                               |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx) | 5                | PA BvD; NDS                       |
| ELAHERE INTRAVENOUS SOLUTION 5 MG/ML                                      | 5                | PA NSO; NDS                       |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG                            | 4                | PA NSO                            |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG                              | 4                | PA NSO                            |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG                              | 4                | PA NSO                            |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)                             | 4                | PA NSO                            |
| ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML                       | 5                | PA NSO; NDS                       |
| ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML                                   | 5                | PA NSO; NDS; QL (9.5 per 28 days) |
| EMCYT ORAL CAPSULE 140 MG                                                 | 5                | NDS                               |
| EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG                              | 5                | PA NSO; NDS                       |
| EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML                   | 5                | PA NSO; NDS                       |
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML                  | 5                | PA NSO; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                         | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| ERIVEDGE ORAL CAPSULE 150 MG                                                                      | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| ERLEADA ORAL TABLET 240 MG                                                                        | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| ERLEADA ORAL TABLET 60 MG                                                                         | 5         | PA NSO; NDS; QL (90 per 30 days)  |
| <i>erlotinib oral tablet 100 mg, 25 mg</i>                                                        | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| <i>erlotinib oral tablet 150 mg</i>                                                               | 5         | PA NSO; NDS; QL (90 per 30 days)  |
| ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG                                                           | 4         |                                   |
| <i>etoposide intravenous solution 20 mg/ml</i>                                                    | 2         |                                   |
| EULEXIN ORAL CAPSULE 125 MG (flutamide)                                                           | 5         | NDS                               |
| <i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)                                    | 5         | PA NSO; NDS; QL (56 per 28 days)  |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)                     | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 5         | PA NSO; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin)                                                    | 2         |                                   |
| FAKZYNJA ORAL TABLET 200 MG                                                                       | 5         | PA NSO; NDS; QL (42 per 28 days)  |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG                                     | 5         | PA BvD; NDS                       |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG                                      | 3         | PA BvD                            |
| <i>floxuridine injection recon soln 0.5 gram</i>                                                  | 1         | PA BvD                            |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>                | 2         | PA BvD                            |
| <i>flutamide oral capsule 125 mg</i> (Eulexin)                                                    | 2         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                       | Drug Tier | Requirements/Limits               |
|-----------------------------------------------------------------|-----------|-----------------------------------|
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                           | 5         | PA NSO; NDS; QL (21 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 1 MG                                      | 5         | PA NSO; NDS; QL (84 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 5 MG                                      | 5         | PA NSO; NDS; QL (21 per 28 days)  |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex) | 5         | NDS                               |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG         | 5         | PA NSO; NDS                       |
| GAVRETO ORAL CAPSULE 100 MG                                     | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>gefitinib oral tablet 250 mg</i> (Iressa)                    | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                        | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| GLEOSTINE ORAL CAPSULE 10 MG (lomustine)                        | 4         |                                   |
| GLEOSTINE ORAL CAPSULE 100 MG, 40 MG (lomustine)                | 5         | NDS                               |
| GOMEKLI ORAL CAPSULE 1 MG                                       | 5         | PA NSO; NDS; QL (224 per 28 days) |
| GOMEKLI ORAL CAPSULE 2 MG                                       | 5         | PA NSO; NDS; QL (112 per 28 days) |
| GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG                         | 5         | PA NSO; NDS; QL (224 per 28 days) |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML | 5         | PA NSO; NDS; QL (5 per 21 days)   |
| HERNEXEOS ORAL TABLET 60 MG                                     | 5         | PA NSO; NDS; QL (90 per 30 days)  |
| HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG                   | 5         | PA NSO; NDS                       |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea)                 | 1         |                                   |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                      | 5         | PA NSO; NDS; QL (21 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                         | Drug Tier | Requirements/Limits               |
|-------------------------------------------------------------------|-----------|-----------------------------------|
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG                         | 5         | PA NSO; NDS; QL (21 per 28 days)  |
| IBTROZI ORAL CAPSULE 200 MG                                       | 5         | PA NSO; NDS; QL (90 per 30 days)  |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG                    | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| IDHIFA ORAL TABLET 100 MG, 50 MG                                  | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| <i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)            | 2         |                                   |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 2         |                                   |
| <i>imatinib oral tablet 100 mg</i> (Gleevec)                      | 2         | PA NSO; QL (180 per 30 days)      |
| <i>imatinib oral tablet 400 mg</i> (Gleevec)                      | 2         | PA NSO; QL (60 per 30 days)       |
| IMBRUVICA ORAL CAPSULE 140 MG                                     | 5         | PA NSO; NDS; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG                                      | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                                | 5         | PA NSO; NDS; QL (216 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG              | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG                      | 5         | PA NSO; NDS                       |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML                              | 5         | PA NSO; NDS                       |
| IMKELDI ORAL SOLUTION 80 MG/ML                                    | 5         | PA NSO; NDS; QL (280 per 28 days) |
| INLEXZO INTRAVESICAL IMPLANT 225 MG                               | 5         | PA BvD; NDS                       |
| INLYTA ORAL TABLET 1 MG                                           | 5         | PA NSO; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG                                           | 5         | PA NSO; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|------------------------------------------------------------------|------------------|-----------------------------------|
| INQOVI ORAL TABLET 35-100 MG                                     | 5                | PA NSO; NDS; QL (5 per 28 days)   |
| INREBIC ORAL CAPSULE 100 MG                                      | 5                | PA NSO; NDS; QL (120 per 30 days) |
| ITOVEBI ORAL TABLET 3 MG                                         | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| ITOVEBI ORAL TABLET 9 MG                                         | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| IWILFIN ORAL TABLET 192 MG                                       | 5                | PA NSO; NDS; QL (240 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG              | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 100 MG                                      | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 50 MG                                       | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML                           | 5                | PA NSO; NDS                       |
| JYLAMVO ORAL SOLUTION 2 MG/ML                                    | 4                | PA BvD; ST                        |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML                           | 5                | PA NSO; NDS                       |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML                     | 5                | PA NSO; NDS; QL (2 per 28 days)   |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5                | PA NSO; NDS; QL (49 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5                | PA NSO; NDS; QL (70 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5                | PA NSO; NDS; QL (91 per 28 days)  |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)                      | 5                | PA NSO; NDS; QL (21 per 28 days)  |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)                      | 5                | PA NSO; NDS; QL (42 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)                                                                                                                                                                        | 5                | PA NSO; NDS; QL (63 per 28 days)  |
| KOSELUGO ORAL CAPSULE 10 MG                                                                                                                                                                                        | 5                | PA NSO; NDS; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG                                                                                                                                                                                        | 5                | PA NSO; NDS; QL (120 per 30 days) |
| KRAZATI ORAL TABLET 200 MG                                                                                                                                                                                         | 5                | PA NSO; NDS; QL (180 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb)                                                                                                                                                                       | 5                | PA NSO; NDS                       |
| LAZCLUZE ORAL TABLET 240 MG                                                                                                                                                                                        | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| LAZCLUZE ORAL TABLET 80 MG                                                                                                                                                                                         | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)                                                                                                                               | 5                | PA NSO; NDS; QL (28 per 28 days)  |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY (10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 5                | PA NSO; NDS                       |
| <i>letrozole oral tablet 2.5 mg</i> (Femara)                                                                                                                                                                       | 1                |                                   |
| LEUKERAN ORAL TABLET 2 MG                                                                                                                                                                                          | 5                | NDS                               |
| <i>leuprolide acetate (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))                                                                                                  | 4                | PA NSO                            |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>                                                                                                                                                                     | 2                | PA NSO                            |
| LONSURF ORAL TABLET 15-6.14 MG                                                                                                                                                                                     | 5                | PA NSO; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG                                                                                                                                                                                     | 5                | PA NSO; NDS; QL (80 per 28 days)  |
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)                                                                                                                                                               | 5                | PA NSO; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--------------------------------------------------------------------------------------|------------------|-----------------------------------|
| LORBRENA ORAL TABLET 100 MG                                                          | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| LORBRENA ORAL TABLET 25 MG                                                           | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| LUMAKRAS ORAL TABLET 120 MG                                                          | 5                | PA NSO; NDS; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 240 MG                                                          | 5                | PA NSO; NDS; QL (120 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG                                                          | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML                                                | 5                | PA NSO; NDS                       |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG                             | 5                | PA NSO; NDS                       |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG                               | 5                | PA NSO; NDS                       |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG                               | 5                | PA NSO; NDS                       |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG                                        | 5                | PA NSO; NDS                       |
| LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML                                               | 5                | PA NSO; NDS; QL (15 per 8 days)   |
| LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML                                              | 5                | PA NSO; NDS; QL (40 per 28 days)  |
| LYNPARZA ORAL TABLET 100 MG, 150 MG                                                  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG                                                          | 5                | NDS                               |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) | 5                | PA NSO; NDS; QL (140 per 28 days) |
| MARGENZA INTRAVENOUS SOLUTION 25 MG/ML                                               | 5                | PA NSO; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                   | Drug Tier | Requirements/Limits                |
|-------------------------------------------------------------|-----------|------------------------------------|
| MATULANE ORAL CAPSULE 50 MG                                 | 5         | NDS                                |
| <i>megestrol oral tablet 20 mg, 40 mg</i>                   | 1         |                                    |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML                         | 5         | PA NSO; NDS; QL (1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG                                 | 5         | PA NSO; NDS; QL (90 per 30 days)   |
| MEKINIST ORAL TABLET 2 MG                                   | 5         | PA NSO; NDS; QL (30 per 30 days)   |
| MEKTOVI ORAL TABLET 15 MG                                   | 5         | PA NSO; NDS; QL (180 per 30 days)  |
| <i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)    | 5         | NDS                                |
| <i>mercaptopurine oral tablet 50 mg</i>                     | 2         |                                    |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i> | 1         |                                    |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | 1         |                                    |
| <i>methotrexate sodium injection solution 25 mg/ml</i>      | 1         |                                    |
| <i>methotrexate sodium oral tablet 2.5 mg</i>               | 1         | PA BvD; ST                         |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i>         | 1         |                                    |
| MODEYSO ORAL CAPSULE 125 MG                                 | 5         | PA NSO; NDS; QL (20 per 28 days)   |
| MVASI INTRAVENOUS SOLUTION 25 MG/ML                         | 5         | PA NSO; NDS                        |
| NERLYNX ORAL TABLET 40 MG                                   | 5         | PA NSO; NDS; QL (180 per 30 days)  |
| <i>nilotinib hcl oral capsule 150 mg, 200 mg</i> (Tasigna)  | 5         | PA NSO; NDS; QL (112 per 28 days)  |
| <i>nilotinib hcl oral capsule 50 mg</i> (Tasigna)           | 5         | PA NSO; NDS; QL (120 per 30 days)  |
| NILOTINIB TARTRATE ORAL CAPSULE 150 MG, 200 MG              | 5         | PA NSO; NDS; QL (112 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                       | Drug Tier | Requirements/Limits               |
|-------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| NILOTINIB TARTRATE ORAL CAPSULE 50 MG                                                           | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i> (Nilandron)                                                | 5         | NDS                               |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                                                         | 5         | PA NSO; NDS; QL (3 per 28 days)   |
| NUBEQA ORAL TABLET 300 MG                                                                       | 5         | PA NSO; NDS; QL (120 per 30 days) |
| ODOMZO ORAL CAPSULE 200 MG                                                                      | 5         | PA NSO; LA; NDS                   |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG                                                    | 5         | PA NSO; NDS                       |
| OGSIVEO ORAL TABLET 100 MG, 150 MG                                                              | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| OGSIVEO ORAL TABLET 50 MG                                                                       | 5         | PA NSO; NDS; QL (180 per 30 days) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML                                              | 5         | PA NSO; NDS; QL (96 per 28 days)  |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6) | 5         | PA NSO; NDS; QL (24 per 28 days)  |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG                                                      | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG                                                 | 5         | PA NSO; NDS                       |
| ONUREG ORAL TABLET 200 MG, 300 MG                                                               | 5         | PA NSO; NDS; QL (14 per 28 days)  |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML                | 5         | PA NSO; NDS                       |
| OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML                                    | 5         | PA NSO; NDS                       |
| OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML                                                   | 5         | PA NSO; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| ORSERDU ORAL TABLET 345 MG                                                                  | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| ORSERDU ORAL TABLET 86 MG                                                                   | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| <i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane) | 5                | PA BvD; NDS                       |
| <i>pazopanib oral tablet 200 mg</i> (Votrient)                                              | 5                | PA NSO; NDS; QL (120 per 30 days) |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG                                                  | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| <i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>                          | 5                | NDS                               |
| <i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)                   | 5                | NDS                               |
| <i>pemetrexed disodium intravenous solution 25 mg/ml</i>                                    | 5                | NDS                               |
| PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML                                                   | 5                | NDS                               |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)                                                  | 5                | PA NSO; NDS; QL (28 per 28 days)  |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)                 | 5                | PA NSO; NDS; QL (56 per 28 days)  |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG                                                | 5                | PA NSO; NDS; QL (21 per 28 days)  |
| QINLOCK ORAL TABLET 50 MG                                                                   | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| RETEVMO ORAL CAPSULE 40 MG                                                                  | 5                | PA NSO; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG                                                                  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG                                                          | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| RETEVMO ORAL TABLET 40 MG                                                                   | 5                | PA NSO; NDS; QL (180 per 30 days) |
| RETEVMO ORAL TABLET 80 MG                                                                   | 5                | PA NSO; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-----------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| REVUFORJ ORAL TABLET 110 MG                                                                   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| REVUFORJ ORAL TABLET 160 MG                                                                   | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| REVUFORJ ORAL TABLET 25 MG                                                                    | 5                | PA NSO; NDS; QL (240 per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG                                                                 | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| RIABNI INTRAVENOUS SOLUTION 10 MG/ML                                                          | 5                | PA NSO; NDS                       |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 5                | PA NSO; NDS                       |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG                                                     | 5                | PA NSO; NDS; QL (8 per 28 days)   |
| ROZLYTREK ORAL CAPSULE 100 MG                                                                 | 5                | PA NSO; NDS; QL (180 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG                                                                 | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| ROZLYTREK ORAL PELLETS IN PACKET 50 MG                                                        | 5                | PA NSO; NDS; QL (360 per 30 days) |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG                                                    | 5                | PA NSO; NDS; QL (120 per 30 days) |
| RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML                                                        | 5                | PA NSO; NDS                       |
| RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML                                                       | 5                | PA NSO; NDS                       |
| RYDAPT ORAL CAPSULE 25 MG                                                                     | 5                | PA NSO; NDS; QL (224 per 28 days) |
| RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG                                                   | 5                | PA NSO; NDS                       |
| SCEMBLIX ORAL TABLET 100 MG                                                                   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| SCEMBLIX ORAL TABLET 20 MG                                                                    | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| SCEMBLIX ORAL TABLET 40 MG                                                                    | 5                | PA NSO; NDS; QL (300 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                    | Drug Tier | Requirements/Limits                  |
|------------------------------------------------------------------------------|-----------|--------------------------------------|
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML                                           | 5         | NDS                                  |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar)                                | 5         | PA NSO; NDS; QL (120 per 30 days)    |
| STIVARGA ORAL TABLET 40 MG                                                   | 5         | PA NSO; NDS; QL (84 per 28 days)     |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent) | 5         | PA NSO; NDS; QL (28 per 28 days)     |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG                                       | 5         | PA NSO; NDS                          |
| TABLOID ORAL TABLET 40 MG (thioguanine)                                      | 4         |                                      |
| TABRECTA ORAL TABLET 150 MG, 200 MG                                          | 5         | PA NSO; NDS; QL (112 per 28 days)    |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG                                           | 5         | PA NSO; NDS; QL (120 per 30 days)    |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG                                    | 5         | PA NSO; NDS; QL (900 per 30 days)    |
| TAGRISSE ORAL TABLET 40 MG, 80 MG                                            | 5         | PA NSO; LA; NDS; QL (30 per 30 days) |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML                               | 5         | PA NSO; NDS                          |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG        | 5         | PA NSO; NDS; QL (30 per 30 days)     |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i>                                    | 1         |                                      |
| TAZVERIK ORAL TABLET 200 MG                                                  | 5         | PA NSO; NDS; QL (240 per 30 days)    |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML                            | 5         | PA NSO; NDS                          |
| TEPMETKO ORAL TABLET 225 MG                                                  | 5         | PA NSO; NDS; QL (60 per 30 days)     |
| TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML                                       | 5         | PA NSO; NDS                          |
| TIBSOVO ORAL TABLET 250 MG                                                   | 5         | PA NSO; NDS; QL (60 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                | Drug Tier | Requirements/Limits                      |
|------------------------------------------------------------------------------------------|-----------|------------------------------------------|
| TICE BCG INTRAVESICAL<br>SUSPENSION FOR<br>RECONSTITUTION 50 MG                          | 4         |                                          |
| TIVDAK INTRAVENOUS RECON<br>SOLN 40 MG                                                   | 5         | PA NSO; NDS; QL (5<br>per 21 days)       |
| <i>toposar intravenous solution 20<br/>mg/ml</i> (etoposide)                             | 2         |                                          |
| <i>toremifene oral tablet 60 mg</i> (Fareston)                                           | 5         | NDS                                      |
| <i>torpenz oral tablet 10 mg</i> (everolimus<br>(antineoplastic))                        | 5         | PA NSO; NDS; QL (60<br>per 30 days)      |
| <i>torpenz oral tablet 2.5 mg, 5 mg, 7.5<br/>mg</i> (everolimus<br>(antineoplastic))     | 5         | PA NSO; NDS; QL (30<br>per 30 days)      |
| TRAZIMERA INTRAVENOUS<br>RECON SOLN 150 MG, 420 MG                                       | 5         | PA NSO; NDS                              |
| TRELSTAR INTRAMUSCULAR<br>SUSPENSION FOR<br>RECONSTITUTION 11.25 MG,<br>22.5 MG, 3.75 MG | 4         | PA NSO                                   |
| <i>tretinoin (antineoplastic) oral<br/>capsule 10 mg</i>                                 | 5         | NDS                                      |
| TRUQAP ORAL TABLET 160 MG,<br>200 MG                                                     | 5         | PA NSO; NDS; QL (64<br>per 28 days)      |
| TRUXIMA INTRAVENOUS<br>SOLUTION 10 MG/ML                                                 | 5         | PA NSO; NDS                              |
| TUKYSA ORAL TABLET 150 MG                                                                | 5         | PA NSO; NDS; QL (120<br>per 30 days)     |
| TUKYSA ORAL TABLET 50 MG                                                                 | 5         | PA NSO; NDS; QL (300<br>per 30 days)     |
| TURALIO ORAL CAPSULE 125<br>MG, 200 MG                                                   | 5         | PA NSO; NDS; QL (120<br>per 30 days)     |
| VANFLYTA ORAL TABLET 17.7<br>MG, 26.5 MG                                                 | 5         | PA NSO; NDS                              |
| VEGZELMA INTRAVENOUS<br>SOLUTION 25 MG/ML                                                | 5         | PA NSO; NDS                              |
| VENCLEXTA ORAL TABLET 10<br>MG                                                           | 3         | PA NSO; LA; QL (60<br>per 30 days)       |
| VENCLEXTA ORAL TABLET 100<br>MG                                                          | 5         | PA NSO; LA; NDS; QL<br>(180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                          | Drug Tier | Requirements/Limits                  |
|--------------------------------------------------------------------|-----------|--------------------------------------|
| VENCLEXTA ORAL TABLET 50 MG                                        | 5         | PA NSO; LA; NDS; QL (30 per 30 days) |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG | 5         | PA NSO; LA; NDS                      |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                 | 5         | PA NSO; NDS; QL (56 per 28 days)     |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>       | 2         |                                      |
| VITRAKVI ORAL CAPSULE 100 MG                                       | 5         | PA NSO; NDS; QL (60 per 30 days)     |
| VITRAKVI ORAL CAPSULE 25 MG                                        | 5         | PA NSO; NDS; QL (180 per 30 days)    |
| VITRAKVI ORAL SOLUTION 20 MG/ML                                    | 5         | PA NSO; NDS; QL (300 per 30 days)    |
| VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)             | 5         | PA NSO; NDS                          |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG                           | 5         | PA NSO; NDS; QL (30 per 30 days)     |
| VONJO ORAL CAPSULE 100 MG                                          | 5         | PA NSO; NDS; QL (120 per 30 days)    |
| VORANIGO ORAL TABLET 10 MG, 40 MG                                  | 5         | PA NSO; NDS                          |
| VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG                        | 5         | PA NSO; NDS                          |
| WELIREG ORAL TABLET 40 MG                                          | 5         | PA NSO; NDS; QL (90 per 30 days)     |
| XALKORI ORAL CAPSULE 200 MG, 250 MG                                | 5         | PA NSO; NDS; QL (120 per 30 days)    |
| XALKORI ORAL PELLETT 150 MG                                        | 5         | PA NSO; NDS; QL (180 per 30 days)    |
| XALKORI ORAL PELLETT 20 MG                                         | 5         | PA NSO; NDS; QL (240 per 30 days)    |
| XALKORI ORAL PELLETT 50 MG                                         | 5         | PA NSO; NDS; QL (120 per 30 days)    |
| XATMEP ORAL SOLUTION 2.5 MG/ML                                     | 4         | PA BvD; ST                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-------------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| XOSPATA ORAL TABLET 40 MG                                                                       | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) | 5                | PA NSO; NDS; QL (8 per 28 days)   |
| XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)                                                       | 5                | PA NSO; NDS; QL (16 per 28 days)  |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)                               | 5                | PA NSO; NDS; QL (4 per 28 days)   |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)                                                | 5                | PA NSO; NDS; QL (24 per 28 days)  |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)                                                | 5                | PA NSO; NDS; QL (32 per 28 days)  |
| XTANDI ORAL CAPSULE 40 MG                                                                       | 5                | PA NSO; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG                                                                        | 5                | PA NSO; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG                                                                        | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)                       | 5                | PA NSO; NDS                       |
| YONSA ORAL TABLET 125 MG                                                                        | 5                | PA NSO; NDS; QL (120 per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG                                                                      | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG                                                       | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| ZELBORAF ORAL TABLET 240 MG                                                                     | 5                | PA NSO; NDS; QL (240 per 30 days) |
| ZIIHERA INTRAVENOUS RECON SOLN 300 MG                                                           | 5                | PA NSO; NDS                       |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML                                                           | 5                | PA NSO; NDS                       |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG                                                    | 4                | PA NSO                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                    | Drug Tier | Requirements/Limits               |
|----------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| ZOLINZA ORAL CAPSULE 100 MG                                                                  | 5         | NDS                               |
| ZYDELIG ORAL TABLET 100 MG, 150 MG                                                           | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| ZYKADIA ORAL TABLET 150 MG                                                                   | 5         | PA NSO; NDS; QL (84 per 28 days)  |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG                                                        | 5         | PA NSO; NDS                       |
| ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML                                                      | 5         | PA NSO; NDS; QL (20 per 28 days)  |
| <b>Anticonvulsants</b>                                                                       |           |                                   |
| <b>Anticonvulsants</b>                                                                       |           |                                   |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML                                                     | 3         | QL (80 per 30 days)               |
| BRIVIACT ORAL SOLUTION 10 MG/ML                                                              | 3         | QL (600 per 30 days)              |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG                                      | 3         | QL (60 per 30 days)               |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)    | 2         |                                   |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)                                  | 2         |                                   |
| <i>carbamazepine oral tablet 200 mg</i> (Tegretol)                                           | 2         |                                   |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 2         |                                   |
| <i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>                                    | 2         |                                   |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)                                             | 2         | QL (480 per 30 days)              |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)                                              | 2         | QL (60 per 30 days)               |
| DIACOMIT ORAL CAPSULE 250 MG                                                                 | 5         | PA NSO; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG                                                                 | 5         | PA NSO; NDS; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG                                                        | 5         | PA NSO; NDS; QL (360 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| DIACOMIT ORAL POWDER IN PACKET 500 MG                                                    | 5                | PA NSO; NDS; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>                       | 4                |                                   |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)         | 2                |                                   |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)        | 2                |                                   |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote) | 2                |                                   |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG                                   | 5                | ST; NDS; QL (90 per 30 days)      |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG                                   | 5                | ST; NDS; QL (60 per 30 days)      |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML                                                        | 5                | PA NSO; NDS                       |
| <i>epitol oral tablet 200 mg</i> (carbamazepine)                                         | 2                |                                   |
| <i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)                               | 5                | ST; NDS; QL (30 per 30 days)      |
| <i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)                               | 5                | ST; NDS; QL (60 per 30 days)      |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin)                                       | 2                |                                   |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)                                 | 2                |                                   |
| <i>felbamate oral suspension 600 mg/5 ml</i>                                             | 2                |                                   |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)                                   | 2                |                                   |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML                                                         | 5                | PA NSO; NDS                       |
| <i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)         | 2                |                                   |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML                                                        | 5                | ST; NDS; QL (720 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)                                  | 1                | QL (360 per 30 days)       |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin)                                          | 1                | QL (270 per 30 days)       |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)                                    | 2                | QL (2160 per 30 days)      |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin)                                           | 1                | QL (180 per 30 days)       |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin)                                           | 1                | QL (120 per 30 days)       |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)                               | 2                | QL (200 per 5 days)        |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat)                                          | 2                | QL (1200 per 30 days)      |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)                       | 2                | QL (60 per 30 days)        |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)                   | 1                |                            |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)                | 2                |                            |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT) | 2                |                            |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)                             | 2                |                            |
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra)                                      | 2                |                            |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)                 | 2                |                            |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)         | 2                |                            |
| <i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)                           | 2                | ST                         |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG                                  | 4                | QL (10 per 30 days)        |
| <i>methsuximide oral capsule 300 mg</i> (Celontin)                                         | 2                |                            |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)                                      | 4                | QL (10 per 30 days)        |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)                    | 2                |                            |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)                        | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                        | Drug Tier | Requirements/Limits          |
|--------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)                                       | 5         | ST; NDS; QL (30 per 30 days) |
| <i>perampanel oral tablet 2 mg</i> (Fycompa)                                                     | 2         | ST; QL (30 per 30 days)      |
| <i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)                                               | 5         | ST; NDS; QL (60 per 30 days) |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>                                            | 2         |                              |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 2         |                              |
| PHENYTEK ORAL CAPSULE 200 MG, 300 MG (phenytoin sodium extended)                                 | 4         |                              |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)                                      | 1         |                              |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)                                 | 1         |                              |
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)                         | 2         |                              |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)                          | 2         |                              |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i>                                            | 1         |                              |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i>                                             | 1         |                              |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)              | 2         | QL (90 per 30 days)          |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)                                           | 2         | QL (60 per 30 days)          |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica)                                                | 2         | QL (900 per 30 days)         |
| <i>primidone oral tablet 125 mg</i>                                                              | 2         |                              |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)                                            | 1         |                              |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel)                                              | 5         | ST; NDS                      |
| <i>rufinamide oral tablet 200 mg</i> (Banzel)                                                    | 2         | ST                           |
| <i>rufinamide oral tablet 400 mg</i> (Banzel)                                                    | 5         | ST; NDS                      |
| SEZABY INTRAVENOUS RECON SOLN 100 MG                                                             | 5         | PA BvD; NDS                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                                | Drug Tier | Requirements/Limits               |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG                                                                              | 4         | ST                                |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)                                                                                | 4         | ST                                |
| subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg (lamotrigine)                                                                        | 1         |                                   |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG                                                                                                    | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg                                                                                           | 2         |                                   |
| topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)                                                                                 | 2         |                                   |
| topiramate oral capsule, sprinkle 50 mg                                                                                                  | 2         |                                   |
| topiramate oral solution 25 mg/ml (Eprontia)                                                                                             | 2         | ST                                |
| topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)                                                                            | 1         |                                   |
| valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)                                                                            | 2         |                                   |
| valproic acid (as sodium salt) oral solution 250 mg/5 ml                                                                                 | 2         |                                   |
| valproic acid oral capsule 250 mg                                                                                                        | 2         |                                   |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 5         | NDS; QL (10 per 30 days)          |
| vigabatrin oral powder in packet 500 mg (Vigadrone)                                                                                      | 5         | PA NSO; NDS; QL (180 per 30 days) |
| vigabatrin oral tablet 500 mg (Vigadrone)                                                                                                | 5         | PA NSO; NDS; QL (180 per 30 days) |
| vigadrone oral powder in packet 500 mg (vigabatrin)                                                                                      | 5         | PA NSO; NDS; QL (180 per 30 days) |
| vigadrone oral tablet 500 mg (vigabatrin)                                                                                                | 5         | PA NSO; NDS; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                | Drug Tier | Requirements/Limits                |
|--------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------|
| <i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)                                                                | 5         | PA NSO; NDS; QL (180 per 30 days)  |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)                       | 3         | QL (56 per 28 days)                |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG                                                                                  | 3         | QL (30 per 30 days)                |
| XCOPRI ORAL TABLET 150 MG, 200 MG                                                                                        | 3         | QL (60 per 30 days)                |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 3         |                                    |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML                                                                                     | 4         |                                    |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)                                                                  | 1         |                                    |
| <i>zonisamide oral capsule 50 mg</i>                                                                                     | 1         |                                    |
| ZTALMY ORAL SUSPENSION 50 MG/ML                                                                                          | 5         | PA NSO; NDS; QL (1080 per 30 days) |
| <b>Antidementia Agents</b>                                                                                               |           |                                    |
| <b>Antidementia Agents</b>                                                                                               |           |                                    |
| <i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)                                                                       | 1         | QL (30 per 30 days)                |
| <i>donepezil oral tablet 23 mg</i> (Aricept)                                                                             | 2         | QL (30 per 30 days)                |
| <i>donepezil oral tablet,disintegrating 10 mg</i>                                                                        | 1         |                                    |
| <i>donepezil oral tablet,disintegrating 5 mg</i>                                                                         | 1         | QL (30 per 30 days)                |
| <i>ergoloid oral tablet 1 mg</i>                                                                                         | 2         |                                    |
| <i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>                                                | 2         | QL (30 per 30 days)                |
| <i>galantamine oral solution 4 mg/ml</i>                                                                                 | 2         | QL (200 per 30 days)               |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>                                                                         | 2         | QL (60 per 30 days)                |
| <i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>                                                       | 2         | ST; QL (30 per 30 days)            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                    | Drug Tier | Requirements/Limits     |
|--------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
| <i>memantine oral capsule, sprinkle, er</i> (Namenda XR)<br>24hr 7 mg                                        | 2         | ST; QL (30 per 30 days) |
| <i>memantine oral solution 2 mg/ml</i>                                                                       | 2         | QL (300 per 30 days)    |
| <i>memantine oral tablet 10 mg, 5 mg</i>                                                                     | 2         | QL (60 per 30 days)     |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>                                         | 2         |                         |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 2         | QL (30 per 30 days)     |
| <b>Antidepressants</b>                                                                                       |           |                         |
| <b>Antidepressants</b>                                                                                       |           |                         |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                                  | 1         |                         |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>                                                    | 2         |                         |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG                                                          | 5         | ST; NDS                 |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i>                                                               | 1         |                         |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)                       | 1         |                         |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)              | 1         |                         |
| <i>citalopram oral solution 10 mg/5 ml</i>                                                                   | 2         |                         |
| <i>citalopram oral tablet 10 mg</i> (Celexa)                                                                 | 1         | QL (120 per 30 days)    |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)                                                          | 1         | QL (30 per 30 days)     |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)                                             | 2         |                         |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)                                                      | 2         |                         |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>                                                  | 2         |                         |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)            | 2         | QL (30 per 30 days)     |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                                       | 2         |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|-------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>doxepin oral concentrate 10 mg/ml</i>                                            | 1                |                              |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG            | 4                | ST; QL (60 per 30 days)      |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG                          | 4                | ST; QL (30 per 30 days)      |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>          | 1                | QL (60 per 30 days)          |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR                 | 5                | ST; NDS; QL (30 per 30 days) |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i>                                 | 2                |                              |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)                | 1                |                              |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)-40 MG (26)                    | 4                | ST                           |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG             | 4                | ST; QL (30 per 30 days)      |
| <i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)                                | 1                |                              |
| <i>fluoxetine oral capsule 40 mg</i>                                                | 1                |                              |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>                                | 2                |                              |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>                                 | 2                |                              |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                               | 1                |                              |
| MARPLAN ORAL TABLET 10 MG                                                           | 4                |                              |
| <i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)                               | 1                |                              |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i>                                        | 1                |                              |
| <i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab) | 2                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>                         | 2                |                               |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)                      | 1                |                               |
| <i>nortriptyline oral solution 10 mg/5 ml</i>                                               | 2                |                               |
| <i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)                                    | 2                |                               |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)                        | 1                |                               |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR) | 2                |                               |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>   | 2                |                               |
| <i>phenelzine oral tablet 15 mg</i> (Nardil)                                                | 2                |                               |
| <i>protriptyline oral tablet 10 mg, 5 mg</i>                                                | 2                |                               |
| RALDESY ORAL SOLUTION 10 MG/ML                                                              | 4                | PA NSO; QL (1200 per 30 days) |
| <i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)                                        | 2                |                               |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)                                 | 1                |                               |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)               | 5                | PA NSO; NDS                   |
| <i>tranylcypromine oral tablet 10 mg</i> (Parnate)                                          | 2                |                               |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>                                  | 1                |                               |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>                                       | 2                |                               |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG                                                   | 3                | QL (30 per 30 days)           |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)                  | 1                | QL (30 per 30 days)           |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)          | 1                | QL (90 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                           | Drug Tier | Requirements/Limits              |
|---------------------------------------------------------------------|-----------|----------------------------------|
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 1         |                                  |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)         | 2         | QL (30 per 30 days)              |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG                                  | 5         | PA NSO; NDS; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG                                         | 5         | PA NSO; NDS; QL (14 per 14 days) |
| <b>Antidiabetic Agents</b>                                          |           |                                  |
| <b>Antidiabetic Agents, Miscellaneous</b>                           |           |                                  |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)          | 2         |                                  |
| FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)         | 3         | QL (30 per 30 days)              |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG                               | 3         | QL (30 per 30 days)              |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG                          | 3         | QL (60 per 30 days)              |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG            | 3         | QL (30 per 30 days)              |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG  | 3         | QL (60 per 30 days)              |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG                            | 3         | QL (30 per 30 days)              |
| JARDIANCE ORAL TABLET 10 MG, 25 MG                                  | 3         | QL (30 per 30 days)              |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG         | 3         | QL (60 per 30 days)              |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG      | 3         | QL (60 per 30 days)              |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG        | 3         | QL (30 per 30 days)              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>metformin oral solution 500 mg/5 ml</i> (Riomet)                                                                                                                    | 2                | QL (765 per 30 days)          |
| <i>metformin oral tablet 1,000 mg</i>                                                                                                                                  | 6                | QL (75 per 30 days)           |
| <i>metformin oral tablet 500 mg</i>                                                                                                                                    | 6                | QL (150 per 30 days)          |
| <i>metformin oral tablet 750 mg</i>                                                                                                                                    | 6                | QL (60 per 30 days)           |
| <i>metformin oral tablet 850 mg</i>                                                                                                                                    | 6                | QL (90 per 30 days)           |
| <i>metformin oral tablet extended release 24 hr 500 mg</i>                                                                                                             | 6                | QL (120 per 30 days)          |
| <i>metformin oral tablet extended release 24 hr 750 mg</i>                                                                                                             | 6                | QL (60 per 30 days)           |
| <i>mifepristone oral tablet 300 mg</i> (Korlym)                                                                                                                        | 5                | PA; NDS; QL (112 per 28 days) |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML                                               | 3                | PA; QL (2 per 28 days)        |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                                                                                                           | 6                | QL (90 per 30 days)           |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 3                | PA; QL (3 per 28 days)        |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)                                                                                                            | 6                | QL (30 per 30 days)           |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i>                                                                                                                    | 6                | QL (90 per 30 days)           |
| <i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)                                                                                                     | 6                | QL (90 per 30 days)           |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>                                                                                                                            | 6                | QL (120 per 30 days)          |
| <i>repaglinide oral tablet 2 mg</i>                                                                                                                                    | 6                | QL (240 per 30 days)          |
| RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG                                                                                                             | 3                | PA; QL (30 per 30 days)       |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG                                                                                                  | 3                | QL (60 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>                           |
|-----------------------------------------------------------------------------------------------|------------------|------------------------------------------------------|
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG                      | 3                | QL (30 per 30 days)                                  |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG                     | 3                | QL (60 per 30 days)                                  |
| TRADJENTA ORAL TABLET 5 MG                                                                    | 3                | QL (30 per 30 days)                                  |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG                  | 3                | QL (30 per 30 days)                                  |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG             | 3                | QL (60 per 30 days)                                  |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 3                | PA; QL (2 per 28 days)                               |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)    | 3                | QL (30 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG                                       | 3                | QL (30 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG                          | 3                | QL (60 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)     | 3                | QL (60 per 30 days)                                  |
| <b>Insulins</b>                                                                               |                  |                                                      |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)                     | 3                | max \$35 copay per month supply; QL (30 per 28 days) |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)                         | 3                | max \$35 copay per month supply; QL (30 per 28 days) |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                                         | 3                | max \$35 copay per month supply; QL (40 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                                   | Drug Tier | Requirements/Limits                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------|
| HUMULIN R U-500 (CONC)<br>INSULIN SUBCUTANEOUS<br>SOLUTION 500 UNIT/ML                                                                      | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| HUMULIN R U-500 (CONC)<br>KWIKPEN SUBCUTANEOUS<br>INSULIN PEN 500 UNIT/ML (3<br>ML)                                                         | 3         | max \$35 copay per<br>month supply; QL (24<br>per 28 days) |
| <i>insulin asp prt-insulin aspart</i><br><i>subcutaneous insulin pen 100 unit/ml</i><br><i>(70-30)</i> (Novolog Mix 70-<br>30FlexPen U-100) | 2         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin asp prt-insulin aspart</i><br><i>subcutaneous solution 100 unit/ml</i><br><i>(70-30)</i> (Novolog Mix 70-30 U-<br>100 Insuln)    | 2         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous</i><br><i>cartridge 100 unit/ml</i> (Novolog PenFill U-100<br>Insulin)                                 | 2         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous</i><br><i>insulin pen 100 unit/ml (3 ml)</i> (Novolog FlexPen U-<br>100 Insulin)                       | 2         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous</i><br><i>solution 100 unit/ml</i> (Novolog U-100 Insulin<br>aspart)                                   | 2         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin glargine-yfgn subcutaneous</i><br><i>insulin pen 100 unit/ml (3 ml)</i> (Semglee(insulin glarg-<br>yfgn)Pen)                     | 3         | max \$35 copay per<br>month supply                         |
| <i>insulin glargine-yfgn subcutaneous</i><br><i>solution 100 unit/ml</i> (Semglee(insulin<br>glargine-yfgn))                                | 3         | max \$35 copay per<br>month supply                         |
| LANTUS SOLOSTAR U-100<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3<br>ML) (insulin glargine)                                       | 3         | max \$35 copay per<br>month supply                         |
| LANTUS U-100 INSULIN<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML (insulin glargine)                                                             | 3         | max \$35 copay per<br>month supply                         |
| NOVOLIN 70/30 U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION<br>100 UNIT/ML (70-30)                                                               | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN 70-30 FLEXPEN U-100<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (70-30)                                                              | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>                           |
|--------------------------------------------------------------------------------------------------------------------|------------------|------------------------------------------------------|
| NOVOLIN N FLEXPEN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)                                                | 3                | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN N NPH U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION<br>100 UNIT/ML                                              | 3                | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN R FLEXPEN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)                                                | 3                | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN R REGULAR U100<br>INSULIN INJECTION SOLUTION<br>100 UNIT/ML                                                | 3                | max \$35 copay per month supply; QL (40 per 28 days) |
| SEMGLEE(INSULIN GLARGINE- (insulin glargine-yfgn)<br>YFGN) SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML                    | 3                | max \$35 copay per month supply                      |
| SEMGLEE(INSULIN GLARG- (insulin glargine-yfgn)<br>YFGN)PEN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3<br>ML)       | 3                | max \$35 copay per month supply                      |
| SOLIQUA 100/33<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT-33 MCG/ML                                                   | 3                | max \$35 copay per month supply; QL (30 per 30 days) |
| TOUJEO MAX U-300 SOLOSTAR (insulin glargine u-300<br>SUBCUTANEOUS INSULIN PEN conc)<br>300 UNIT/ML (3 ML)          | 3                | max \$35 copay per month supply                      |
| TOUJEO SOLOSTAR U-300 (insulin glargine u-300<br>INSULIN SUBCUTANEOUS conc)<br>INSULIN PEN 300 UNIT/ML (1.5<br>ML) | 3                | max \$35 copay per month supply                      |
| TRESIBA FLEXTOUCH U-100 (insulin degludec)<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)                       | 3                | max \$35 copay per month supply                      |
| TRESIBA FLEXTOUCH U-200 (insulin degludec)<br>SUBCUTANEOUS INSULIN PEN<br>200 UNIT/ML (3 ML)                       | 3                | max \$35 copay per month supply                      |
| TRESIBA U-100 INSULIN (insulin degludec)<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                                   | 3                | max \$35 copay per month supply                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                 | Drug Tier | Requirements/Limits                                  |
|-------------------------------------------------------------------------------------------|-----------|------------------------------------------------------|
| XULTOPHY 100/3.6<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT-3.6 MG /ML (3 ML)                | 3         | max \$35 copay per month supply; QL (15 per 28 days) |
| <b>Sulfonylureas</b>                                                                      |           |                                                      |
| <i>glimepiride oral tablet 1 mg, 2 mg</i>                                                 | 6         | QL (30 per 30 days)                                  |
| <i>glimepiride oral tablet 4 mg</i>                                                       | 6         | QL (60 per 30 days)                                  |
| <i>glipizide oral tablet 10 mg</i>                                                        | 6         | QL (120 per 30 days)                                 |
| <i>glipizide oral tablet 2.5 mg</i>                                                       | 6         | QL (90 per 30 days)                                  |
| <i>glipizide oral tablet 5 mg</i>                                                         | 6         | QL (240 per 30 days)                                 |
| <i>glipizide oral tablet extended release 24hr 10 mg</i>                                  | 6         | QL (60 per 30 days)                                  |
| <i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>                           | 6         | QL (30 per 30 days)                                  |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i>                                         | 6         | QL (240 per 30 days)                                 |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>                               | 6         | QL (120 per 30 days)                                 |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>                                | 6         |                                                      |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>                                        | 6         |                                                      |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>                  | 6         |                                                      |
| <b>Antifungals</b>                                                                        |           |                                                      |
| <b>Antifungals</b>                                                                        |           |                                                      |
| ABELCET INTRAVENOUS<br>SUSPENSION 5 MG/ML                                                 | 4         | PA BvD                                               |
| <i>amphotericin b injection recon soln 50 mg</i>                                          | 2         | PA BvD                                               |
| <i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome) | 5         | PA BvD; NDS                                          |
| <i>ciclopirox topical cream 0.77 %</i> (Ciclodan)                                         | 1         | QL (180 per 30 days)                                 |
| <i>ciclopirox topical solution 8 %</i> (Ciclodan)                                         | 1         | QL (19.8 per 30 days)                                |
| <i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))                         | 2         | QL (180 per 30 days)                                 |
| <i>clotrimazole mucous membrane troche 10 mg</i>                                          | 2         |                                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                               | Drug Tier | Requirements/Limits  |
|-----------------------------------------------------------------------------------------|-----------|----------------------|
| <i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))                       | 1         |                      |
| <i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))                | 2         |                      |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i>                                | 1         | QL (90 per 30 days)  |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG                                                   | 5         | PA; NDS              |
| <i>econazole nitrate topical cream 1 %</i>                                              | 2         | QL (170 per 30 days) |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | 2         |                      |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml</i>                          | 2         |                      |
| <i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)               | 2         |                      |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>                            | 1         |                      |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)                                | 5         | NDS                  |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i>                               | 2         |                      |
| <i>griseofulvin microsize oral tablet 500 mg</i>                                        | 2         |                      |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>                   | 2         |                      |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox)                                      | 2         |                      |
| <i>ketoconazole oral tablet 200 mg</i>                                                  | 1         |                      |
| <i>ketoconazole topical cream 2 %</i>                                                   | 2         | QL (180 per 30 days) |
| <i>ketoconazole topical shampoo 2 %</i>                                                 | 1         | QL (360 per 30 days) |
| <i>micafungin intravenous recon soln 100 mg, 50 mg</i> (Mycamine)                       | 2         |                      |
| <i>miconazole-3 vaginal suppository 200 mg</i>                                          | 2         |                      |
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)                               | 2         | QL (60 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>nystatin oral suspension 100,000 unit/ml</i>                                       | 2                |                            |
| <i>nystatin oral tablet 500,000 unit</i>                                              | 2                |                            |
| <i>nystatin topical cream 100,000 unit/gram</i>                                       | 1                | QL (60 per 30 days)        |
| <i>nystatin topical ointment 100,000 unit/gram</i>                                    | 1                | QL (60 per 30 days)        |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)                             | 2                | QL (60 per 30 days)        |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>                      | 2                |                            |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin)                             | 2                | QL (60 per 30 days)        |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>                       | 5                | PA; NDS                    |
| <i>terbinafine hcl oral tablet 250 mg</i>                                             | 1                |                            |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)                          | 5                | PA BvD; NDS                |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 5                | PA; NDS                    |
| <i>voriconazole oral tablet 200 mg, 50 mg</i>                                         | 2                |                            |
| <b>Antigout Agents</b>                                                                |                  |                            |
| <b>Antigout Agents, Other</b>                                                         |                  |                            |
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim)                                      | 1                |                            |
| <i>allopurinol oral tablet 300 mg</i>                                                 | 1                |                            |
| <i>colchicine oral capsule 0.6 mg</i> (Mitigare)                                      | 2                | QL (60 per 30 days)        |
| <i>colchicine oral tablet 0.6 mg</i> (Colcrys)                                        | 2                | QL (120 per 30 days)       |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)                                   | 2                | ST; QL (30 per 30 days)    |
| <i>probenecid oral tablet 500 mg</i>                                                  | 2                |                            |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i>                                   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                               | Drug Tier | Requirements/Limits         |
|-----------------------------------------------------------------------------------------|-----------|-----------------------------|
| <b>Antihistamines</b>                                                                   |           |                             |
| <b>Antihistamines</b>                                                                   |           |                             |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                  | 1         |                             |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)                            | 1         |                             |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                       |           |                             |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                       |           |                             |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)                                | 2         |                             |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)                     | 2         |                             |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>                                           | 2         |                             |
| <i>terconazole vaginal suppository 80 mg</i>                                            | 2         |                             |
| <b>Antimigraine Agents</b>                                                              |           |                             |
| <b>Antimigraine Agents</b>                                                              |           |                             |
| AIMOVIG AUTOINJECTOR<br>SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML                  | 3         | PA; QL (1 per 30 days)      |
| AJOVY AUTOINJECTOR<br>SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML                          | 3         | PA; QL (1.5 per 30 days)    |
| AJOVY SYRINGE<br>SUBCUTANEOUS SYRINGE 225 MG/1.5 ML                                     | 3         | PA; QL (1.5 per 30 days)    |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 5         | ST; NDS; QL (8 per 28 days) |
| EMGALITY PEN<br>SUBCUTANEOUS PEN INJECTOR 120 MG/ML                                     | 3         | PA; QL (2 per 30 days)      |
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 120 MG/ML                                      | 3         | PA; QL (2 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                 | Drug Tier | Requirements/Limits     |
|-------------------------------------------------------------------------------------------|-----------|-------------------------|
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 300<br>MG/3 ML (100 MG/ML X 3)                   | 3         | PA; QL (3 per 30 days)  |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i>                                               | 2         | QL (9 per 30 days)      |
| NURTEC ODT ORAL<br>TABLET,DISINTEGRATING 75<br>MG                                         | 3         | PA; QL (18 per 30 days) |
| QULIPTA ORAL TABLET 10 MG,<br>30 MG, 60 MG                                                | 3         | PA; QL (30 per 30 days) |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt)                                             | 1         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet 5 mg</i>                                                       | 1         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)                          | 2         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet,disintegrating 5 mg</i>                                        | 2         | QL (18 per 30 days)     |
| <i>sumatriptan 4 mg/0.5 ml inject outer, sub</i> (Imitrex STATdose Pen)                   | 2         | QL (4 per 28 days)      |
| <i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>                | 2         | QL (12 per 30 days)     |
| <i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)                                 | 1         | QL (9 per 30 days)      |
| <i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)                           | 1         | QL (18 per 30 days)     |
| <i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill) | 2         | QL (4 per 28 days)      |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen) | 4         | QL (4 per 28 days)      |
| <i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen) | 2         | QL (4 per 28 days)      |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>                            | 2         | QL (5 per 28 days)      |
| UBRELVY ORAL TABLET 100<br>MG, 50 MG                                                      | 3         | PA; QL (16 per 30 days) |
| <b>Antimycobacterials</b>                                                                 |           |                         |
| <b>Antimycobacterials</b>                                                                 |           |                         |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                                  | 2         |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                 | Drug Tier | Requirements/Limits        |
|---------------------------------------------------------------------------|-----------|----------------------------|
| <i>ethambutol oral tablet 100 mg, 400 mg</i>                              | 2         |                            |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                               | 1         |                            |
| PRIFTIN ORAL TABLET 150 MG                                                | 4         |                            |
| <i>pyrazinamide oral tablet 500 mg</i>                                    | 2         |                            |
| <i>rifabutin oral capsule 150 mg</i>                                      | 2         |                            |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin)                   | 2         |                            |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                               | 2         |                            |
| SIRTURO ORAL TABLET 100 MG, 20 MG                                         | 5         | PA; NDS                    |
| TRECATOR ORAL TABLET 250 MG                                               | 4         |                            |
| <b>Antinausea Agents</b>                                                  |           |                            |
| <b>Antinausea Agents</b>                                                  |           |                            |
| <i>aprepitant oral capsule 125 mg</i>                                     | 2         | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i>                                      | 2         | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend)                              | 2         | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)   | 2         | PA BvD                     |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine)                 | 2         |                            |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)              | 2         | PA; QL (60 per 30 days)    |
| <i>meclizine oral tablet 12.5 mg</i>                                      | 1         |                            |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))                | 1         |                            |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                             | 1         | PA BvD                     |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>                 | 2         | PA BvD                     |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 1         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                            | Drug Tier | Requirements/Limits          |
|--------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>prochlorperazine maleate oral tablet</i> (Compazine)<br>10 mg, 5 mg               | 1         |                              |
| <i>prochlorperazine rectal suppository</i> (Compro)<br>25 mg                         | 2         |                              |
| <i>promethazine injection solution</i> 25 (Phenergan)<br>mg/ml                       | 2         |                              |
| <i>promethazine oral tablet</i> 12.5 mg, 25<br>mg, 50 mg                             | 1         |                              |
| <i>promethazine rectal suppository</i> 25 (Promethegan)<br>mg                        | 2         |                              |
| <i>promethegan rectal suppository</i> 12.5 (promethazine)<br>mg, 25 mg               | 2         |                              |
| <i>scopolamine base transdermal patch</i> (Transderm-Scop)<br>3 day 1 mg over 3 days | 2         | QL (10 per 30 days)          |
| <b>Antiparasite Agents</b>                                                           |           |                              |
| <b>Antiparasite Agents</b>                                                           |           |                              |
| <i>albendazole oral tablet</i> 200 mg                                                | 5         | NDS                          |
| <i>atovaquone oral suspension</i> 750 (Mepron)<br>mg/5 ml                            | 2         |                              |
| <i>atovaquone-proguanil oral tablet</i> (Malarone)<br>250-100 mg                     | 2         |                              |
| <i>atovaquone-proguanil oral tablet</i> (Malarone Pediatric)<br>62.5-25 mg           | 2         |                              |
| <i>chloroquine phosphate oral tablet</i><br>250 mg, 500 mg                           | 2         |                              |
| COARTEM ORAL TABLET 20-120<br>MG                                                     | 4         |                              |
| <i>hydroxychloroquine oral tablet</i> 100<br>mg                                      | 2         | QL (180 per 30 days)         |
| <i>hydroxychloroquine oral tablet</i> 200 (Plaquenil)<br>mg                          | 2         | QL (90 per 30 days)          |
| <i>hydroxychloroquine oral tablet</i> 300 (Sovuna)<br>mg                             | 2         | QL (60 per 30 days)          |
| <i>hydroxychloroquine oral tablet</i> 400<br>mg                                      | 2         | QL (60 per 30 days)          |
| IMPAVIDO ORAL CAPSULE 50<br>MG                                                       | 5         | PA; NDS; QL (84 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                   | Drug Tier | Requirements/Limits      |
|-----------------------------------------------------------------------------|-----------|--------------------------|
| <i>ivermectin oral tablet 3 mg</i> (Stromectol)                             | 2         |                          |
| <i>ivermectin oral tablet 6 mg</i>                                          | 2         |                          |
| <i>mefloquine oral tablet 250 mg</i>                                        | 2         |                          |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia)                             | 5         | NDS; QL (60 per 30 days) |
| <i>paromomycin oral capsule 250 mg</i> (Humatin)                            | 2         |                          |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)                  | 2         | PA BvD                   |
| <i>pentamidine injection recon soln 300 mg</i> (Pentam)                     | 2         |                          |
| <i>praziquantel oral tablet 600 mg</i> (Biltricide)                         | 2         |                          |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)                                 | 4         |                          |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim)                           | 5         | PA; NDS                  |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)                      | 2         | PA                       |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>                                | 2         |                          |
| <b>Antiparkinsonian Agents</b>                                              |           |                          |
| <b>Antiparkinsonian Agents</b>                                              |           |                          |
| <i>amantadine hcl oral capsule 100 mg</i>                                   | 2         |                          |
| <i>amantadine hcl oral solution 50 mg/5 ml</i>                              | 1         |                          |
| <i>amantadine hcl oral tablet 100 mg</i>                                    | 2         |                          |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>                           | 1         |                          |
| <i>bromocriptine oral tablet 2.5 mg</i>                                     | 2         |                          |
| <i>cabergoline oral tablet 0.5 mg</i>                                       | 2         |                          |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)                   | 1         |                          |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)                     | 1         |                          |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i>                             | 1         |                          |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | 2         |                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                              | Drug Tier | Requirements/Limits           |
|----------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>  | 2         |                               |
| <i>entacapone oral tablet 200 mg</i>                                                   | 2         |                               |
| KYNMOBI SUBLINGUAL FILM<br>10 MG, 15 MG, 20 MG, 25 MG, 30 MG                           | 5         | PA; NDS; QL (150 per 30 days) |
| KYNMOBI SUBLINGUAL FILM<br>10-15-20-25-30 MG                                           | 5         | PA; NDS                       |
| ONAPGO SUBCUTANEOUS<br>CARTRIDGE 4.9 MG/ ML                                            | 5         | PA; NDS; QL (600 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>        | 1         |                               |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)                                   | 2         |                               |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>            | 1         |                               |
| <i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>                        | 2         |                               |
| <i>selegiline hcl oral capsule 5 mg</i>                                                | 2         |                               |
| <i>selegiline hcl oral tablet 5 mg</i>                                                 | 2         |                               |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>                                          | 1         |                               |
| VYALEV CONTIN.<br>SUBCUTANEOUS INFUSION<br>SOLUTION 12-240 MG/ML                       | 5         | PA; NDS; QL (560 per 28 days) |
| <b>Antipsychotic Agents</b>                                                            |           |                               |
| <b>Antipsychotic Agents</b>                                                            |           |                               |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL<br>SYRING 720 MG/2.4 ML | 5         | NDS; QL (2.4 per 42 days)     |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL<br>SYRING 960 MG/3.2 ML | 5         | NDS; QL (3.2 per 42 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---------------------------------------------------------------------------------------|------------------|------------------------------|
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>RECON 300 MG, 400 MG  | 5                | NDS; QL (2 per 28 days)      |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 300 MG, 400 MG | 5                | NDS; QL (2 per 28 days)      |
| <i>aripiprazole oral solution 1 mg/ml</i>                                             | 2                |                              |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)      | 2                |                              |
| <i>aripiprazole oral tablet,disintegrating 10 mg</i>                                  | 2                | ST; QL (90 per 30 days)      |
| <i>aripiprazole oral tablet,disintegrating 15 mg</i>                                  | 2                | ST; QL (60 per 30 days)      |
| ARISTADA INITIO<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 675 MG/2.4 ML   | 5                | NDS; QL (4.8 per 365 days)   |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 1,064 MG/3.9 ML           | 5                | NDS; QL (3.9 per 14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 441 MG/1.6 ML             | 5                | NDS; QL (1.6 per 14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 662 MG/2.4 ML             | 5                | NDS; QL (2.4 per 14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 882 MG/3.2 ML             | 5                | NDS; QL (3.2 per 14 days)    |
| <i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)              | 2                | QL (60 per 30 days)          |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG                                            | 5                | ST; NDS; QL (30 per 30 days) |
| <i>chlorpromazine injection solution 25 mg/ml</i>                                     | 2                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---------------------------------------------------------------------------------|------------------|------------------------------|
| <i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>                      | 2                |                              |
| <i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>           | 2                |                              |
| <i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)            | 2                |                              |
| <i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>             | 2                | ST; QL (90 per 30 days)      |
| <i>clozapine oral tablet, disintegrating 150 mg</i>                             | 2                | ST; QL (180 per 30 days)     |
| <i>clozapine oral tablet, disintegrating 200 mg</i>                             | 2                | ST; QL (120 per 30 days)     |
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG                             | 5                | ST; NDS; QL (60 per 30 days) |
| COBENFY STARTER PACK ORAL CAPSULE, DOSE PACK 50 MG-20 MG /100 MG-20 MG          | 5                | ST; NDS                      |
| ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML                                    | 5                | NDS; QL (0.75 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML                                         | 5                | NDS; QL (1 per 21 days)      |
| ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML                                     | 5                | NDS; QL (1.5 per 21 days)    |
| ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML                                    | 5                | NDS; QL (2.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                                     | 5                | NDS; QL (0.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML                                      | 5                | NDS; QL (0.5 per 21 days)    |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG                   | 5                | ST; NDS; QL (60 per 30 days) |
| FANAPT TITRATION PACK A ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)    | 4                | ST                           |
| FANAPT TITRATION PACK B ORAL TABLETS, DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) | 4                | ST                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| FANAPT TITRATION PACK C<br>ORAL TABLETS,DOSE PACK 1<br>MG(4)-2 MG(2) -6 MG (2)                                   | 4                | ST                            |
| <i>fluphenazine decanoate injection<br/>solution 25 mg/ml</i>                                                    | 2                |                               |
| <i>fluphenazine hcl injection solution<br/>2.5 mg/ml</i>                                                         | 2                |                               |
| <i>fluphenazine hcl oral concentrate 5<br/>mg/ml</i>                                                             | 2                |                               |
| <i>fluphenazine hcl oral elixir 2.5 mg/5<br/>ml</i>                                                              | 2                |                               |
| <i>fluphenazine hcl oral tablet 1 mg, 10<br/>mg, 2.5 mg, 5 mg</i>                                                | 2                |                               |
| <i>haloperidol decanoate intramuscular<br/>solution 100 mg/ml, 100 mg/ml (1<br/>ml), 50 mg/ml, 50 mg/ml(1ml)</i> | 2                |                               |
| <i>haloperidol lactate injection solution<br/>5 mg/ml</i>                                                        | 1                |                               |
| <i>haloperidol lactate intramuscular<br/>syringe 5 mg/ml</i>                                                     | 2                |                               |
| <i>haloperidol lactate oral concentrate<br/>2 mg/ml</i>                                                          | 1                |                               |
| <i>haloperidol oral tablet 0.5 mg, 1 mg,<br/>10 mg, 2 mg, 20 mg, 5 mg</i>                                        | 2                |                               |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,092 MG/3.5 ML                                                       | 5                | NDS; QL (3.5 per 166<br>days) |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,560 MG/5 ML                                                         | 5                | NDS; QL (5 per 166<br>days)   |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 117<br>MG/0.75 ML                                                       | 5                | NDS; QL (0.75 per 21<br>days) |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 156<br>MG/ML                                                            | 5                | NDS; QL (1 per 21 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--------------------------------------------------------------------|------------------|----------------------------------|
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 234<br>MG/1.5 ML          | 5                | NDS; QL (1.5 per 21 days)        |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 39<br>MG/0.25 ML          | 3                | QL (0.25 per 21 days)            |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 78<br>MG/0.5 ML           | 5                | NDS; QL (0.5 per 21 days)        |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 273<br>MG/0.88 ML           | 5                | NDS; QL (0.88 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 410<br>MG/1.32 ML           | 5                | NDS; QL (1.32 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 546<br>MG/1.75 ML           | 5                | NDS; QL (1.75 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 819<br>MG/2.63 ML           | 5                | NDS; QL (2.63 per 70 days)       |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>   | 2                |                                  |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda) | 2                | QL (30 per 30 days)              |
| <i>lurasidone oral tablet 80 mg</i> (Latuda)                       | 2                | QL (60 per 30 days)              |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG          | 5                | PA NSO; NDS; QL (30 per 30 days) |
| <i>molindone oral tablet 10 mg</i>                                 | 2                | QL (240 per 30 days)             |
| <i>molindone oral tablet 25 mg</i>                                 | 2                | QL (270 per 30 days)             |
| <i>molindone oral tablet 5 mg</i>                                  | 5                | NDS; QL (120 per 30 days)        |
| NUPLAZID ORAL CAPSULE 34 MG                                        | 5                | PA NSO; NDS; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG                                         | 5                | PA NSO; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|----------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>olanzapine intramuscular recon soln</i><br>10 mg                                                                              | 2                | QL (30 per 30 days)         |
| <i>olanzapine oral tablet 10 mg, 15 mg,</i><br>7.5 mg                                                                            | 2                |                             |
| <i>olanzapine oral tablet 2.5 mg, 20 mg,</i> (Zyprexa)<br>5 mg                                                                   | 2                |                             |
| <i>olanzapine oral tablet, disintegrating</i><br>10 mg, 15 mg, 20 mg, 5 mg                                                       | 2                |                             |
| OPIPZA ORAL FILM 10 MG, 2<br>MG, 5 MG                                                                                            | 5                | ST; NDS                     |
| <i>paliperidone oral tablet extended</i><br><i>release 24hr 1.5 mg</i>                                                           | 2                | QL (30 per 30 days)         |
| <i>paliperidone oral tablet extended</i> (Invega)<br><i>release 24hr 3 mg, 9 mg</i>                                              | 2                | QL (30 per 30 days)         |
| <i>paliperidone oral tablet extended</i> (Invega)<br><i>release 24hr 6 mg</i>                                                    | 2                | QL (60 per 30 days)         |
| <i>perphenazine oral tablet 16 mg, 2</i><br><i>mg, 4 mg, 8 mg</i>                                                                | 2                |                             |
| PERSERIS SUBCUTANEOUS<br>SUSPENSION, EXTENDED REL<br>SYRING 120 MG, 90 MG                                                        | 5                | NDS; QL (1 per 30 days)     |
| <i>pimozide oral tablet 1 mg, 2 mg</i>                                                                                           | 2                |                             |
| <i>prochlorperazine 10 mg/2 ml vial outer</i><br><i>10 mg/2 ml (5 mg/ml)</i>                                                     | 1                |                             |
| <i>quetiapine oral tablet 100 mg, 200</i> (Seroquel)<br><i>mg, 25 mg, 300 mg, 400 mg, 50 mg</i>                                  | 2                |                             |
| <i>quetiapine oral tablet 150 mg</i>                                                                                             | 2                | QL (30 per 30 days)         |
| <i>quetiapine oral tablet extended</i> (Seroquel XR)<br><i>release 24 hr 150 mg, 200 mg, 300</i><br><i>mg, 400 mg, 50 mg</i>     | 2                |                             |
| REXULTI ORAL TABLET 0.25<br>MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4<br>MG                                                                | 5                | NDS; QL (30 per 30<br>days) |
| <i>risperidone microspheres</i> (Risperdal Consta)<br><i>intramuscular suspension, extended</i><br><i>rel recon 12.5 mg/2 ml</i> | 2                | QL (2 per 28 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| <i>risperidone microspheres</i> (Rykindo)<br><i>intramuscular suspension,extended</i><br><i>rel recon 25 mg/2 ml</i>               | 2                | QL (2 per 28 days)              |
| <i>risperidone microspheres</i> (Rykindo)<br><i>intramuscular suspension,extended</i><br><i>rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> | 5                | NDS; QL (2 per 28 days)         |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal)                                                                               | 2                |                                 |
| <i>risperidone oral tablet 0.25 mg</i>                                                                                             | 1                |                                 |
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)                                                          | 1                |                                 |
| <i>risperidone oral tablet,disintegrating</i><br><i>0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                                    | 2                |                                 |
| RYKINDO INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>RECON 25 MG/2 ML, 37.5 MG/2<br>ML, 50 MG/2 ML (risperidone<br>microspheres)    | 5                | NDS; QL (2 per 28 days)         |
| SECUADO TRANSDERMAL<br>PATCH 24 HOUR 3.8 MG/24<br>HOUR, 5.7 MG/24 HOUR, 7.6<br>MG/24 HOUR                                          | 5                | ST; NDS; QL (30 per 30<br>days) |
| <i>thioridazine oral tablet 10 mg, 100<br/>mg, 25 mg, 50 mg</i>                                                                    | 2                |                                 |
| <i>thiothixene oral capsule 1 mg, 10 mg,<br/>2 mg, 5 mg</i>                                                                        | 2                |                                 |
| <i>trifluoperazine oral tablet 1 mg, 10<br/>mg, 2 mg, 5 mg</i>                                                                     | 2                |                                 |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 100 MG/0.28 ML                                                             | 5                | NDS; QL (0.28 per 28<br>days)   |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 125 MG/0.35 ML                                                             | 5                | NDS; QL (0.35 per 28<br>days)   |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 150 MG/0.42 ML                                                             | 5                | NDS; QL (0.42 per 56<br>days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                            | Drug Tier | Requirements/Limits              |
|--------------------------------------------------------------------------------------|-----------|----------------------------------|
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 200 MG/0.56 ML               | 5         | NDS; QL (0.56 per 56<br>days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 250 MG/0.7 ML                | 5         | NDS; QL (0.7 per 56<br>days)     |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 50 MG/0.14 ML                | 5         | NDS; QL (0.14 per 28<br>days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 75 MG/0.21 ML                | 5         | NDS; QL (0.21 per 28<br>days)    |
| VERSACLOZ ORAL<br>SUSPENSION 50 MG/ML                                                | 5         | ST; NDS; QL (540 per<br>30 days) |
| VRAYLAR ORAL CAPSULE 1.5<br>MG, 3 MG, 4.5 MG, 6 MG                                   | 5         | ST; NDS; QL (30 per 30<br>days)  |
| VRAYLAR ORAL<br>CAPSULE,DOSE PACK 1.5 MG<br>(1)- 3 MG (6)                            | 4         | ST                               |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)              | 2         |                                  |
| <i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon) | 2         | QL (6 per 28 days)               |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 210 MG            | 4         | QL (2 per 28 days)               |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 300 MG            | 5         | NDS; QL (2 per 28 days)          |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 405 MG            | 5         | NDS; QL (1 per 28 days)          |
| <b>Antivirals (Systemic)</b>                                                         |           |                                  |
| <b>Antiretrovirals</b>                                                               |           |                                  |
| <i>abacavir oral solution 20 mg/ml</i> (Ziagen)                                      | 2         |                                  |
| <i>abacavir oral tablet 300 mg</i>                                                   | 2         |                                  |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i>                                    | 2         |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|-------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| APRETUDE INTRAMUSCULAR (cabotegravir)<br>SUSPENSION,EXTENDED<br>RELEASE 600 MG/3 ML (200<br>MG/ML)                | 5                | NDS; QL (24 per 365<br>days) |
| APTIVUS ORAL CAPSULE 250<br>MG                                                                                    | 5                | NDS                          |
| <i>atazanavir oral capsule 150 mg</i>                                                                             | 2                |                              |
| <i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)                                                           | 2                |                              |
| BIKTARVY ORAL TABLET 30-<br>120-15 MG, 50-200-25 MG                                                               | 5                | NDS; QL (30 per 30<br>days)  |
| CABENUVA INTRAMUSCULAR<br>SUSPENSION,EXTENDED<br>RELEASE 400 MG/2 ML- 600<br>MG/2 ML, 600 MG/3 ML- 900<br>MG/3 ML | 5                | NDS                          |
| <i>cabotegravir intramuscular<br/>suspension,extended release 400<br/>mg/2 ml (200 mg/ml)</i>                     | 5                | NDS; QL (24 per 365<br>days) |
| <i>cabotegravir intramuscular<br/>suspension,extended release 600<br/>mg/3 ml (200 mg/ml)</i> (Apretude)          | 5                | NDS; QL (24 per 365<br>days) |
| CIMDUO ORAL TABLET 300-300<br>MG                                                                                  | 5                | NDS                          |
| <i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)                                                            | 5                | NDS                          |
| DELSTRIGO ORAL TABLET 100-<br>300-300 MG                                                                          | 5                | NDS                          |
| DESCOVY ORAL TABLET 120-15<br>MG, 200-25 MG                                                                       | 5                | NDS                          |
| <i>didanosine oral capsule,delayed<br/>release(dr/ec) 250 mg, 400 mg</i>                                          | 2                |                              |
| DOVATO ORAL TABLET 50-300<br>MG                                                                                   | 5                | NDS                          |
| EDURANT ORAL TABLET 25 MG                                                                                         | 5                | NDS                          |
| EDURANT PED ORAL TABLET<br>FOR SUSPENSION 2.5 MG                                                                  | 5                | NDS                          |
| <i>efavirenz oral capsule 200 mg, 50 mg</i>                                                                       | 2                |                              |
| <i>efavirenz oral tablet 600 mg</i>                                                                               | 2                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                           | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>                                  | 5         | NDS                 |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i>                | 5         | NDS                 |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)        | 5         | NDS                 |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva)                                                  | 2         |                     |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)       | 5         | NDS                 |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)                               | 2         |                     |
| <i>emtricitabine-rilpivirine-tenofovir disoproxil fumarate oral tablet 200-25-300 mg</i> (Complera) | 5         | NDS                 |
| EMTRIVA ORAL SOLUTION 10 MG/ML                                                                      | 4         |                     |
| EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)                                                       | 4         |                     |
| <i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)                                            | 5         | NDS                 |
| EVOTAZ ORAL TABLET 300-150 MG                                                                       | 5         | NDS                 |
| <i>fosamprenavir oral tablet 700 mg</i>                                                             | 5         | NDS                 |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG                                                                | 5         | NDS                 |
| GENVOYA ORAL TABLET 150-150-200-10 MG                                                               | 5         | NDS                 |
| INTELENCE ORAL TABLET 25 MG                                                                         | 4         |                     |
| ISENTRESS HD ORAL TABLET 600 MG                                                                     | 5         | NDS                 |
| ISENTRESS ORAL POWDER IN PACKET 100 MG                                                              | 5         | NDS                 |
| ISENTRESS ORAL TABLET 400 MG                                                                        | 5         | NDS                 |
| ISENTRESS ORAL TABLET, CHEWABLE 100 MG                                                              | 5         | NDS                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                               | Drug Tier | Requirements/Limits   |
|-------------------------------------------------------------------------|-----------|-----------------------|
| ISENTRESS ORAL<br>TABLET,CHEWABLE 25 MG                                 | 3         |                       |
| JULUCA ORAL TABLET 50-25<br>MG                                          | 5         | NDS                   |
| KALETRA ORAL SOLUTION 400- (lopinavir-ritonavir)<br>100 MG/5 ML         | 4         | QL (480 per 30 days)  |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir)                       | 2         |                       |
| <i>lamivudine oral tablet 100 mg</i>                                    | 2         |                       |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)                   | 2         |                       |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                     | 2         |                       |
| LEXIVA ORAL SUSPENSION 50<br>MG/ML                                      | 4         |                       |
| <i>lopinavir-ritonavir oral solution 400- (Kaletra)<br/>100 mg/5 ml</i> | 2         | QL (480 per 30 days)  |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)              | 2         | QL (300 per 30 days)  |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)              | 2         | QL (120 per 30 days)  |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)                 | 5         | NDS                   |
| <i>nevirapine oral suspension 50 mg/5 ml</i>                            | 2         | QL (1200 per 30 days) |
| <i>nevirapine oral tablet 200 mg</i>                                    | 2         | QL (60 per 30 days)   |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i>             | 2         | QL (90 per 30 days)   |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i>             | 2         | QL (30 per 30 days)   |
| NORVIR ORAL POWDER IN<br>PACKET 100 MG                                  | 4         |                       |
| NORVIR ORAL SOLUTION 80<br>MG/ML                                        | 4         |                       |
| ODEFSEY ORAL TABLET 200-25-<br>25 MG                                    | 5         | NDS                   |
| PIFELTRO ORAL TABLET 100<br>MG                                          | 5         | NDS                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                      | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG-MG                                                                | 5         | NDS                 |
| PREZISTA ORAL SUSPENSION 100 MG/ML                                                                             | 5         | NDS                 |
| PREZISTA ORAL TABLET 150 MG, 75 MG                                                                             | 5         | NDS                 |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML                                                                         | 4         |                     |
| REYATAZ ORAL POWDER IN PACKET 50 MG                                                                            | 5         | NDS                 |
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 5         | NDS                 |
| <i>ritonavir oral tablet 100 mg</i> (Norvir)                                                                   | 2         |                     |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG                                                              | 5         | NDS                 |
| SELZENTRY ORAL SOLUTION 20 MG/ML                                                                               | 5         | NDS                 |
| SELZENTRY ORAL TABLET 25 MG                                                                                    | 3         |                     |
| SELZENTRY ORAL TABLET 75 MG                                                                                    | 5         | NDS                 |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>                                                       | 2         |                     |
| STRIBILD ORAL TABLET 150-150-200-300 MG                                                                        | 5         | NDS                 |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)                                    | 5         | NDS                 |
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML                                                                       | 5         | PA BvD; NDS         |
| SYMITUZA ORAL TABLET 800-150-200-10 MG                                                                         | 5         | NDS                 |
| TEMIXYS ORAL TABLET 300-300 MG                                                                                 | 5         | NDS                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                               | Drug Tier | Requirements/Limits      |
|-------------------------------------------------------------------------|-----------|--------------------------|
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)        | 2         |                          |
| TIVICAY ORAL TABLET 10 MG                                               | 4         |                          |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                        | 5         | NDS                      |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG                              | 5         | NDS                      |
| TRIUMEQ ORAL TABLET 600-50-300 MG                                       | 5         | NDS; QL (30 per 30 days) |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG                        | 4         |                          |
| TRIZIVIR ORAL TABLET 300-150-300 MG                                     | 5         | NDS                      |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)                | 5         | NDS                      |
| VEMLIDY ORAL TABLET 25 MG                                               | 5         | NDS; QL (30 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG, 625 MG                                     | 5         | NDS                      |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)                             | 5         | NDS                      |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                               | 5         | NDS                      |
| VOCABRIA ORAL TABLET 30 MG                                              | 4         |                          |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir)                        | 2         |                          |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)                        | 2         |                          |
| <i>zidovudine oral tablet 300 mg</i>                                    | 2         |                          |
| <b>Antivirals, Miscellaneous</b>                                        |           |                          |
| LIVTENCITY ORAL TABLET 200 MG                                           | 5         | PA; NDS                  |
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu)                         | 2         | QL (84 per 180 days)     |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu)                         | 2         | QL (48 per 180 days)     |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu)                         | 2         | QL (42 per 180 days)     |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2         | QL (540 per 180 days)    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                     | Drug Tier | Requirements/Limits             |
|---------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| PAXLOVID ORAL<br>TABLETS,DOSE PACK 150 MG<br>(10)- 100 MG (10)                                                | 2         | QL (20 per 5 days)              |
| PAXLOVID ORAL<br>TABLETS,DOSE PACK 150 MG<br>(6)- 100 MG (5)                                                  | 2         | QL (11 per 28 days)             |
| PAXLOVID ORAL<br>TABLETS,DOSE PACK 300 MG<br>(150 MG X 2)-100 MG                                              | 2         | QL (30 per 5 days)              |
| PREVYMIS ORAL TABLET 240<br>MG, 480 MG                                                                        | 5         | PA; NDS; QL (28 per 28<br>days) |
| RELENZA DISKHALER<br>INHALATION BLISTER WITH<br>DEVICE 5 MG/ACTUATION                                         | 4         | QL (60 per 180 days)            |
| <b>Hcv Antivirals</b>                                                                                         |           |                                 |
| EPCLUSA ORAL PELLETS IN<br>PACKET 150-37.5 MG                                                                 | 5         | PA; NDS; QL (28 per 28<br>days) |
| EPCLUSA ORAL PELLETS IN<br>PACKET 200-50 MG                                                                   | 5         | PA; NDS; QL (56 per 28<br>days) |
| EPCLUSA ORAL TABLET 200-50<br>MG                                                                              | 5         | PA; NDS; QL (28 per 28<br>days) |
| EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir)<br>MG                                                    | 5         | PA; NDS; QL (28 per 28<br>days) |
| HARVONI ORAL PELLETS IN<br>PACKET 33.75-150 MG                                                                | 5         | PA; NDS; QL (28 per 28<br>days) |
| HARVONI ORAL PELLETS IN<br>PACKET 45-200 MG                                                                   | 5         | PA; NDS; QL (56 per 28<br>days) |
| HARVONI ORAL TABLET 45-200<br>MG                                                                              | 5         | PA; NDS; QL (28 per 28<br>days) |
| HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir)<br>MG                                                      | 5         | PA; NDS; QL (28 per 28<br>days) |
| VOSEVI ORAL TABLET 400-100-<br>100 MG                                                                         | 5         | PA; NDS; QL (28 per 28<br>days) |
| <b>Interferons</b>                                                                                            |           |                                 |
| INTRON A INJECTION RECON<br>SOLN 10 MILLION UNIT (1 ML),<br>18 MILLION UNIT (1 ML), 50<br>MILLION UNIT (1 ML) | 5         | NDS                             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                    | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------|-----------|---------------------|
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML                                     | 5         | PA; NDS             |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML                                  | 5         | PA; NDS             |
| <b>Nucleosides And Nucleotides</b>                                           |           |                     |
| <i>acyclovir oral capsule 200 mg</i>                                         | 1         |                     |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)                       | 2         |                     |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                                  | 1         |                     |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i>                        | 2         | PA BvD              |
| <i>adefovir oral tablet 10 mg</i> (Hepsera)                                  | 2         |                     |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)                        | 2         |                     |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>                        | 2         |                     |
| <i>ribavirin oral tablet 200 mg</i>                                          | 2         |                     |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)                     | 2         |                     |
| <i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)                     | 5         | NDS                 |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte)                           | 2         |                     |
| <b>Blood Products/Modifiers/Volume Expanders</b>                             |           |                     |
| <b>Anticoagulants</b>                                                        |           |                     |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)     | 2         | QL (60 per 30 days) |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)         | 3         |                     |
| ELIQUIS ORAL TABLET 2.5 MG                                                   | 3         | QL (60 per 30 days) |
| ELIQUIS ORAL TABLET 5 MG                                                     | 3         | QL (74 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)        | 2         | QL (60 per 30 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox) | 2         | QL (48 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)                                            | 2                | QL (18 per 30 days)        |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)                                            | 2                | QL (24 per 30 days)        |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)                                            | 2                | QL (36 per 30 days)        |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)                                          | 5                | NDS; QL (24 per 30 days)   |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)                                         | 2                | QL (15 per 30 days)        |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)                                           | 5                | NDS; QL (12 per 30 days)   |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)                                         | 5                | NDS; QL (18 per 30 days)   |
| <i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | 2                |                            |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)         | 1                |                            |
| <i>rivaroxaban oral suspension for reconstitution 1 mg/ml</i> (Xarelto)                                  | 2                | QL (600 per 30 days)       |
| <i>rivaroxaban oral tablet 2.5 mg</i> (Xarelto)                                                          | 2                | QL (60 per 30 days)        |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)         | 1                |                            |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)                              | 3                |                            |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML (rivaroxaban)                                         | 3                | QL (600 per 30 days)       |
| XARELTO ORAL TABLET 10 MG, 20 MG (rivaroxaban)                                                           | 3                | QL (30 per 30 days)        |
| XARELTO ORAL TABLET 15 MG, 2.5 MG (rivaroxaban)                                                          | 3                | QL (60 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                 | Drug Tier | Requirements/Limits           |
|---------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <b>Blood Formation Modifiers</b>                                                                                          |           |                               |
| ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG                                                                              | 5         | PA; NDS; QL (60 per 30 days)  |
| <i>eltrombopag olamine oral powder in packet 12.5 mg</i> (Promacta)                                                       | 5         | PA; NDS; QL (90 per 30 days)  |
| <i>eltrombopag olamine oral powder in packet 25 mg</i> (Promacta)                                                         | 5         | PA; NDS; QL (180 per 30 days) |
| <i>eltrombopag olamine oral tablet 12.5 mg</i> (Promacta)                                                                 | 5         | PA; NDS; QL (90 per 30 days)  |
| <i>eltrombopag olamine oral tablet 25 mg</i> (Promacta)                                                                   | 5         | PA; NDS; QL (30 per 30 days)  |
| <i>eltrombopag olamine oral tablet 50 mg, 75 mg</i> (Promacta)                                                            | 5         | PA; NDS; QL (60 per 30 days)  |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT                                                                               | 5         | PA; NDS; QL (30 per 30 days)  |
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT                                                                               | 5         | PA; NDS; QL (20 per 30 days)  |
| NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML                                                     | 5         | PA; NDS                       |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML                                                                    | 5         | PA; NDS                       |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML                                                              | 5         | PA; NDS                       |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML                                                                                 | 5         | PA; NDS                       |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3         | PA; QL (12 per 28 days)       |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML                                                                                | 3         | PA; QL (4 per 28 days)        |
| <b>Hematologic Agents, Miscellaneous</b>                                                                                  |           |                               |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin)                                                                           | 2         |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                               | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|-----------|---------------------|
| <i>anagrelide oral capsule 1 mg</i>                                     | 2         |                     |
| <i>tranexamic acid oral tablet 650 mg</i>                               | 2         |                     |
| <b>Platelet-Aggregation Inhibitors</b>                                  |           |                     |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> | 2         |                     |
| BRILINTA ORAL TABLET 60 MG, (ticagrelor) 90 MG                          | 3         |                     |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                             | 1         |                     |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix)                           | 1         |                     |
| <i>dipyridamole oral tablet 50 mg, 75 mg</i>                            | 2         |                     |
| <i>pentoxifylline oral tablet extended release 400 mg</i>               | 1         |                     |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)                  | 2         | QL (30 per 30 days) |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)                   | 2         |                     |
| <b>Caloric Agents</b>                                                   |           |                     |
| <b>Caloric Agents</b>                                                   |           |                     |
| CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %    | 4         | PA BvD              |
| CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %   | 4         | PA BvD              |
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %   | 4         | PA BvD              |
| CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %   | 4         | PA BvD              |
| CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %   | 4         | PA BvD              |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>      | 2         |                     |
| PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %                      | 4         | PA BvD              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                        | Drug Tier | Requirements/Limits           |
|--------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <b>Cardiovascular Agents</b>                                                                     |           |                               |
| <b>Alpha-Adrenergic Agents</b>                                                                   |           |                               |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>                                          | 1         |                               |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)                          | 2         |                               |
| <i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)                          | 2         |                               |
| <i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)                          | 2         |                               |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)                                    | 1         |                               |
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)                                  | 5         | PA; NDS; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i>                                                         | 2         |                               |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                 | 2         |                               |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>                                                    | 2         |                               |
| <b>Angiotensin II Receptor Antagonists</b>                                                       |           |                               |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)                                | 6         |                               |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT) | 6         |                               |
| ENTRESTO SPRINKLE ORAL PELLETS 15-16 MG, 6-6 MG                                                  | 3         | QL (240 per 30 days)          |
| <i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)                                            | 6         |                               |
| <i>irbesartan oral tablet 75 mg</i>                                                              | 6         |                               |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)             | 6         |                               |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)                                        | 6         |                               |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)      | 6         |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)                                                                       | 6                |                            |
| <i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 6                |                            |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)                                 | 6                |                            |
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i> (Entresto)                                                 | 2                | QL (60 per 30 days)        |
| <i>telmisartan oral tablet 20 mg</i>                                                                                             | 6                |                            |
| <i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)                                                                           | 6                |                            |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)                                | 6                |                            |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)                                                               | 6                |                            |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)         | 6                |                            |
| <b>Angiotensin-Converting Enzyme Inhibitors</b>                                                                                  |                  |                            |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)                                                                     | 6                |                            |
| <i>benazepril oral tablet 5 mg</i>                                                                                               | 6                |                            |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)                                | 6                |                            |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>                                                                      | 6                |                            |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>                                                                       | 6                |                            |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)                                                        | 6                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)                                                            | 6                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>                                               | 6         |                     |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>                                                        | 6         |                     |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>                                 | 6         |                     |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)                         | 6         |                     |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)          | 6         |                     |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i>                                                               | 6         |                     |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                                                 | 6         |                     |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)                                        | 6         |                     |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)            | 6         |                     |
| <i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)                                              | 6         |                     |
| <i>ramipril oral capsule 10 mg</i>                                                                       | 6         |                     |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                                                         | 6         |                     |
| <i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i> | 6         |                     |
| <b>Antiarrhythmic Agents</b>                                                                             |           |                     |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)                                                  | 2         |                     |
| <i>amiodarone oral tablet 400 mg</i>                                                                     | 2         |                     |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)                                       | 2         |                     |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>                                                      | 2         |                     |
| MULTAQ ORAL TABLET 400 MG                                                                                | 3         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)                                         | 2                |                            |
| <i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>                          | 2                |                            |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>                                                   | 2                |                            |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>                                                     | 2                |                            |
| <b>Beta-Adrenergic Blocking Agents</b>                                                                  |                  |                            |
| <i>acebutolol oral capsule 200 mg, 400 mg</i>                                                           | 1                |                            |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)                                             | 1                |                            |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)                                    | 1                |                            |
| <i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)                                      | 1                |                            |
| <i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>                                              | 1                |                            |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>                    | 1                |                            |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)                                 | 1                |                            |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>                                                     | 1                |                            |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL) | 1                |                            |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)                                        | 1                |                            |
| <i>metoprolol tartrate oral tablet 25 mg</i>                                                            | 1                |                            |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)                                      | 2                |                            |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)       | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                            | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                                                     | 1         |                     |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)                                                    | 1         |                     |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)                                                        | 1         |                     |
| <i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)                                                        | 1         |                     |
| <i>sotalol oral tablet 240 mg</i> (Betapace)                                                                         | 1         |                     |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                                                | 2         |                     |
| <b>Calcium-Channel Blocking Agents</b>                                                                               |           |                     |
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)                   | 1         |                     |
| <i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)                                                   | 2         |                     |
| <i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)                                                                     | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>                                        | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)                                 | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)                   | 1         |                     |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)                                                     | 1         |                     |
| <i>diltiazem hcl oral tablet 90 mg</i>                                                                               | 1         |                     |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)                            | 1         |                     |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)          | 1         |                     |
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                            | Drug Tier | Requirements/Limits             |
|--------------------------------------------------------------------------------------|-----------|---------------------------------|
| <i>verapamil oral capsule, ext rel. pellets</i><br>24 hr 120 mg, 180 mg, 240 mg      | 2         |                                 |
| <i>verapamil oral capsule, ext rel. pellets</i><br>24 hr 360 mg                      | 4         |                                 |
| <i>verapamil oral tablet 120 mg, 40 mg,</i><br>80 mg                                 | 1         |                                 |
| <i>verapamil oral tablet extended</i><br><i>release 120 mg, 180 mg, 240 mg</i>       | 1         |                                 |
| <b>Cardiovascular Agents,<br/>Miscellaneous</b>                                      |           |                                 |
| CAMZYOS ORAL CAPSULE 10<br>MG, 15 MG, 2.5 MG, 5 MG                                   | 5         | PA; NDS; QL (30 per 30<br>days) |
| CORLANOR ORAL SOLUTION 5<br>MG/5 ML                                                  | 3         | QL (600 per 30 days)            |
| <i>digoxin injection syringe 250 mcg/ml</i><br><i>(0.25 mg/ml)</i>                   | 2         |                                 |
| <i>digoxin oral tablet 125 mcg (0.125</i> (Digitek)<br><i>mg), 250 mcg (0.25 mg)</i> | 1         |                                 |
| <i>digoxin oral tablet 62.5 mcg (0.0625</i> (Lanoxin)<br><i>mg)</i>                  | 1         |                                 |
| <i>epinephrine injection auto-injector</i> (Auvi-Q)<br><i>0.15 mg/0.15 ml</i>        | 3         | QL (4 per 30 days)              |
| <i>epinephrine injection auto-injector</i> (EpiPen Jr)<br><i>0.15 mg/0.3 ml</i>      | 2         | QL (4 per 30 days)              |
| <i>epinephrine injection auto-injector</i><br><i>0.3 mg/0.3 ml</i>                   | 3         | QL (4 per 30 days)              |
| <i>epinephrine injection auto-injector</i> (Auvi-Q)<br><i>0.3 mg/0.3 ml</i>          | 2         | QL (4 per 30 days)              |
| <i>hydralazine oral tablet 10 mg, 100</i><br><i>mg, 25 mg, 50 mg</i>                 | 1         |                                 |
| <i>icatibant subcutaneous syringe 30</i> (Firazyr)<br><i>mg/3 ml</i>                 | 5         | PA; NDS; QL (18 per 30<br>days) |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)                                | 3         | QL (60 per 30 days)             |
| <i>metyrosine oral capsule 250 mg</i> (Demser)                                       | 5         | NDS                             |
| <i>ranolazine oral tablet extended</i><br><i>release 12 hr 1,000 mg</i>              | 2         | QL (60 per 30 days)             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>ranolazine oral tablet extended release 12 hr 500 mg</i>                                                                             | 2                | QL (120 per 30 days)       |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG                                                                                                 | 4                | PA; QL (30 per 30 days)    |
| <b>Dihydropyridines</b>                                                                                                                 |                  |                            |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)                                                                             | 1                |                            |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)                                                 | 6                |                            |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>                                                                            | 6                |                            |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)                                                    | 6                |                            |
| <i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)                                              | 6                |                            |
| <i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT) | 2                |                            |
| <i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>                                                                | 1                |                            |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)                                                  | 1                |                            |
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>                                                                      | 2                |                            |
| <b>Diuretics</b>                                                                                                                        |                  |                            |
| <i>amiloride oral tablet 5 mg</i>                                                                                                       | 1                |                            |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>                                                                                | 1                |                            |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                        | 2                |                            |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                                                                                          | 1                |                            |
| <i>furosemide injection solution 10 mg/ml</i>                                                                                           | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                                                                                        | Drug Tier | Requirements/Limits           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>furosemide injection syringe 10 mg/ml</i>                                                                                                                                                     | 1         |                               |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>                                                                                                                                   | 1         |                               |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)                                                                                                                                        | 1         |                               |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                                                                                                                                                  | 1         |                               |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>                                                                                                                                     | 1         |                               |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                                                                                                                                                    | 1         |                               |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                                                                                                                | 2         |                               |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)                                                                                                                               | 1         |                               |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>                                                                                                                                       | 1         |                               |
| <i>tolvaptan (polycys kidney dis) oral tablet 15 mg, 30 mg</i> (Jynarque)                                                                                                                        | 5         | PA; NDS; QL (120 per 30 days) |
| <i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque) | 5         | PA; NDS; QL (56 per 28 days)  |
| <i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                                                                                                                                           | 1         |                               |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>                                                                                                                                    | 1         |                               |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>                                                                                                                           | 1         |                               |
| <b>Dyslipidemics</b>                                                                                                                                                                             |           |                               |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)                                                                                                                            | 6         |                               |
| <i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)                                                                                      | 6         | QL (30 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                       | Drug Tier | Requirements/Limits  |
|---------------------------------------------------------------------------------|-----------|----------------------|
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>      | 6         |                      |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)            | 6         | QL (30 per 30 days)  |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)      | 2         |                      |
| <i>cholestyramine light oral powder in packet 4 gram</i>                        | 2         |                      |
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)                    | 2         |                      |
| <i>colesevelam oral tablet 625 mg</i> (WelChol)                                 | 2         |                      |
| <i>colestipol oral packet 5 gram</i>                                            | 2         |                      |
| <i>colestipol oral tablet 1 gram</i> (Colestid)                                 | 2         |                      |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia)                                      | 1         | QL (30 per 30 days)  |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)               | 6         | QL (30 per 30 days)  |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)               | 6         | QL (30 per 30 days)  |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)               | 6         | QL (30 per 30 days)  |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)               | 6         | QL (30 per 30 days)  |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i> | 2         |                      |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)          | 1         |                      |
| <i>fenofibrate oral tablet 120 mg, 160 mg, 40 mg, 54 mg</i>                     | 1         |                      |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i>                                    | 6         | QL (60 per 30 days)  |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)         | 6         |                      |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid)                                   | 1         |                      |
| <i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)                          | 2         | QL (240 per 30 days) |
| <i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)                            | 2         | QL (120 per 30 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>                               | 6         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                 | Drug Tier | Requirements/Limits      |
|---------------------------------------------------------------------------|-----------|--------------------------|
| NEXLETOL ORAL TABLET 180 MG                                               | 3         | ST; QL (30 per 30 days)  |
| NEXLIZET ORAL TABLET 180-10 MG                                            | 3         | ST; QL (30 per 30 days)  |
| <i>niacin oral tablet 500 mg</i> (Niacor)                                 | 2         |                          |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | 2         |                          |
| <i>niacor oral tablet 500 mg</i> (niacin)                                 | 2         |                          |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)             | 2         | ST; QL (120 per 30 days) |
| <i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)         | 2         | QL (30 per 30 days)      |
| <i>pravastatin oral tablet 10 mg, 80 mg</i>                               | 6         |                          |
| <i>pravastatin oral tablet 20 mg, 40 mg</i>                               | 6         | QL (30 per 30 days)      |
| <i>prevalite oral powder in packet 4 gram</i>                             | 2         |                          |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML           | 3         | ST; QL (7 per 28 days)   |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML                     | 3         | ST; QL (6 per 28 days)   |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML                            | 3         | ST; QL (6 per 28 days)   |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)       | 6         | QL (30 per 30 days)      |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)                | 6         | QL (30 per 30 days)      |
| <i>simvastatin oral tablet 5 mg, 80 mg</i>                                | 6         | QL (30 per 30 days)      |
| <b>Renin-Angiotensin-Aldosterone System Inhibitors</b>                    |           |                          |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)                    | 2         |                          |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)                       | 2         |                          |
| KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG                                  | 3         | PA; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                             | Drug Tier | Requirements/Limits           |
|-------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <b>Vasodilators</b>                                                                                   |           |                               |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>                                           | 2         |                               |
| <i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)                                               | 2         |                               |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)                                       | 2         |                               |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                                | 1         |                               |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>                 | 1         |                               |
| <i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)  | 2         |                               |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>                                                            | 1         |                               |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)                             | 1         |                               |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) | 2         |                               |
| <b>Central Nervous System Agents</b>                                                                  |           |                               |
| <b>Central Nervous System Agents</b>                                                                  |           |                               |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>                                            | 2         | QL (60 per 30 days)           |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>                                                  | 2         | QL (30 per 30 days)           |
| AUSTEDO ORAL TABLET 12 MG, 9 MG                                                                       | 5         | PA; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG                                                                              | 5         | PA; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG                                                   | 5         | PA; NDS; QL (90 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG                                            | 5         | PA; NDS; QL (60 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                       | Drug Tier | Requirements/Limits              |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| AUSTEDO XR ORAL TABLET<br>EXTENDED RELEASE 24 HR 30<br>MG, 36 MG, 42 MG, 48 MG                                                  | 5         | PA; NDS; QL (30 per 30<br>days)  |
| AUSTEDO XR ORAL TABLET<br>EXTENDED RELEASE 24 HR 6<br>MG                                                                        | 5         | PA; NDS; QL (210 per<br>30 days) |
| AUSTEDO XR TITRATION<br>KT(WK1-4) ORAL TABLET, EXT<br>REL 24HR DOSE PACK 12-18-24-<br>30 MG, 6 MG (14)-12 MG (14)-24<br>MG (14) | 5         | PA; NDS                          |
| AVONEX INTRAMUSCULAR<br>PEN INJECTOR KIT 30 MCG/0.5<br>ML                                                                       | 5         | PA; NDS; QL (1 per 28<br>days)   |
| AVONEX INTRAMUSCULAR<br>SYRINGE KIT 30 MCG/0.5 ML                                                                               | 5         | PA; NDS; QL (1 per 28<br>days)   |
| BETASERON SUBCUTANEOUS<br>KIT 0.3 MG                                                                                            | 5         | PA; NDS; QL (15 per 30<br>days)  |
| <i>dalfampridine oral tablet extended<br/>release 12 hr 10 mg</i> (Ampyra)                                                      | 2         | PA; QL (60 per 30 days)          |
| <i>dextroamphetamine-amphetamine<br/>oral capsule,extended release 24hr<br/>10 mg, 15 mg, 5 mg</i> (Adderall XR)                | 2         | QL (30 per 30 days)              |
| <i>dextroamphetamine-amphetamine<br/>oral capsule,extended release 24hr<br/>20 mg, 25 mg, 30 mg</i> (Adderall XR)               | 2         | QL (60 per 30 days)              |
| <i>dextroamphetamine-amphetamine<br/>oral tablet 10 mg, 12.5 mg, 15 mg, 20<br/>mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)           | 2         | QL (60 per 30 days)              |
| <i>dimethyl fumarate oral<br/>capsule,delayed release(dr/ec) 120<br/>mg</i> (Tecfidera)                                         | 5         | PA; NDS; QL (14 per 7<br>days)   |
| <i>dimethyl fumarate oral<br/>capsule,delayed release(dr/ec) 120<br/>mg (14)- 240 mg (46)</i> (Tecfidera)                       | 5         | PA; NDS                          |
| <i>dimethyl fumarate oral<br/>capsule,delayed release(dr/ec) 240<br/>mg</i> (Tecfidera)                                         | 5         | PA; NDS; QL (60 per 30<br>days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|-------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i> fingolimod oral capsule 0.5 mg</i> (Gilenya)                                          | 5                | PA; NDS; QL (30 per 30 days)  |
| <i> glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)                                | 5                | PA; NDS; QL (30 per 30 days)  |
| <i> glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)                                | 5                | PA; NDS; QL (12 per 28 days)  |
| <i> glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)                                | 5                | PA; NDS; QL (30 per 30 days)  |
| <i> glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)                                | 5                | PA; NDS; QL (12 per 28 days)  |
| <i> guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER) | 2                |                               |
| INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)-80 MG (21)                | 5                | PA; NDS                       |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG                                                 | 5                | PA; NDS; QL (30 per 30 days)  |
| INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG                              | 5                | PA; NDS; QL (30 per 30 days)  |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML                                       | 5                | PA; NDS; QL (1.2 per 28 days) |
| <i> lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>                             | 1                |                               |
| <i> lithium carbonate oral tablet 300 mg</i>                                              | 1                |                               |
| <i> lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)                  | 1                |                               |
| <i> lithium carbonate oral tablet extended release 450 mg</i>                             | 1                |                               |
| <i> lithium citrate oral solution 8 meq/5 ml</i>                                          | 2                |                               |
| MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG                                              | 5                | PA; NDS                       |
| MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG                                               | 5                | PA; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|-------------------------------------------------------------------------------|------------------|----------------------------------|
| MAVENCLAD (5 TABLET PACK)<br>ORAL TABLET 10 MG                                | 5                | PA; NDS                          |
| MAVENCLAD (6 TABLET PACK)<br>ORAL TABLET 10 MG                                | 5                | PA; NDS                          |
| MAVENCLAD (7 TABLET PACK)<br>ORAL TABLET 10 MG                                | 5                | PA; NDS                          |
| MAVENCLAD (8 TABLET PACK)<br>ORAL TABLET 10 MG                                | 5                | PA; NDS                          |
| MAVENCLAD (9 TABLET PACK)<br>ORAL TABLET 10 MG                                | 5                | PA; NDS                          |
| MAYZENT ORAL TABLET 0.25<br>MG                                                | 5                | PA; NDS; QL (112 per<br>28 days) |
| MAYZENT ORAL TABLET 1 MG,<br>2 MG                                             | 5                | PA; NDS; QL (30 per 30<br>days)  |
| MAYZENT STARTER(FOR 1MG<br>MAINT) ORAL TABLETS,DOSE<br>PACK 0.25 MG (7 TABS)  | 3                | PA                               |
| MAYZENT STARTER(FOR 2MG<br>MAINT) ORAL TABLETS,DOSE<br>PACK 0.25 MG (12 TABS) | 5                | PA; NDS                          |
| <i>methylphenidate hcl oral solution 10</i> (Methylin)<br><i>mg/5 ml</i>      | 2                | QL (900 per 30 days)             |
| <i>methylphenidate hcl oral tablet 10</i> (Ritalin)<br><i>mg, 20 mg, 5 mg</i> | 2                | QL (90 per 30 days)              |
| OCREVUS INTRAVENOUS<br>SOLUTION 30 MG/ML                                      | 5                | PA; NDS; QL (20 per<br>180 days) |
| OCREVUS ZUNOVO<br>SUBCUTANEOUS SOLUTION 920<br>MG-23,000 UNIT/23 ML           | 5                | PA; NDS; QL (23 per<br>180 days) |
| PLEGRIDY SUBCUTANEOUS<br>PEN INJECTOR 125 MCG/0.5 ML                          | 5                | PA; NDS; QL (1 per 28<br>days)   |
| PLEGRIDY SUBCUTANEOUS<br>PEN INJECTOR 63 MCG/0.5 ML-<br>94 MCG/0.5 ML         | 5                | PA; NDS                          |
| PLEGRIDY SUBCUTANEOUS<br>SYRINGE 125 MCG/0.5 ML                               | 5                | PA; NDS; QL (1 per 28<br>days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                     |                                  | Drug Tier | Requirements/Limits           |
|---------------------------------------------------------------|----------------------------------|-----------|-------------------------------|
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML    |                                  | 5         | PA; NDS                       |
| <i>riluzole oral tablet 50 mg</i>                             |                                  | 2         |                               |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG             |                                  | 3         | QL (60 per 30 days)           |
| SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) |                                  | 3         |                               |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)    |                                  | 5         | PA; NDS; QL (112 per 28 days) |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG           |                                  | 5         | PA; NDS; QL (120 per 30 days) |
| <b>Contraceptives</b>                                         |                                  |           |                               |
| <b>Contraceptives</b>                                         |                                  |           |                               |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i>                    | (levonorgestrel-ethinyl estrad)  | 1         |                               |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i>                 | (levonorgestrel-ethinyl estrad)  | 1         |                               |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>              | (norethindrone-ethin estradiol)  | 1         |                               |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>   |                                  | 1         |                               |
| <i>amethyst (28) oral tablet 90-20 mcg (28)</i>               | (levonorgestrel-ethinyl estrad)  | 1         |                               |
| <i>apri oral tablet 0.15-0.03 mg</i>                          | (desogestrel-ethinyl estradiol)  | 1         |                               |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i>                     | (levonorgestrel-ethinyl estrad)  | 1         |                               |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>         | (norethindrone ac-eth estradiol) | 1         |                               |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>             | (norethindrone ac-eth estradiol) | 1         |                               |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>  | (norethindrone-e.estradiol-iron) | 1         |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron) | 1                |                            |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)     | 1                |                            |
| <i>aviane oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                                  | 1                |                            |
| <i>ayuna oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                                    | 1                |                            |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)            | 2                |                            |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)             | 1                |                            |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)  | 1                |                            |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)      | 1                |                            |
| <i>camila oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                        | 1                |                            |
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                          | 1                |                            |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)                            | 1                |                            |
| <i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)                        | 2                |                            |
| <i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                                             | 1                |                            |
| <i>cyred eq oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                                 | 1                |                            |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)                         | 1                |                            |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                                              | 1                |                            |
| <i>deblitane oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                     | 1                |                            |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28))            | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                          |                                  | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>                      | (Apri)                           | 1         |                     |
| <i>dolishale oral tablet 90-20 mcg (28)</i>                                        | (levonorgestrel-ethinyl estrad)  | 1         |                     |
| <i>elinest oral tablet 0.3-30 mg-mcg</i>                                           | (norgestrel-ethinyl estradiol)   | 1         |                     |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>                                    | (etonogestrel-ethinyl estradiol) | 2         | QL (1 per 28 days)  |
| <i>emoquette oral tablet 0.15-0.03 mg</i>                                          | (desogestrel-ethinyl estradiol)  | 1         |                     |
| <i>emzahh oral tablet 0.35 mg</i>                                                  | (norethindrone (contraceptive))  | 1         |                     |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>                                 | (etonogestrel-ethinyl estradiol) | 2         | QL (1 per 28 days)  |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                         | (levonorg-eth estrad triphasic)  | 1         |                     |
| <i>enskyce oral tablet 0.15-0.03 mg</i>                                            | (desogestrel-ethinyl estradiol)  | 1         |                     |
| <i>errin oral tablet 0.35 mg</i>                                                   | (norethindrone (contraceptive))  | 1         |                     |
| <i>estarylla oral tablet 0.25-0.035 mg</i>                                         | (norgestimate-ethinyl estradiol) | 1         |                     |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>                       | (Kelnor 1/35 (28))               | 1         |                     |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>                       | (Valtya)                         | 1         |                     |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>             | (EluRyng)                        | 2         | QL (1 per 28 days)  |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i>                                      | (levonorgestrel-ethinyl estrad)  | 1         |                     |
| <i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>femynor oral tablet 0.25-35 mg-mcg</i>                                          | (norgestimate-ethinyl estradiol) | 1         |                     |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                         | (norethindrone-e.estradiol-iron) | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                             |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>     | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>                      | (etonogestrel-ethinyl estradiol) | 2         | QL (1 per 28 days)  |
| <i>heather oral tablet 0.35 mg</i>                                    | (norethindrone (contraceptive))  | 1         |                     |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>     | (levonorgestrel-ethinyl estrad)  | 1         | QL (91 per 84 days) |
| <i>incassia oral tablet 0.35 mg</i>                                   | (norethindrone (contraceptive))  | 1         |                     |
| <i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>   | (levonorgestrel-ethinyl estrad)  | 1         | QL (91 per 84 days) |
| <i>isibloom oral tablet 0.15-0.03 mg</i>                              | (desogestrel-ethinyl estradiol)  | 1         |                     |
| <i>jencycla oral tablet 0.35 mg</i>                                   | (norethindrone (contraceptive))  | 1         |                     |
| <i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>     | (levonorgestrel-ethinyl estrad)  | 1         | QL (91 per 84 days) |
| <i>juleber oral tablet 0.15-0.03 mg</i>                               | (desogestrel-ethinyl estradiol)  | 1         |                     |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                    | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>                        | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>  | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>      | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>             | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>           | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>                       | (ethynodiol diac-eth estradiol)  | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                        |                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------|----------------------------------|------------------|----------------------------|
| <i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>                                         | (ethynodiol diac-eth estradiol)  | 1                |                            |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i>                                            | (levonorgestrel-ethinyl estrad)  | 1                |                            |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG                 |                                  | 4                |                            |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                                      | (norethindrone ac-eth estradiol) | 2                |                            |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>                                          | (norethindrone ac-eth estradiol) | 2                |                            |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                               | (norethindrone-e.estradiol-iron) | 1                |                            |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>                    | (norethindrone-e.estradiol-iron) | 1                |                            |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                        | (norethindrone-e.estradiol-iron) | 1                |                            |
| <i>larissia oral tablet 0.1-20 mg-mcg</i>                                               | (levonorgestrel-ethinyl estrad)  | 1                |                            |
| <i>lessina oral tablet 0.1-20 mg-mcg</i>                                                | (levonorgestrel-ethinyl estrad)  | 1                |                            |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                         | (levonorg-eth estrad triphasic)  | 1                |                            |
| <i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>          | (Balcoltra)                      | 1                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>                          | (Afirmelle)                      | 1                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>                           | (Altavera (28))                  | 1                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>                         | (Amethyst (28))                  | 1                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (Iclevia)                        | 1                | QL (91 per 84 days)        |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>         | (Enpresse)                       | 1                |                            |
| <i>levora-28 oral tablet 0.15-0.03 mg</i>                                               | (levonorgestrel-ethinyl estrad)  | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                      |                                       | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------|---------------------------------------|-----------|---------------------|
| LILETTA INTRAUTERINE<br>INTRAUTERINE DEVICE 20.4<br>MCG/24 HR (8 YRS) 52 MG    |                                       | 3         |                     |
| <i>lillow (28) oral tablet 0.15-0.03 mg</i>                                    | (levonorgestrel-ethinyl<br>estradiol) | 1         |                     |
| <i>low-ogestrel (28) oral tablet 0.3-30<br/>mg-mcg</i>                         | (norgestrel-ethinyl<br>estradiol)     | 1         |                     |
| <i>luizza oral tablet 1-20 mg-mcg, 1.5-<br/>30 mg-mcg</i>                      | (norethindrone ac-eth<br>estradiol)   | 1         |                     |
| <i>luteru (28) oral tablet 0.1-20 mg-mcg</i>                                   | (levonorgestrel-ethinyl<br>estradiol) | 1         |                     |
| <i>lyleq oral tablet 0.35 mg</i>                                               | (norethindrone<br>(contraceptive))    | 1         |                     |
| <i>lyza oral tablet 0.35 mg</i>                                                | (norethindrone<br>(contraceptive))    | 1         |                     |
| <i>marlissa (28) oral tablet 0.15-0.03<br/>mg</i>                              | (levonorgestrel-ethinyl<br>estradiol) | 1         |                     |
| <i>meleya oral tablet 0.35 mg</i>                                              | (norethindrone<br>(contraceptive))    | 1         |                     |
| <i>microgestin 1.5/30 (21) oral tablet<br/>1.5-30 mg-mcg</i>                   | (norethindrone ac-eth<br>estradiol)   | 2         |                     |
| <i>microgestin 1/20 (21) oral tablet 1-<br/>20 mg-mcg</i>                      | (norethindrone ac-eth<br>estradiol)   | 2         |                     |
| <i>microgestin 24 fe oral tablet 1 mg-20<br/>mcg (24)/75 mg (4)</i>            | (norethindrone-<br>e.estradiol-iron)  | 1         |                     |
| <i>microgestin fe 1.5/30 (28) oral tablet<br/>1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-<br>e.estradiol-iron)  | 1         |                     |
| <i>microgestin fe 1/20 (28) oral tablet 1<br/>mg-20 mcg (21)/75 mg (7)</i>     | (norethindrone-<br>e.estradiol-iron)  | 1         |                     |
| <i>mili oral tablet 0.25-0.035 mg</i>                                          | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| MIRENA INTRAUTERINE<br>INTRAUTERINE DEVICE 21<br>MCG/24HR (UP TO 8 YRS) 52 MG  |                                       | 4         |                     |
| <i>mono-linyah oral tablet 0.25-0.035<br/>mg</i>                               | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| NEXPLANON SUBDERMAL<br>IMPLANT 68 MG                                           |                                       | 3         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                         |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>   | (Xulane)                         | 2         | QL (3 per 28 days)  |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i>                          | (Camila)                         | 1         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>      | (Aurovela Fe 1-20 (28))          | 1         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>    | (Aurovela Fe 1.5/30 (28))        | 1         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>  | (Tilia Fe)                       | 1         |                     |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>     | (Tri-Lo-Estarylla)               | 1         |                     |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (Tri-Estarylla)                  | 1         |                     |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>                   | (Estarylla)                      | 1         |                     |
| <i>norlyda oral tablet 0.35 mg</i>                                                | (norethindrone (contraceptive))  | 1         |                     |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>                             |                                  | 1         |                     |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>                                  | (norethindrone-ethin estradiol)  | 1         |                     |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                       |                                  | 1         |                     |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>                                    | (norethindrone-ethin estradiol)  | 1         |                     |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                         |                                  | 1         |                     |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i>                                           | (norgestimate-ethinyl estradiol) | 1         |                     |
| <i>orquidea oral tablet 0.35 mg</i>                                               | (norethindrone (contraceptive))  | 2         |                     |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>                      | (desog-e.estradiol/e.estradiol)  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                            |                                  | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>                     |                                  | 1         |                     |
| <i>pirmella oral tablet 1-35 mg-mcg</i>                              | (norethindrone-ethin estradiol)  | 1         |                     |
| <i>portia 28 oral tablet 0.15-0.03 mg</i>                            | (levonorgestrel-ethinyl estrad)  | 1         |                     |
| <i>previfem oral tablet 0.25-35 mg-mcg</i>                           | (norgestimate-ethinyl estradiol) | 1         |                     |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i>                       | (desogestrel-ethinyl estradiol)  | 1         |                     |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>   | (levonorgestrel-ethinyl estrad)  | 1         | QL (91 per 84 days) |
| <i>sharobel oral tablet 0.35 mg</i>                                  | (norethindrone (contraceptive))  | 1         |                     |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>         | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG  |                                  | 4         |                     |
| <i>sprintec (28) oral tablet 0.25-0.035 mg</i>                       | (norgestimate-ethinyl estradiol) | 1         |                     |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                              | (levonorgestrel-ethinyl estrad)  | 1         |                     |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>           | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>           | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>        | (norgestimate-ethinyl estradiol) | 1         |                     |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>     | (norgestimate-ethinyl estradiol) | 1         |                     |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>      | (norethindrone-e.estradiol-iron) | 1         |                     |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>        | (norgestimate-ethinyl estradiol) | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                               |                                       | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|---------------------------------------|-----------|---------------------|
| <i>tri-lo-estarylla oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg      | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>tri-lo-marzia oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg         | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>tri-lo-mili oral tablet</i> 0.18/0.215/0.25<br>mg-0.025 mg           | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>tri-lo-sprintec oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg       | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>tri-mili oral tablet</i> 0.18/0.215/0.25<br>mg-0.035mg (28)          | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>tri-nymyo oral tablet</i> 0.18/0.215/0.25<br>mg-35 mcg (28)          | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>tri-previfem (28) oral tablet</i><br>0.18/0.215/0.25 mg-35 mcg (28)  | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>tri-sprintec (28) oral tablet</i><br>0.18/0.215/0.25 mg-0.035mg (28) | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>trivora (28) oral tablet</i> 50-30 (6)/75-<br>40 (5)/125-30(10)      | (levonorg-eth estrad<br>triphasic)    | 1         |                     |
| <i>tri-vylibra lo oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg        | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>tri-vylibra oral tablet</i> 0.18/0.215/0.25<br>mg-0.035mg (28)       | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>turqoz (28) oral tablet</i> 0.3-30 mg-<br>mcg                        | (norgestrel-ethinyl<br>estradiol)     | 1         |                     |
| <i>valtya oral tablet</i> 1-50 mg-mcg                                   | (ethynodiol diac-eth<br>estradiol)    | 1         |                     |
| <i>vienva oral tablet</i> 0.1-20 mg-mcg                                 | (levonorgestrel-ethinyl<br>estradiol) | 1         |                     |
| <i>viorele (28) oral tablet</i> 0.15-0.02<br>mgx21 /0.01 mg x 5         | (desog-<br>e.estradiol/e.estradiol)   | 2         |                     |
| <i>volnea (28) oral tablet</i> 0.15-0.02<br>mgx21 /0.01 mg x 5          | (desog-<br>e.estradiol/e.estradiol)   | 2         |                     |
| <i>vylibra oral tablet</i> 0.25-0.035 mg                                | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>xarah fe oral tablet</i> 1-20(5)/1-30(7)<br>/1mg-35mcg (9)           | (norethindrone-<br>e.estradiol-iron)  | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                       |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>         | (norelgestromin-ethin.estradiol) | 2         | QL (3 per 28 days)  |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>         | (norelgestromin-ethin.estradiol) | 2         | QL (3 per 28 days)  |
| <i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>                 | (ethynodiol diac-eth estradiol)  | 1         |                     |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>                  | (ethynodiol diac-eth estradiol)  | 1         |                     |
| <b>Dental And Oral Agents</b>                                   |                                  |           |                     |
| <b>Dental And Oral Agents</b>                                   |                                  |           |                     |
| <i>cevimeline oral capsule 30 mg</i>                            | (Evoxac)                         | 2         |                     |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | (Periogard)                      | 1         |                     |
| <i>denta 5000 plus dental cream 1.1 %</i>                       | (fluoride (sodium))              | 1         |                     |
| <i>dentagel dental gel 1.1 %</i>                                | (fluoride (sodium))              | 1         |                     |
| <i>fluoride (sodium) dental gel 1.1 %</i>                       | (DentaGel)                       | 1         |                     |
| <i>fluoride (sodium) dental solution 0.2 %</i>                  | (PreviDent)                      | 1         |                     |
| <i>periogard mucous membrane mouthwash 0.12 %</i>               | (chlorhexidine gluconate)        | 1         |                     |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>                 | (Salagen (pilocarpine))          | 2         |                     |
| <i>sf 5000 plus dental cream 1.1 %</i>                          | (fluoride (sodium))              | 1         |                     |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>         | (Denta 5000 Plus Sensitive)      | 1         |                     |
| <i>triamcinolone acetonide dental paste 0.1 %</i>               | (Kourzeq)                        | 2         |                     |
| <b>Dermatological Agents</b>                                    |                                  |           |                     |
| <b>Dermatological Agents, Other</b>                             |                                  |           |                     |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>             |                                  | 2         |                     |
| <i>acyclovir topical ointment 5 %</i>                           | (Zovirax)                        | 2         | QL (30 per 30 days) |
| <i>ammonium lactate topical cream 12 %</i>                      |                                  | 1         |                     |
| <i>ammonium lactate topical lotion 12 %</i>                     | (AmLactin)                       | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                              | Drug Tier | Requirements/Limits      |
|------------------------------------------------------------------------|-----------|--------------------------|
| <i>calcipotriene scalp solution 0.005 %</i>                            | 2         | QL (120 per 30 days)     |
| <i>calcipotriene topical cream 0.005 %</i>                             | 2         | QL (120 per 30 days)     |
| <i>calcipotriene topical ointment 0.005 %</i>                          | 2         | QL (120 per 30 days)     |
| <i>fluorouracil topical cream 5 %</i> (Efudex)                         | 2         |                          |
| <i>fluorouracil topical solution 2 %, 5 %</i>                          | 2         |                          |
| <i>imiquimod topical cream in packet 5 %</i>                           | 2         | QL (24 per 30 days)      |
| ISOPROPYL ALCOHOL TOPICAL SWAB 70 %                                    | 1         |                          |
| KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %                        | 3         | QL (5 per 5 days)        |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>            | 5         | NDS                      |
| PANRETIN TOPICAL GEL 0.1 %                                             | 5         | NDS; QL (60 per 28 days) |
| <i>podofilox topical solution 0.5 %</i>                                | 2         |                          |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM                                  | 4         | QL (180 per 30 days)     |
| VALCHLOR TOPICAL GEL 0.016 %                                           | 5         | PA NSO; NDS              |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 2         |                          |
| <b>Dermatological Antibacterials</b>                                   |           |                          |
| <i>clindamycin phosphate topical solution 1 %</i>                      | 1         | QL (180 per 30 days)     |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)          | 1         |                          |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>                  | 2         |                          |
| <i>erythromycin with ethanol topical solution 2 %</i>                  | 2         |                          |
| <i>gentamicin topical cream 0.1 %</i>                                  | 2         | QL (90 per 30 days)      |
| <i>gentamicin topical ointment 0.1 %</i>                               | 2         | QL (120 per 30 days)     |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan)                    | 2         |                          |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan)                      | 2         |                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                 |                                | Drug Tier | Requirements/Limits  |
|-----------------------------------------------------------|--------------------------------|-----------|----------------------|
| <i>metronidazole topical gel 1 %</i>                      | (Metrogel)                     | 2         |                      |
| <i>mupirocin topical ointment 2 %</i>                     | (Centany)                      | 1         | QL (220 per 30 days) |
| <i>neuac topical gel 1.2 % (1 % base) -5 %</i>            | (clindamycin-benzoyl peroxide) | 1         |                      |
| <i>rosadan topical cream 0.75 %</i>                       | (metronidazole)                | 2         |                      |
| <i>selenium sulfide topical lotion 2.5 %</i>              |                                | 1         |                      |
| <i>silver sulfadiazine topical cream 1 %</i>              | (SSD)                          | 1         |                      |
| <i>ssd topical cream 1 %</i>                              | (silver sulfadiazine)          | 4         |                      |
| <b>Dermatological Anti-Inflammatory Agents</b>            |                                |           |                      |
| <i>ala-cort topical cream 1 %</i>                         | (hydrocortisone)               | 1         |                      |
| <i>betamethasone dipropionate topical cream 0.05 %</i>    |                                | 2         |                      |
| <i>betamethasone dipropionate topical lotion 0.05 %</i>   |                                | 2         |                      |
| <i>betamethasone dipropionate topical ointment 0.05 %</i> |                                | 2         |                      |
| <i>betamethasone valerate topical cream 0.1 %</i>         |                                | 2         |                      |
| <i>betamethasone valerate topical lotion 0.1 %</i>        |                                | 2         |                      |
| <i>betamethasone valerate topical ointment 0.1 %</i>      |                                | 1         |                      |
| <i>betamethasone, augmented topical cream 0.05 %</i>      |                                | 1         |                      |
| <i>betamethasone, augmented topical gel 0.05 %</i>        |                                | 2         |                      |
| <i>betamethasone, augmented topical lotion 0.05 %</i>     |                                | 2         |                      |
| <i>betamethasone, augmented topical ointment 0.05 %</i>   | (Diprolene (augmented))        | 2         |                      |
| <i>clobetasol scalp solution 0.05 %</i>                   |                                | 2         |                      |
| <i>clobetasol topical cream 0.05 %</i>                    |                                | 2         |                      |
| <i>clobetasol topical gel 0.05 %</i>                      |                                | 2         |                      |
| <i>clobetasol topical lotion 0.05 %</i>                   | (Clobex)                       | 2         |                      |
| <i>clobetasol topical ointment 0.05 %</i>                 |                                | 2         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex)                                  | 2                |                            |
| <i>clobetasol-emollient topical cream 0.05 %</i>                                   | 2                |                            |
| <i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)                           | 2                |                            |
| EUCRISA TOPICAL OINTMENT 2 %                                                       | 3                |                            |
| <i>fluocinolone topical cream 0.01 %</i>                                           | 2                |                            |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar)                                | 2                |                            |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar)                             | 2                |                            |
| <i>fluocinonide topical cream 0.05 %</i>                                           | 2                |                            |
| <i>fluocinonide topical cream 0.1 %</i> (Vanos)                                    | 2                |                            |
| <i>fluocinonide topical gel 0.05 %</i>                                             | 2                |                            |
| <i>fluocinonide topical ointment 0.05 %</i>                                        | 2                |                            |
| <i>fluocinonide topical solution 0.05 %</i>                                        | 2                |                            |
| <i>fluticasone propionate topical cream 0.05 %</i>                                 | 1                |                            |
| <i>halobetasol propionate topical cream 0.05 %</i>                                 | 2                |                            |
| <i>halobetasol propionate topical ointment 0.05 %</i>                              | 2                |                            |
| <i>hydrocortisone 2.5% cream</i>                                                   | 1                |                            |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort)                                 | 1                |                            |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC) | 1                |                            |
| <i>hydrocortisone topical lotion 2.5 %</i>                                         | 1                |                            |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))                        | 1                |                            |
| <i>hydrocortisone topical ointment 2.5 %</i>                                       | 1                |                            |
| <i>hydrocortisone valerate topical cream 0.2 %</i>                                 | 2                |                            |
| <i>mometasone topical cream 0.1 %</i>                                              | 1                |                            |
| <i>mometasone topical ointment 0.1 %</i>                                           | 1                |                            |
| <i>mometasone topical solution 0.1 %</i>                                           | 1                |                            |
| <i>pimecrolimus topical cream 1 %</i> (Elidel)                                     | 2                | QL (100 per 30 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                             |                        | Drug Tier | Requirements/Limits  |
|-----------------------------------------------------------------------|------------------------|-----------|----------------------|
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i>     | (hydrocortisone)       | 2         |                      |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i>      | (hydrocortisone)       | 2         |                      |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i>     | (hydrocortisone)       | 2         |                      |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i>                      |                        | 2         | QL (100 per 30 days) |
| <i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>           |                        | 1         |                      |
| <i>triamcinolone acetonide topical cream 0.5 %</i>                    | (Triderm)              | 1         |                      |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>          |                        | 2         |                      |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> |                        | 1         |                      |
| <i>triamcinolone acetonide topical ointment 0.05 %</i>                | (Trianex)              | 1         |                      |
| <b>Dermatological Retinoids</b>                                       |                        |           |                      |
| <i>adapalene topical cream 0.1 %</i>                                  | (Differin)             | 2         |                      |
| ALTRENO TOPICAL LOTION 0.05 %                                         |                        | 4         | PA                   |
| <i>tazarotene topical cream 0.1 %</i>                                 | (Tazorac)              | 2         |                      |
| <i>tretinoin topical cream 0.025 %</i>                                | (Avita)                | 2         | PA                   |
| <i>tretinoin topical cream 0.05 %, 0.1 %</i>                          | (Retin-A)              | 2         | PA                   |
| <b>Scabicides And Pediculicides</b>                                   |                        |           |                      |
| <i>malathion topical lotion 0.5 %</i>                                 | (Ovide)                | 2         |                      |
| <i>permethrin topical cream 5 %</i>                                   | (Elimite)              | 2         | QL (60 per 30 days)  |
| <b>Devices</b>                                                        |                        |           |                      |
| <b>Devices</b>                                                        |                        |           |                      |
| 1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"                       | (pen needle, diabetic) | 1         | PA; ST               |
| 1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"                       | (pen needle, diabetic) | 1         | PA; ST               |
| 1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"                        | (pen needle, diabetic) | 1         | PA; ST               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                            |                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------|----------------------------|
| 1ST TIER UNIFINE PNTIP 8MM<br>31G STRL,SINGLE-USE,SHRT 31<br>GAUGE X 5/16"                                  | (pen needle, diabetic)            | 1                | PA; ST                     |
| 1ST TIER UNIFINE PNTIP<br>29GX1/2" 29 GAUGE X 1/2"                                                          | (pen needle, diabetic)            | 1                | PA; ST                     |
| 1ST TIER UNIFINE PNTIP<br>31GX3/16 31 GAUGE X 3/16"                                                         | (pen needle, diabetic)            | 1                | PA; ST                     |
| 1ST TIER UNIFINE PNTIP<br>32GX5/32 32 GAUGE X 5/32"                                                         | (pen needle, diabetic)            | 1                | PA; ST                     |
| ABOUTTIME PEN NEEDLE<br>NEEDLE 30 GAUGE X 5/16", 31<br>GAUGE X 3/16", 31 GAUGE X<br>5/16", 32 GAUGE X 5/32" | (pen needle, diabetic)            | 1                | PA; ST                     |
| ADVOCATE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"                                                 | (insulin syringe-needle<br>u-100) | 1                | PA; ST                     |
| ADVOCATE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"                                                 | (insulin syringe-needle<br>u-100) | 1                | PA; ST                     |
| ADVOCATE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                                                 | (insulin syringe-needle<br>u-100) | 1                | PA; ST                     |
| ADVOCATE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"                                                 | (insulin syringe-needle<br>u-100) | 1                | PA; ST                     |
| ADVOCATE INS 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                                                         | (insulin syringe-needle<br>u-100) | 1                | PA; ST                     |
| ADVOCATE INS SYR 0.3 ML<br>29GX1/2 0.3 ML 29 GAUGE X 1/2"                                                   | (insulin syringe-needle<br>u-100) | 1                | PA; ST                     |
| ADVOCATE INS SYR 0.5 ML<br>29GX1/2 0.5 ML 29 GAUGE X 1/2"                                                   | (insulin syringe-needle<br>u-100) | 1                | PA; ST                     |
| ADVOCATE INS SYR 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                                                      | (insulin syringe-needle<br>u-100) | 1                | PA; ST                     |
| ADVOCATE INS SYR 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16                                                      | (insulin syringe-needle<br>u-100) | 1                | PA; ST                     |
| ADVOCATE PEN NDL 12.7MM<br>29G 29 GAUGE X 1/2"                                                              | (pen needle, diabetic)            | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------|------------------|----------------------------|
| ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)            | 1                | PA; ST                     |
| ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)            | 1                | PA; ST                     |
| ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)           | 1                | PA; ST                     |
| ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)           | 1                | PA; ST                     |
| ALCOHOL 70% SWABS (Alcohol Pads)                                               | 1                | PA; ST                     |
| ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs)                           | 1                | PA; ST                     |
| ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED (alcohol swabs)                     | 1                | PA; ST                     |
| ALCOHOL WIPES TOPICAL PADS, MEDICATED (alcohol swabs)                          | 1                | PA; ST                     |
| AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)            | 1                | PA; ST                     |
| AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)            | 1                | PA; ST                     |
| ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)  | 1                | PA; ST                     |
| ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"                                | 1                | PA; ST                     |
| ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"                                | 1                | PA; ST                     |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"                          | 1                | PA; ST                     |
| ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"                                | 1                | PA; ST                     |
| ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"                                | 1                | PA; ST                     |
| ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety) | 1                | PA; ST                     |
| ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"                                 | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ASSURE ID SYR 0.5 ML<br>31GX15/64" 0.5 ML 31 GAUGE X<br>15/64"                                                  | 1                | PA; ST                     |
| ASSURE ID SYR 1 ML<br>31GX15/64" 1 ML 31 GAUGE X<br>15/64"                                                      | 1                | PA; ST                     |
| AUTOSHIELD DUO PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                                                              | 1                | PA; ST                     |
| BD AUTOSHIELD DUO NDL<br>5MMX30G 30 GAUGE X 3/16"                                                               | 1                | PA; ST                     |
| BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle<br>1 ML 30 GAUGE X 1/2" u-100)                              | 1                | PA; ST                     |
| BD ECLIPSE NEEDLE 30GX1/2"<br>(OTC) 30 X 1/2 "                                                                  | 1                | PA; ST                     |
| BD INS SYR 0.3 ML<br>8MMX31G(1/2) 0.3 ML 31 GAUGE<br>X 5/16"                                                    | 1                | PA; ST                     |
| BD INS SYR UF 0.3 ML (insulin syringe-needle<br>12.7MMX30G 0.3 ML 30 GAUGE u-100)<br>X 1/2"                     | 1                | PA; ST                     |
| BD INS SYR UF 0.5 ML (insulin syringe-needle<br>12.7MMX30G NOT FOR RETAIL u-100)<br>SALE 0.5 ML 30 GAUGE X 1/2" | 1                | PA; ST                     |
| BD INSULIN SYR 1 ML 25GX1" 1<br>ML 25 X 1"                                                                      | 1                | PA; ST                     |
| BD INSULIN SYR 1 ML 25GX5/8" (insulin syringe-needle<br>1 ML 25 GAUGE X 5/8" u-100)                             | 1                | PA; ST                     |
| BD INSULIN SYR 1 ML 26GX1/2"<br>1 ML 26 X 1/2"                                                                  | 1                | PA; ST                     |
| BD INSULIN SYR 1 ML (insulin syringe-needle<br>27GX12.7MM 1 ML 27 GAUGE X u-100)<br>1/2"                        | 1                | PA; ST                     |
| BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle<br>MICRO-FINE 1 ML 27 GAUGE X u-100)<br>5/8"               | 1                | PA; ST                     |
| BD INSULIN SYRINGE SLIP TIP (insulin syringe<br>SYRINGE 1 ML needleless)                                        | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                               |                                | Drug Tier | Requirements/Limits |
|---------------------------------------------------------|--------------------------------|-----------|---------------------|
| BD LO-DOSE ULTRA-FINE SYRINGE 0.5 ML 29 GAUGE X 1/2"    | (insulin syringe-needle u-100) | 1         | PA; ST              |
| BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"          | (pen needle, diabetic)         | 1         | PA; ST              |
| BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"  |                                | 1         | PA; ST              |
| BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"  | (insulin syringe-needle u-100) | 1         | PA; ST              |
| BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" |                                | 1         | PA; ST              |
| BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" |                                | 1         | PA; ST              |
| BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"     |                                | 1         | PA; ST              |
| BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"   |                                | 1         | PA; ST              |
| BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"     | (insulin syringe-needle u-100) | 1         | PA; ST              |
| BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" |                                | 1         | PA; ST              |
| BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"  |                                | 1         | PA; ST              |
| BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64" |                                | 1         | PA; ST              |
| BD SINGLE USE SWAB                                      | (alcohol swabs)                | 1         | PA; ST              |
| BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"          | (pen needle, diabetic)         | 1         | PA; ST              |
| BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"          | (pen needle, diabetic)         | 1         | PA; ST              |
| BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"          | (pen needle, diabetic)         | 1         | PA; ST              |
| BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"           | (pen needle, diabetic)         | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------|------------------|----------------------------|
| BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16" (pen needle, diabetic)                 | 1                | PA; ST                     |
| BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"                               | 1                | PA; ST                     |
| BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)   | 1                | PA; ST                     |
| BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 1                | PA; ST                     |
| BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 1                | PA; ST                     |
| BORDERED GAUZE 2"X2" 2 X 2 " (gauze bandage)                                           | 1                | PA; ST                     |
| CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)                  | 1                | PA; ST                     |
| CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)                    | 1                | PA; ST                     |
| CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)                    | 1                | PA; ST                     |
| CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)                     | 1                | PA; ST                     |
| CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16" (pen needle, diabetic)                    | 1                | PA; ST                     |
| CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)                    | 1                | PA; ST                     |
| CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)                   | 1                | PA; ST                     |
| CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)                                         | 1                | PA; ST                     |
| CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)                   | 1                | PA; ST                     |
| CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                   | 1                | PA; ST                     |
| CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                 | 1                | PA; ST                     |
| CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)                 | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                              |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| CARETOUCH PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"                     | (pen needle, diabetic)            | 1         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"                     | (pen needle, diabetic)            | 1         | PA; ST              |
| CARETOUCH SYR 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| CARETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| CARETOUCH SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| CARETOUCH SYR 1 ML<br>28GX5/16" 1 ML 28 X 5/16"                        |                                   | 1         | PA; ST              |
| CARETOUCH SYR 1 ML<br>29GX5/16" 1 ML 29 GAUGE X 5/16"                  |                                   | 1         | PA; ST              |
| CARETOUCH SYR 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16"                  | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| CARETOUCH SYR 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16"                  | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| CLICKFINE PEN NEEDLE<br>32GX5/32" 32GX4MM, STERILE<br>32 GAUGE X 5/32" | (pen needle, diabetic)            | 1         | PA; ST              |
| COMFORT EZ 0.3 ML 31G 15/64"<br>0.3 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ 0.5 ML 31G 15/64"<br>1/2 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ INS 0.3 ML<br>30GX1/2" 0.3 ML 30 GAUGE X<br>1/2"            | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"          | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ INS 1 ML 31G<br>15/64" 1 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ INS 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16"                 | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                      |                                | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------|--------------------------------|-----------|---------------------|
| COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"                          | (insulin syringe-needle u-100) | 1         | PA; ST              |
| COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"                                 | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"              | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"                                | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"                           | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"            | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"                                | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"                                 | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"                                 | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"                                 | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"                          | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"                                | (pen needle, diabetic)         | 1         | PA; ST              |
| COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"                                |                                | 1         | PA; ST              |
| COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"                                |                                | 1         | PA; ST              |
| COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"                                | (pen needle, diabetic, safety) | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| COMFORT EZ PRO PEN NDL 31G<br>5MM 31 GAUGE X 3/16"          | (pen needle, diabetic,<br>safety) | 1         | PA; ST              |
| COMFORT EZ SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ SYR 0.5 ML<br>28GX1/2" 1/2 ML 28 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ SYR 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ SYR 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>30GX1/2" 1 ML 30 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16       | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| COMFORT POINT PEN NDL<br>31GX1/3" 31 GAUGE X 1/3"           |                                   | 1         | PA; ST              |
| COMFORT POINT PEN NDL<br>31GX1/6" 31 GAUGE X 1/6"           |                                   | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL 31G<br>4MM 31 GAUGE X 5/32"           | (pen needle, diabetic)            | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL 31G<br>6MM 31 GAUGE X 1/4"            | (pen needle, diabetic)            | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL 31G<br>8MM 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL 32G<br>4MM 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL 32G<br>5MM 32 GAUGE X 3/16"           | (pen needle, diabetic)            | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                 | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------|-----------|---------------------|
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                   | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                  | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32"                  | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"                   | 1         | PA; ST              |
| COMFORT TOUCH PEN NDL (pen needle, diabetic)<br>33GX5MM 33 GAUGE X 3/16"                  | 1         | PA; ST              |
| CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage)<br>2 "                                       | 1         | PA; ST              |
| CURITY ALCOHOL PREPS 2 (alcohol swabs)<br>PLY,MEDIUM                                      | 1         | PA; ST              |
| CURITY GAUZE PADS 2 X 2 " (gauze bandage)                                                 | 1         | PA; ST              |
| CURITY GAUZE SPONGES (12<br>PLY)-200/BAG 2 X 2 "                                          | 1         | PA; ST              |
| DERMACEA 2"X2" GAUZE 12 (gauze bandage)<br>PLY, USP TYPE VII 2 X 2 "                      | 1         | PA; ST              |
| DERMACEA GAUZE 2"X2"<br>SPONGE 8 PLY 2 X 2 "                                              | 1         | PA; ST              |
| DERMACEA NON-WOVEN 2"X2"<br>SPNGE 2 X 2 "                                                 | 1         | PA; ST              |
| DROPLET 0.3 ML 29G<br>12.7MM(1/2) 0.3 ML 29 GAUGE X<br>1/2"                               | 1         | PA; ST              |
| DROPLET 0.3 ML 30G<br>12.7MM(1/2) 0.3 ML 30 GAUGE X<br>1/2"                               | 1         | PA; ST              |
| DROPLET 0.5 ML<br>29GX12.5MM(1/2) 0.5 ML 29<br>GAUGE X 1/2"                               | 1         | PA; ST              |
| DROPLET 0.5 ML<br>30GX12.5MM(1/2) 0.5 ML 30<br>GAUGE X 1/2"                               | 1         | PA; ST              |
| DROPLET INS 0.3 ML (insulin syringe-needle<br>29GX12.5MM 0.3 ML 29 GAUGE u-100)<br>X 1/2" | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------|------------------|----------------------------|
| DROPLET INS 0.3 ML 30G<br>8MM(1/2) 0.3 ML 30 GAUGE X<br>5/16"                              | 1                | PA; ST                     |
| DROPLET INS 0.3 ML<br>30GX12.5MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)     | 1                | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>6MM(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark) | 1                | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>8MM(1/2) 0.3 ML 31 GAUGE X<br>5/16"                              | 1                | PA; ST                     |
| DROPLET INS 0.5 ML 29G<br>12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)     | 1                | PA; ST                     |
| DROPLET INS 0.5 ML 30G<br>12.7MM 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)     | 1                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"                                 | 1                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"                                 | 1                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"                                | 1                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"                                 | 1                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX6MM 0.3 ML 30 GAUGE X<br>15/64"                              | 1                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX8MM 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)   | 1                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)  | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                    |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| DROPLET INS SYR 0.3 ML<br>31GX8MM 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET INS SYR 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET INS SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 1/4"     | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET INS SYR 1 ML 29G<br>12.7MM 1 ML 29 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET INS SYR 1 ML 30G<br>8MM 1 ML 30 GAUGE X 5/16"        | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET INS SYR 1 ML<br>30GX12.5MM 1 ML 30 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET INS SYR 1 ML<br>30GX6MM 1 ML 30 GAUGE X<br>15/64"    |                                   | 1         | PA; ST              |
| DROPLET INS SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 1/4"         | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET INS SYR 1 ML<br>31GX6MM 1 ML 31 GAUGE X<br>15/64"    | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET INS SYR 1 ML<br>31GX8MM 1 ML 31 GAUGE X<br>5/16"     | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| DROPLET MICRON 34G X 9/64"<br>34 GAUGE X 9/64"               |                                   | 1         | PA; ST              |
| DROPLET PEN NEEDLE 29G<br>10MM 29 GAUGE X 3/8"               |                                   | 1         | PA; ST              |
| DROPLET PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"               | (pen needle, diabetic)            | 1         | PA; ST              |
| DROPLET PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"               | (pen needle, diabetic)            | 1         | PA; ST              |
| DROPLET PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"               | (pen needle, diabetic)            | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| DROPLET PEN NEEDLE 31G<br>6MM 31 GAUGE X 1/4"               | (pen needle, diabetic)            | 1         | PA; ST              |
| DROPLET PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"              | (pen needle, diabetic)            | 1         | PA; ST              |
| DROPLET PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"              | (pen needle, diabetic)            | 1         | PA; ST              |
| DROPLET PEN NEEDLE 32G<br>5MM 32 GAUGE X 3/16"              | (pen needle, diabetic)            | 1         | PA; ST              |
| DROPLET PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"               | (pen needle, diabetic)            | 1         | PA; ST              |
| DROPLET PEN NEEDLE 32G<br>8MM 32 GAUGE X 5/16"              | (pen needle, diabetic)            | 1         | PA; ST              |
| DROPSAFE ALCOHOL 70% PREP<br>PADS                           | (alcohol swabs)                   | 1         | PA; ST              |
| DROPSAFE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 15/64" |                                   | 1         | PA; ST              |
| DROPSAFE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"  |                                   | 1         | PA; ST              |
| DROPSAFE INS SYR 0.5 ML 31G<br>6MM 0.5 ML 31 GAUGE X 15/64" |                                   | 1         | PA; ST              |
| DROPSAFE INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"  |                                   | 1         | PA; ST              |
| DROPSAFE INSUL SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"   |                                   | 1         | PA; ST              |
| DROPSAFE INSUL SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"    |                                   | 1         | PA; ST              |
| DROPSAFE INSULN 1 ML 29G<br>12.5MM 1 ML 29 GAUGE X 1/2"     |                                   | 1         | PA; ST              |
| DROPSAFE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"             |                                   | 1         | PA; ST              |
| DROPSAFE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"           | (pen needle, diabetic,<br>safety) | 1         | PA; ST              |
| DROPSAFE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"           |                                   | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1                | PA; ST                     |
| EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)                                                                                                                            | 1                | PA; ST                     |
| EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                                                                                                                                            | 1                | PA; ST                     |
| EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                                                                                                                           | 1                | PA; ST                     |
| EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"                                                                                                                                                             | 1                | PA; ST                     |
| EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                                                                      | 1                | PA; ST                     |
| EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                                                                        | 1                | PA; ST                     |
| EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)                                                                                                                        | 1                | PA; ST                     |
| EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                                                                      | 1                | PA; ST                     |
| EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"                                                                                                                                                     | 1                | PA; ST                     |
| EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                                                                        | 1                | PA; ST                     |
| EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                                                                          | 1                | PA; ST                     |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"                                                                                                                                                         | 1                | PA; ST                     |
| EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)                                                                                                                                                              | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                              |                                | Drug Tier | Requirements/Limits |
|--------------------------------------------------------|--------------------------------|-----------|---------------------|
| EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16     | (insulin syringe-needle u-100) | 1         | PA; ST              |
| EASY COMFORT PEN NDL 29G 4MM 29 GAUGE X 5/32"          |                                | 1         | PA; ST              |
| EASY COMFORT PEN NDL 29G 5MM 29 GAUGE X 3/16"          |                                | 1         | PA; ST              |
| EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"          | (pen needle, diabetic)         | 1         | PA; ST              |
| EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"        | (pen needle, diabetic)         | 1         | PA; ST              |
| EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"        | (pen needle, diabetic)         | 1         | PA; ST              |
| EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"        | (pen needle, diabetic)         | 1         | PA; ST              |
| EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"          | (pen needle, diabetic)         | 1         | PA; ST              |
| EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"          | (pen needle, diabetic)         | 1         | PA; ST              |
| EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"           | (pen needle, diabetic)         | 1         | PA; ST              |
| EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 "      | (insulin syringe-needle u-100) | 1         | PA; ST              |
| EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16     |                                | 1         | PA; ST              |
| EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"    | (insulin syringe-needle u-100) | 1         | PA; ST              |
| EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"     | (insulin syringe-needle u-100) | 1         | PA; ST              |
| EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"         | (pen needle, diabetic)         | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                            |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| EASY TOUCH 0.3 ML SYR<br>30GX1/2" 0.3 ML 30 GAUGE X<br>1/2"                          | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| EASY TOUCH 0.5 ML SYR<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2"                          | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| EASY TOUCH 0.5 ML SYR<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"                          |                                   | 1         | PA; ST              |
| EASY TOUCH 0.5 ML SYR<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"                          | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| EASY TOUCH 0.5 ML SYR<br>30GX5/16 0.5 ML 30 GAUGE X<br>5/16"                         |                                   | 1         | PA; ST              |
| EASY TOUCH 1 ML SYR<br>27GX1/2" 1 ML 27 GAUGE X 1/2"                                 | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| EASY TOUCH 1 ML SYR<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                                 |                                   | 1         | PA; ST              |
| EASY TOUCH 1 ML SYR<br>30GX1/2" 1 ML 30 GAUGE X 1/2"                                 |                                   | 1         | PA; ST              |
| EASY TOUCH ALCOHOL 70%<br>PADS GAMMA-STERILIZED                                      | (alcohol swabs)                   | 1         | PA; ST              |
| EASY TOUCH FLIPLOK 1 ML<br>27GX0.5 1 ML 27 GAUGE X 1/2"                              |                                   | 1         | PA; ST              |
| EASY TOUCH INSULIN 1 ML<br>29GX1/2 1 ML 29 GAUGE X 1/2"                              |                                   | 1         | PA; ST              |
| EASY TOUCH INSULIN 1 ML<br>30GX1/2 1 ML 30 GAUGE X 1/2"                              |                                   | 1         | PA; ST              |
| EASY TOUCH INSULIN SYR 0.3<br>ML 0.3 ML 30 GAUGE X 5/16", 0.3<br>ML 31 GAUGE X 5/16" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| EASY TOUCH INSULIN SYR 0.5<br>ML 0.5 ML 30 GAUGE X 5/16", 0.5<br>ML 31 GAUGE X 5/16" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| EASY TOUCH INSULIN SYR 1<br>ML 1 ML 30 GAUGE X 5/16, 1 ML<br>31 GAUGE X 5/16         | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 1                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"                                        | 1                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"                                        | 1                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                                       | 1                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                                       | 1                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                                       | 1                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                                       | 1                | PA; ST                     |
| EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)                                 | 1                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                       | 1                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)                      | 1                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                       | 1                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)                      | 1                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)                      | 1                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)                       | 1                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)                      | 1                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)                      | 1                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"                                             | 1                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"                                             | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY TOUCH SAF PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                                               | 1                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 30G<br>8MM 30 GAUGE X 5/16"                                               | 1                | PA; ST                     |
| EASY TOUCH SYR 0.5 ML 28G<br>12.7MM 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle<br>u-100)     | 1                | PA; ST                     |
| EASY TOUCH SYR 0.5 ML 29G<br>12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle<br>u-100)     | 1                | PA; ST                     |
| EASY TOUCH SYR 1 ML 27G<br>16MM 1 ML 27 GAUGE X 5/8" (insulin syringe-needle<br>u-100)           | 1                | PA; ST                     |
| EASY TOUCH SYR 1 ML 28G<br>12.7MM 1 ML 28 GAUGE X 1/2" (insulin syringe-needle<br>u-100)         | 1                | PA; ST                     |
| EASY TOUCH SYR 1 ML 29G<br>12.7MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle<br>u-100)         | 1                | PA; ST                     |
| EASY TOUCH UNI-SLIP SYR 1<br>ML (insulin syringe<br>needleless)                                  | 1                | PA; ST                     |
| EASYTOUCH SAF PEN NDL 30G<br>6MM 30 GAUGE X 1/4"                                                 | 1                | PA; ST                     |
| EMBRACE PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2" (pen needle, diabetic)                            | 1                | PA; ST                     |
| EMBRACE PEN NEEDLE 30G<br>5MM 30 GAUGE X 3/16" (pen needle, diabetic)                            | 1                | PA; ST                     |
| EMBRACE PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16" (pen needle, diabetic)                            | 1                | PA; ST                     |
| EMBRACE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16" (pen needle, diabetic)                            | 1                | PA; ST                     |
| EMBRACE PEN NEEDLE 31G<br>6MM 31 GAUGE X 1/4" (pen needle, diabetic)                             | 1                | PA; ST                     |
| EMBRACE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16" (pen needle, diabetic)                            | 1                | PA; ST                     |
| EMBRACE PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32" (pen needle, diabetic)                            | 1                | PA; ST                     |
| EQL INSULIN 0.5 ML SYRINGE<br>1/2 ML 29 (Ultilet Insulin Syringe)                                | 1                | PA; ST                     |
| EQL INSULIN 0.5 ML SYRINGE<br>SHORT NEEDLE 1/2 ML 30<br>GAUGE (Ultra Comfort Insulin<br>Syringe) | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                      | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------|-----------|---------------------|
| FP INSULIN 1 ML SYRINGE 1 ML<br>28 GAUGE                                                       | 1         | PA; ST              |
| FREESTYLE PREC 0.5 ML<br>30GX5/16 0.5 ML 30 GAUGE X<br>5/16" (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| FREESTYLE PREC 0.5 ML<br>31GX5/16 0.5 ML 31 GAUGE X<br>5/16" (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| FREESTYLE PREC 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle<br>u-100)        | 1         | PA; ST              |
| FREESTYLE PREC 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle<br>u-100)        | 1         | PA; ST              |
| GAUZE PAD TOPICAL<br>BANDAGE 2 X 2 " (gauze bandage)                                           | 1         | PA; ST              |
| GNP CLICKFINE 31G X 1/4" NDL<br>6MM, UNIVERSAL 31 GAUGE X<br>1/4" (pen needle, diabetic)       | 1         | PA; ST              |
| GNP CLICKFINE 31G X 5/16" NDL<br>8MM, UNIVERSAL 31 GAUGE X<br>5/16" (pen needle, diabetic)     | 1         | PA; ST              |
| GNP SIMPLI PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32" (pen needle, diabetic)                       | 1         | PA; ST              |
| GNP ULT C 0.3 ML 29GX1/2" (1/2)<br>1/2 UNIT 0.3 ML 29 GAUGE X 1/2"                             | 1         | PA; ST              |
| GNP ULT CMFRT 0.5 ML<br>29GX1/2" 1/2 ML 29 (insulin syringe-needle<br>u-100)                   | 1         | PA; ST              |
| GNP ULTRA COMFORT 0.5 ML<br>SYR 1/2 ML 30 GAUGE (insulin syringe-needle<br>u-100)              | 1         | PA; ST              |
| GNP ULTRA COMFORT 1 ML<br>SYRINGE 1 ML 29 GAUGE                                                | 1         | PA; ST              |
| GNP ULTRA COMFORT 1 ML<br>SYRINGE 1 ML 30 GAUGE X<br>7/16" (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| GNP ULTRA COMFORT 3/10 ML<br>SYR 0.3 ML 30 (insulin syringe-needle<br>u-100)                   | 1         | PA; ST              |
| GS PEN NEEDLE 31G X 5MM 31<br>GAUGE X 3/16" (1st Tier Unifine<br>Pentips)                      | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                               |                                | Drug Tier | Requirements/Limits |
|---------------------------------------------------------|--------------------------------|-----------|---------------------|
| GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"                | (1st Tier Unifine Pentips)     | 1         | PA; ST              |
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"     | (insulin syringe-needle u-100) | 1         | PA; ST              |
| HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"     | (insulin syringe-needle u-100) | 1         | PA; ST              |
| HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"          | (pen needle, diabetic)         | 1         | PA; ST              |
| HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"          | (pen needle, diabetic)         | 1         | PA; ST              |
| HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"          | (pen needle, diabetic)         | 1         | PA; ST              |
| HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"         | (pen needle, diabetic)         | 1         | PA; ST              |
| HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"         | (pen needle, diabetic)         | 1         | PA; ST              |
| HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"          | (pen needle, diabetic)         | 1         | PA; ST              |
| HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"         | (pen needle, diabetic)         | 1         | PA; ST              |
| HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"         |                                | 1         | PA; ST              |
| HEB INCONTROL ALCOHOL 70% PADS                          | (alcohol swabs)                | 1         | PA; ST              |
| INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"           | (pen needle, diabetic)         | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                   |                                  | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|----------------------------------|-----------|---------------------|
| INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"               | (pen needle, diabetic)           | 1         | PA; ST              |
| INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"               | (pen needle, diabetic)           | 1         | PA; ST              |
| INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"                | (pen needle, diabetic)           | 1         | PA; ST              |
| INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"               | (pen needle, diabetic)           | 1         | PA; ST              |
| INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN           |                                  | 3         |                     |
| INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN      |                                  | 3         |                     |
| INSULIN 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"                  | (Ultra Comfort Insulin Syringe)  | 1         | PA; ST              |
| INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"      | (Droplet Insulin Syr(half unit)) | 1         | PA; ST              |
| INSULIN SYR 0.5 ML 28G 12.7MM (OTC) 1/2 ML 28 GAUGE X 1/2"  | (Comfort EZ Insulin Syringe)     | 1         | PA; ST              |
| INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2"   | (Comfort EZ Insulin Syringe)     | 1         | PA; ST              |
| INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" | (Easy Touch Insulin Syringe)     | 1         | PA; ST              |
| INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE                      | (insulin syringe-needle u-100)   | 1         | PA; ST              |
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"       | (Sure Comfort Insulin Syringe)   | 1         | PA; ST              |
| INSULIN SYRINGE 0.5 ML 1/2 ML 29                            | (insulin syringe-needle u-100)   | 1         | PA; ST              |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"       | (Droplet Insulin Syringe)        | 1         | PA; ST              |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE                          |                                  | 1         | PA; ST              |
| INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2"    | (Easy Touch Insulin Syringe)     | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                             |                                | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------|--------------------------------|-----------|---------------------|
| INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"                    | (BD SafetyGlide Syringe)       | 1         | PA; ST              |
| INSULIN SYRINGE 1 ML 28G 12.7MM (OTC) 1 ML 28 GAUGE X 1/2"            | (Comfort EZ Insulin Syringe)   | 1         | PA; ST              |
| INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2" | (BD Eclipse Luer-Lok)          | 1         | PA; ST              |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"                    | (Droplet Insulin Syringe)      | 1         | PA; ST              |
| INSULIN SYRINGE NEEDLELESS SYRINGE 1 ML                               | (Easy Touch Luer Lock Insulin) | 1         | PA; ST              |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE                  | (Ultilet Insulin Syringe)      | 1         | PA; ST              |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"             | (Comfort EZ Insulin Syringe)   | 1         | PA; ST              |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE                  | (Monoject Syringe)             | 1         | PA; ST              |
| INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"         |                                | 1         | PA; ST              |
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"                          | (pen needle, diabetic)         | 1         | PA; ST              |
| INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4"                           | (pen needle, diabetic)         | 1         | PA; ST              |
| INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"                           | (pen needle, diabetic)         | 1         | PA; ST              |
| INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"                           | (pen needle, diabetic)         | 1         | PA; ST              |
| INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"                           | (pen needle, diabetic)         | 1         | PA; ST              |
| INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"                         | (pen needle, diabetic)         | 1         | PA; ST              |
| INSUPEN PEN NEEDLE 32G 6MM (RX) 32 GAUGE X 1/4"                       | (pen needle, diabetic)         | 1         | PA; ST              |
| INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"                           | (pen needle, diabetic)         | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)                                        | 1                | PA; ST                     |
| IV ANTISEPTIC WIPES (alcohol swabs)                                                                       | 1                | PA; ST                     |
| KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)                                                              | 1                | PA; ST                     |
| LISCO SPONGES 100/BAG 2 X 2 "                                                                             | 1                | PA; ST                     |
| LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)                                     | 1                | PA; ST                     |
| LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100) | 1                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)           | 1                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE                                                                 | 1                | PA; ST                     |
| LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)                           | 1                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic)                                          | 1                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic)                       | 1                | PA; ST                     |
| LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)                       | 1                | PA; ST                     |
| LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                     | 1                | PA; ST                     |
| LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                     | 1                | PA; ST                     |
| LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                     | 1                | PA; ST                     |
| LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)                       | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                       |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| LITETOUCH SYR 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"                      | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| LITETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                    | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| MAGELLAN INSUL SYRINGE 0.3<br>ML 0.3 ML 30 X 5/16"                              |                                   | 1         | PA; ST              |
| MAGELLAN INSUL SYRINGE 0.5<br>ML 0.5 ML 30 GAUGE X 5/16"                        |                                   | 1         | PA; ST              |
| MAGELLAN INSULIN SYR 0.3<br>ML 0.3 ML 29 GAUGE X 1/2"                           |                                   | 1         | PA; ST              |
| MAGELLAN INSULIN SYR 0.5<br>ML 0.5 ML 29 GAUGE X 1/2"                           |                                   | 1         | PA; ST              |
| MAGELLAN INSULIN SYRINGE<br>1 ML 1 ML 29 GAUGE X 1/2", 1<br>ML 30 GAUGE X 5/16" |                                   | 1         | PA; ST              |
| MAXICOMFORT II PEN NDL<br>31GX6MM 31 GAUGE X 1/4"                               | (pen needle, diabetic)            | 1         | PA; ST              |
| MAXICOMFORT INS 0.5 ML<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2"                    | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| MAXI-COMFORT INS 0.5 ML 28G<br>1/2 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| MAXICOMFORT INS 1 ML<br>27GX1/2" 1 ML 27 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| MAXI-COMFORT INS 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| MAXICOMFORT PEN NDL 29G X<br>5MM 29 GAUGE X 3/16"                               |                                   | 1         | PA; ST              |
| MAXICOMFORT PEN NDL 29G X<br>8MM 29 GAUGE X 5/16"                               |                                   | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| MICRODOT PEN NEEDLE<br>31GX6MM 31 GAUGE X 1/4"                           | (pen needle, diabetic)            | 1         | PA; ST              |
| MICRODOT PEN NEEDLE<br>32GX4MM 32 GAUGE X 5/32"                          | (pen needle, diabetic)            | 1         | PA; ST              |
| MICRODOT PEN NEEDLE<br>33GX4MM 33 GAUGE X 5/32"                          | (pen needle, diabetic)            | 1         | PA; ST              |
| MICRODOT READYGARD NDL<br>31G 5MM OUTER 31 GAUGE X<br>3/16"              | (pen needle, diabetic,<br>safety) | 1         | PA; ST              |
| MINI PEN NEEDLE 32G 4MM 32<br>GAUGE X 5/32"                              | (1st Tier Unifine<br>Pentips)     | 1         | PA; ST              |
| MINI PEN NEEDLE 32G 5MM 32<br>GAUGE X 3/16"                              | (CareFine Pen Needle)             | 1         | PA; ST              |
| MINI PEN NEEDLE 32G 6MM 32<br>GAUGE X 1/4"                               | (CareFine Pen Needle)             | 1         | PA; ST              |
| MINI PEN NEEDLE 32G 8MM 32<br>GAUGE X 5/16"                              | (Comfort EZ Pen<br>Needles)       | 1         | PA; ST              |
| MINI PEN NEEDLE 33G 4MM 33<br>GAUGE X 5/32"                              | (Advocate Pen Needle)             | 1         | PA; ST              |
| MINI PEN NEEDLE 33G 5MM 33<br>GAUGE X 3/16"                              | (Comfort EZ Pen<br>Needles)       | 1         | PA; ST              |
| MINI PEN NEEDLE 33G 6MM 33<br>GAUGE X 1/4"                               | (Comfort EZ Pen<br>Needles)       | 1         | PA; ST              |
| MINI ULTRA-THIN II PEN NDL<br>31G STERILE 31 GAUGE X 3/16"               | (pen needle, diabetic)            | 1         | PA; ST              |
| MONOJECT 0.5 ML SYRN<br>28GX1/2" 1/2 ML 28 GAUGE                         | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| MONOJECT 1 ML SYRN 27X1/2" 1<br>ML 27 GAUGE X 1/2"                       | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| MONOJECT 1 ML SYRN 28GX1/2"<br>(OTC) 1 ML 28 GAUGE X 1/2"                | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| MONOJECT INSUL SYR U100<br>(OTC) 0.3 ML 29 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| MONOJECT INSUL SYR U100<br>.5ML,29GX1/2" (OTC) 0.5 ML 29<br>GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                            |                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------|---------------------------------|------------------|----------------------------|
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"                           | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"       | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)                               | (insulin syringes (disposable)) | 1                | PA; ST                     |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16                    | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT INSULIN SYR U-100 1 ML 29 GAUGE X 1/2"                             |                                 | 1                | PA; ST                     |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"                             | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"                             | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                                  | (insulin syringe-needle u-100)  | 1                | PA; ST                     |
| MS INSULIN SYR 1 ML 31GX5/16" (OTC) 1 ML 31 GAUGE X 5/16                    | (Advocate Syringes)             | 1                | PA; ST                     |
| MS INSULIN SYRINGE 0.3 ML 0.3 ML 30                                         | (Ultra Comfort Insulin Syringe) | 1                | PA; ST                     |
| NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                              | (pen needle, diabetic)          | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------|------------------|----------------------------|
| NANO PEN NEEDLE 32G 4MM 32 (pen needle, diabetic)<br>GAUGE X 5/32"                | 1                | PA; ST                     |
| NOVOFINE 30 NEEDLE                                                                | 1                | PA; ST                     |
| NOVOFINE 32G NEEDLES 32 (pen needle, diabetic)<br>GAUGE X 1/4"                    | 1                | PA; ST                     |
| NOVOFINE PLUS PEN NDL<br>32GX1/6" 32 GAUGE X 1/6"                                 | 1                | PA; ST                     |
| NOVOTWIST NEEDLE 32 GAUGE<br>X 1/5"                                               | 1                | PA; ST                     |
| OMNIPOD 5 (G6/LIBRE 2 PLUS)<br>SUBCUTANEOUS CARTRIDGE                             | 3                | QL (10 per 30 days)        |
| OMNIPOD 5 G6-G7 INTRO<br>KT(GEN5) SUBCUTANEOUS<br>CARTRIDGE                       | 3                | QL (1 per 365 days)        |
| OMNIPOD 5 G6-G7 PODS (GEN 5)<br>SUBCUTANEOUS CARTRIDGE                            | 3                | QL (10 per 30 days)        |
| OMNIPOD 5<br>INTRO(G6/LIBRE2PLUS)<br>SUBCUTANEOUS CARTRIDGE                       | 3                | QL (1 per 365 days)        |
| OMNIPOD CLASSIC PDM<br>KIT(GEN 3)                                                 | 3                | QL (1 per 365 days)        |
| OMNIPOD CLASSIC PODS (GEN<br>3) SUBCUTANEOUS CARTRIDGE                            | 3                | QL (10 per 30 days)        |
| OMNIPOD DASH INTRO KIT<br>(GEN 4) SUBCUTANEOUS<br>CARTRIDGE                       | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PDM KIT (GEN<br>4)                                                   | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PODS (GEN 4)<br>SUBCUTANEOUS CARTRIDGE                               | 3                | QL (10 per 30 days)        |
| PC UNIFINE PENTIPS 8MM (pen needle, diabetic)<br>NEEDLE SHORT 31 GAUGE X<br>5/16" | 1                | PA; ST                     |
| PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle)<br>30 GAUGE X 3/16"                 | 1                | PA; ST                     |
| PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle)<br>GAUGE X 5/16"                | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                     |                                 | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|---------------------------------|-----------|---------------------|
| PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"                       | (pen needle, diabetic)          | 1         | PA; ST              |
| PEN NEEDLE 31G X 1/4" HRI 31 GAUGE X 1/4"                     | (1st Tier Unifine Pentips)      | 1         | PA; ST              |
| PEN NEEDLE 6MM 31G 6MM 31 GAUGE X 1/4"                        | (pen needle, diabetic)          | 1         | PA; ST              |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"                   | (1st Tier Unifine Pentips Plus) | 1         | PA; ST              |
| PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"            | (pen needle, diabetic)          | 1         | PA; ST              |
| PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"                          | (pen needle, diabetic)          | 1         | PA; ST              |
| PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC) 31 GAUGE X 3/16"  | (pen needle, diabetic)          | 1         | PA; ST              |
| PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" | (pen needle, diabetic)          | 1         | PA; ST              |
| PENTIPS PEN NEEDLE 29G 1/2" 29 GAUGE X 1/2"                   | (pen needle, diabetic)          | 1         | PA; ST              |
| PENTIPS PEN NEEDLE 31G 1/4" 31 GAUGE X 1/4"                   | (pen needle, diabetic)          | 1         | PA; ST              |
| PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"       | (pen needle, diabetic)          | 1         | PA; ST              |
| PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"      | (pen needle, diabetic)          | 1         | PA; ST              |
| PENTIPS PEN NEEDLE 32G 1/4" 32 GAUGE X 1/4"                   | (pen needle, diabetic)          | 1         | PA; ST              |
| PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)          | 1         | PA; ST              |
| PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"                     | (pen needle, diabetic)          | 1         | PA; ST              |
| PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"                     | (pen needle, diabetic)          | 1         | PA; ST              |
| PREFPLS INS SYR 1 ML 30GX5/16" (OTC) 1 ML 30 GAUGE X 5/16"    | (Advocate Syringes)             | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                    | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------|-----------|---------------------|
| PREVENT PEN NEEDLE 31GX1/4"<br>31 GAUGE X 1/4"                                               | 1         | PA; ST              |
| PREVENT PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                             | 1         | PA; ST              |
| PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 1/2" u-100)         | 1         | PA; ST              |
| PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 5/16" u-100)       | 1         | PA; ST              |
| PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle<br>0.5 ML 31 GAUGE X 5/16" u-100)       | 1         | PA; ST              |
| PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle<br>ML 30 GAUGE X 1/2" u-100)             | 1         | PA; ST              |
| PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle<br>ML 30 GAUGE X 5/16 u-100)            | 1         | PA; ST              |
| PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle<br>ML 31 GAUGE X 5/16 u-100)            | 1         | PA; ST              |
| PRO COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                              | 1         | PA; ST              |
| PRO COMFORT PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                       | 1         | PA; ST              |
| PRO COMFORT PEN NDL 32G X (pen needle, diabetic)<br>1/4" 32 GAUGE X 1/4"                     | 1         | PA; ST              |
| PRO COMFORT PEN NDL 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"                       | 1         | PA; ST              |
| PRO COMFORT PEN NDL 5MM (pen needle, diabetic)<br>32G 32 GAUGE X 3/16"                       | 1         | PA; ST              |
| PRODIGY INS SYR 1 ML (insulin syringe-needle<br>28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)         | 1         | PA; ST              |
| PRODIGY SYRNG 0.5 ML (insulin syringe-needle<br>31GX5/16" 0.5 ML 31 GAUGE X u-100)<br>5/16"  | 1         | PA; ST              |
| PRODIGY SYRNGE 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16" | 1         | PA; ST              |
| PURE CMFT SFTY PEN NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)            | 1         | PA; ST              |
| PURE CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                                            | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------|------------------|----------------------------|
| PURE CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                        | 1                | PA; ST                     |
| PURE COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                          | 1                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                   | 1                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"                   | 1                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                    | 1                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                   | 1                | PA; ST                     |
| RAYA SURE PEN NEEDLE 29G<br>12MM 29 GAUGE X 15/32"                                        | 1                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G (Comfort Touch Pen<br>4MM 31 GAUGE X 5/32" Needle)               | 1                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G<br>5MM 31 GAUGE X 13/64"                                         | 1                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G<br>6MM 31 GAUGE X 15/64"                                         | 1                | PA; ST                     |
| RELION INS SYR 0.3 ML (Comfort EZ Insulin<br>31GX6MM 0.3 ML 31 GAUGE X Syringe)<br>15/64" | 1                | PA; ST                     |
| RELION INS SYR 0.5 ML (Comfort EZ Insulin<br>31GX6MM 1/2 ML 31 GAUGE X Syringe)<br>15/64" | 1                | PA; ST                     |
| RELION INS SYR 1 ML (Comfort EZ Insulin<br>31GX15/64" 1 ML 31 GAUGE X Syringe)<br>15/64"  | 1                | PA; ST                     |
| RELI-ON INSULIN 1 ML SYR 1<br>ML 29 GAUGE X 7/16"                                         | 1                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100<br>0.3 ML 30GX5/16",10X10 0.3 ML<br>30 GAUGE X 5/16"           | 1                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100<br>0.5 ML 29GX1/2",10X10 0.5 ML 29<br>GAUGE X 1/2"             | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------|------------------|----------------------------|
| SAFESNAP INS SYR UNITS-100<br>0.5 ML 30GX5/16",10X10 0.5 ML<br>30 GAUGE X 5/16" | 1                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100 1<br>ML 28GX1/2",10X10 1 ML 28<br>GAUGE X 1/2"       | 1                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100 1<br>ML 29GX1/2",10X10 1 ML 29<br>GAUGE X 1/2"       | 1                | PA; ST                     |
| SAFETY PEN NEEDLE 31G 4MM (Comfort EZ PRO<br>31 GAUGE X 5/32" Safety Pen Ndl)   | 1                | PA; ST                     |
| SAFETY PEN NEEDLE 5MM X (pen needle, diabetic,<br>31G 31 GAUGE X 3/16" safety)  | 1                | PA; ST                     |
| SAFETY SYRINGE 0.5 ML 30G<br>1/2" 0.5 ML 30 GAUGE X 1/2"                        | 1                | PA; ST                     |
| SECURESAFE PEN NDL<br>30GX5/16" OUTER 30 GAUGE X<br>5/16"                       | 1                | PA; ST                     |
| SECURESAFE SYR 0.5 ML 29G<br>1/2" OUTER 0.5 ML 29 GAUGE X<br>1/2"               | 1                | PA; ST                     |
| SECURESAFE SYRNG 1 ML 29G<br>1/2" OUTER 1 ML 29 GAUGE X<br>1/2"                 | 1                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G<br>5MM 30 GAUGE X 3/16"                               | 1                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"                               | 1                | PA; ST                     |
| SM ULT CFT 0.3 ML<br>31GX5/16(1/2) 0.3 ML 31 GAUGE<br>X 5/16"                   | 1                | PA; ST                     |
| STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)                                    | 1                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                               | 1                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                              | 1                | PA; ST                     |
| NEEDLES, INSULIN DISP., (insulin syringe-needle<br>SAFETY u-100)                | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)           | 1                | PA; ST                     |
| SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 1                | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                                   | 1                | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                   | 1                | PA; ST                     |
| SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)                                                                                                   | 1                | PA; ST                     |
| SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)                                                                                                                        | 1                | PA; ST                     |
| SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)                                                                                 | 1                | PA; ST                     |
| SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)                                                                                 | 1                | PA; ST                     |
| SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)                                                                                    | 1                | PA; ST                     |
| SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)                                                                                           | 1                | PA; ST                     |
| SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                                                                                                  | 1                | PA; ST                     |
| SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                                                                                                  | 1                | PA; ST                     |
| SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                                                                                                  | 1                | PA; ST                     |
| SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                                                                                                   | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                              |                                | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------|--------------------------------|-----------|---------------------|
| SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"                                                           | (pen needle, diabetic)         | 1         | PA; ST              |
| SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"                                                             | (pen needle, diabetic)         | 1         | PA; ST              |
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"                                                             | (pen needle, diabetic)         | 1         | PA; ST              |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100) | 1         | PA; ST              |
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"                                                      | (insulin syringe-needle u-100) | 1         | PA; ST              |
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"                              | (insulin syringe-needle u-100) | 1         | PA; ST              |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16"                                                   | (insulin syringe-needle u-100) | 1         | PA; ST              |
| SURE-PREP ALCOHOL PREP PADS                                                                            | (alcohol swabs)                | 1         | PA; ST              |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"                                                  |                                | 1         | PA; ST              |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"                                                  |                                | 1         | PA; ST              |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"                                                 |                                | 1         | PA; ST              |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"                                                  |                                | 1         | PA; ST              |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"                                                  |                                | 1         | PA; ST              |
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"                                                  |                                | 1         | PA; ST              |
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"                                                 |                                | 1         | PA; ST              |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"                                                  |                                | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                              |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| TECHLITE INS SYR 1 ML<br>29GX12MM 1 ML 29 GAUGE X<br>1/2"                                              | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| TECHLITE INS SYR 1 ML<br>30GX12MM 1 ML 30 GAUGE X<br>1/2"                                              | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| TECHLITE INS SYR 1 ML<br>31GX6MM 1 ML 31 GAUGE X<br>15/64"                                             | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| TECHLITE INS SYR 1 ML<br>31GX8MM 1 ML 31 GAUGE X<br>5/16                                               | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| TECHLITE PEN NEEDLE<br>29GX1/2" 29 GAUGE X 1/2"                                                        | (pen needle, diabetic)            | 1         | PA; ST              |
| TECHLITE PEN NEEDLE<br>29GX3/8" 29 GAUGE X 3/8"                                                        |                                   | 1         | PA; ST              |
| TECHLITE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"                                                        | (pen needle, diabetic)            | 1         | PA; ST              |
| TECHLITE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"                                                      | (pen needle, diabetic)            | 1         | PA; ST              |
| TECHLITE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                                      | (pen needle, diabetic)            | 1         | PA; ST              |
| TECHLITE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"                                                        | (pen needle, diabetic)            | 1         | PA; ST              |
| TECHLITE PEN NEEDLE<br>32GX5/16" 32 GAUGE X 5/16"                                                      | (pen needle, diabetic)            | 1         | PA; ST              |
| TECHLITE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"                                                      | (pen needle, diabetic)            | 1         | PA; ST              |
| TECHLITE PLUS PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                                      | (pen needle, diabetic)            | 1         | PA; ST              |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 27 GAUGE X 1/2", 1 ML<br>28 GAUGE X 1/2", 1 ML 29<br>GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 30 GAUGE X 3/8"                                                   | (Thinpro Insulin<br>Syringe)      | 1         | PA; ST              |
| TERUMO INS SYRINGE U100-1/2<br>ML 1/2 ML 30 X 3/8"                                                     | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                                                                                                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)                                                                                                                                                                                                    | 1                | PA; ST                     |
| TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)                                                                                                                                                | 1                | PA; ST                     |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)                                                                                                                                                                             | 1                | PA; ST                     |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"                                                                                                                                                                                                                                    | 1                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" (insulin syringe-needle u-100)                                                                                                                                                     | 1                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"                                                                                                                                                                                                                                    | 1                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" (insulin syringe-needle u-100)                                                                                                                                                       | 1                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"                                                                                                                                                                                                                                        | 1                | PA; ST                     |
| TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                                                                                                                                                                                                               | 1                | PA; ST                     |
| TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16" (pen needle, diabetic)                                                                                                                                                                                                             | 1                | PA; ST                     |
| TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 1                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                                                                                                                                            | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| TRUE CMFRT PRO 0.5 ML 31G<br>5/16" 0.5 ML 31 GAUGE X 5/16"  | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| TRUE CMFRT PRO 0.5 ML 32G<br>5/16" 1/2 ML 32 GAUGE X 5/16"  |                                   | 1         | PA; ST              |
| TRUE CMFT SFTY PEN NDL 31G<br>5MM 31 GAUGE X 3/16"          | (pen needle, diabetic,<br>safety) | 1         | PA; ST              |
| TRUE CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"           |                                   | 1         | PA; ST              |
| TRUE CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"          |                                   | 1         | PA; ST              |
| TRUE COMFORT 0.5 ML 30G 1/2"<br>0.5 ML 30 GAUGE X 1/2"      |                                   | 1         | PA; ST              |
| TRUE COMFORT 0.5 ML 30G<br>5/16" 0.5 ML 30 GAUGE X 5/16"    |                                   | 1         | PA; ST              |
| TRUE COMFORT 0.5 ML 31G<br>5/16" 0.5 ML 31 GAUGE X 5/16"    |                                   | 1         | PA; ST              |
| TRUE COMFORT 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| TRUE COMFORT 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16         | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| TRUE COMFORT ALCOHOL 70%<br>PADS                            | (alcohol swabs)                   | 1         | PA; ST              |
| TRUE COMFORT PEN NDL 31G<br>8MM 31 GAUGE X 5/16"            | (pen needle, diabetic)            | 1         | PA; ST              |
| TRUE COMFORT PEN NDL<br>31GX5MM 31 GAUGE X 3/16"            | (pen needle, diabetic)            | 1         | PA; ST              |
| TRUE COMFORT PEN NDL<br>31GX6MM 31 GAUGE X 1/4"             | (pen needle, diabetic)            | 1         | PA; ST              |
| TRUE COMFORT PEN NDL 32G<br>5MM 32 GAUGE X 3/16"            | (pen needle, diabetic)            | 1         | PA; ST              |
| TRUE COMFORT PEN NDL 32G<br>6MM 32 GAUGE X 1/4"             | (pen needle, diabetic)            | 1         | PA; ST              |
| TRUE COMFORT PEN NDL<br>32GX4MM 32 GAUGE X 5/32"            | (pen needle, diabetic)            | 1         | PA; ST              |
| TRUE COMFORT PEN NDL 33G<br>4MM 33 GAUGE X 5/32"            | (pen needle, diabetic)            | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                               |                                | Drug Tier | Requirements/Limits |
|---------------------------------------------------------|--------------------------------|-----------|---------------------|
| TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"           | (pen needle, diabetic)         | 1         | PA; ST              |
| TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"            | (pen needle, diabetic)         | 1         | PA; ST              |
| TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"     | (insulin syringe-needle u-100) | 1         | PA; ST              |
| TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"   | (insulin syringe-needle u-100) | 1         | PA; ST              |
| TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"   | (insulin syringe-needle u-100) | 1         | PA; ST              |
| TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"   |                                | 1         | PA; ST              |
| TRUE COMFORT PRO ALCOHOL PADS                           | (alcohol swabs)                | 1         | PA; ST              |
| TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"    |                                | 1         | PA; ST              |
| TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| TRUE COMFORT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"  |                                | 1         | PA; ST              |
| TRUE COMFORT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"  |                                | 1         | PA; ST              |
| TRUE COMFORT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"  |                                | 1         | PA; ST              |
| TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"            | (pen needle, diabetic)         | 1         | PA; ST              |
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"          | (pen needle, diabetic)         | 1         | PA; ST              |
| TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"          | (pen needle, diabetic)         | 1         | PA; ST              |
| TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"          | (pen needle, diabetic)         | 1         | PA; ST              |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"          | (pen needle, diabetic)         | 1         | PA; ST              |
| TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"     | (insulin syringe-needle u-100) | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                           |                                     | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|-------------------------------------|-----------|---------------------|
| TRUEPLUS SYR 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| TRUEPLUS SYR 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| TRUEPLUS SYR 0.5 ML 28GX1/2"<br>1/2 ML 28 GAUGE X 1/2"              | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| TRUEPLUS SYR 0.5 ML 29GX1/2"<br>0.5 ML 29 GAUGE X 1/2"              | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| TRUEPLUS SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| TRUEPLUS SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| TRUEPLUS SYR 1 ML 28GX1/2" 1<br>ML 28 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| TRUEPLUS SYR 1 ML 29GX1/2" 1<br>ML 29 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| TRUEPLUS SYR 1 ML 30GX5/16"<br>1 ML 30 GAUGE X 5/16                 | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| TRUEPLUS SYR 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                 | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| ULTICAR INS 0.3 ML<br>31GX1/4(1/2) 0.3 ML 31 GAUGE X<br>1/4"        | (insulin syr/ndl u100<br>half mark) | 1         | PA; ST              |
| ULTICARE INS 1 ML 31GX1/4" 1<br>ML 31 GAUGE X 1/4"                  | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| ULTICARE INS SYR 0.3 ML 30G<br>8MM 0.3 ML 30 GAUGE X 5/16"          | (Advocate Syringes)                 | 1         | PA; ST              |
| ULTICARE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 1/4"           | (insulin syringe-needle<br>u-100)   | 1         | PA; ST              |
| ULTICARE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"          | (Advocate Syringes)                 | 1         | PA; ST              |
| ULTICARE INS SYR 0.5 ML 30G<br>8MM (OTC) 0.5 ML 30 GAUGE X<br>5/16" | (Advocate Syringes)                 | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                       |                                | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|--------------------------------|-----------|---------------------|
| ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"          | (insulin syringe-needle u-100) | 1         | PA; ST              |
| ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16"   | (Advocate Syringes)            | 1         | PA; ST              |
| ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"             | (insulin syringe-needle u-100) | 1         | PA; ST              |
| ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"                  | (pen needle, diabetic)         | 1         | PA; ST              |
| ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"                     | (pen needle, diabetic)         | 1         | PA; ST              |
| ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"                    | (pen needle, diabetic)         | 1         | PA; ST              |
| ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"                   | (pen needle, diabetic)         | 1         | PA; ST              |
| ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"    | (pen needle, diabetic)         | 1         | PA; ST              |
| ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"                    | (pen needle, diabetic)         | 1         | PA; ST              |
| ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"                  |                                | 1         | PA; ST              |
| ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"                  |                                | 1         | PA; ST              |
| ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"      | (Comfort EZ Insulin Syringe)   | 1         | PA; ST              |
| ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"           | (Comfort EZ Insulin Syringe)   | 1         | PA; ST              |
| ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"             | (insulin syringe-needle u-100) | 1         | PA; ST              |
| ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1         | PA; ST              |
| ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"             | (insulin syringe-needle u-100) | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                         | 1                | PA; ST                     |
| ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)                                                        | 1                | PA; ST                     |
| ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"                                                                                          | 1                | PA; ST                     |
| ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"                                                                                       | 1                | PA; ST                     |
| ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"                                                                                       | 1                | PA; ST                     |
| ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"                                                                                        | 1                | PA; ST                     |
| ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"                                                                                          | 1                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"                                                                                            | 1                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"                                                                                             | 1                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"                                                                                            | 1                | PA; ST                     |
| ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"                                                                                            | 1                | PA; ST                     |
| ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"                                                                                             | 1                | PA; ST                     |
| ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"                                                                                      | 1                | PA; ST                     |
| ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"                                                                                      | 1                | PA; ST                     |
| ULTILET ALCOHOL STERL SWAB (alcohol swabs)                                                                                             | 1                | PA; ST                     |
| ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1                | PA; ST                     |
| ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)           | 1                | PA; ST                     |
| ULTILET PEN NEEDLE 29 GAUGE                                                                                                            | 1                | PA; ST                     |
| ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)                                                                     | 1                | PA; ST                     |
| ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                                                    | 1                | PA; ST                     |
| ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)                                    | 1                | PA; ST                     |
| ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)                                                    | 1                | PA; ST                     |
| ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)                                                            | 1                | PA; ST                     |
| ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)                                                       | 1                | PA; ST                     |
| ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)                                                         | 1                | PA; ST                     |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"                                                                                 | 1                | PA; ST                     |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"                                                                                | 1                | PA; ST                     |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"                                                                                | 1                | PA; ST                     |
| ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                                                                   | 1                | PA; ST                     |
| ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                                                                   | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                    |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA FLO PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRA FLO PEN NEEDLE 33G<br>4MM 33 GAUGE X 5/32"             | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRA FLO PEN NEEDLES<br>12MM 29G 29 GAUGE X 1/2"            | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRA FLO SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA FLO SYR 0.3 ML 30G<br>5/16" 0.3 ML 30 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA FLO SYR 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA FLO SYR 0.5 ML 29G 1/2"<br>0.5 ML 29 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA THIN PEN NDL 32G X<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRACARE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRACARE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRACARE INS 1 ML 30G X<br>5/16" 1 ML 30 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRACARE INS 1 ML 30GX1/2"<br>1 ML 30 GAUGE X 1/2"          | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRACARE INS 1 ML 31G X<br>5/16" 1 ML 31 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRACARE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"            | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"          | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"          | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"            | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"          | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"          | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>33GX5/32" 33 GAUGE X 5/32"          | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRA-FINE 0.3 ML 30G 12.7MM<br>0.3 ML 30 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-FINE 0.3 ML 31G 6MM<br>(1/2) 0.3 ML 31 GAUGE X 15/64" |                                   | 1         | PA; ST              |
| ULTRA-FINE 0.3 ML 31G 8MM<br>(1/2) 0.3 ML 31 GAUGE X 5/16"  |                                   | 1         | PA; ST              |
| ULTRA-FINE 0.5 ML 30G 12.7MM<br>0.5 ML 30 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"   | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-FINE PEN NDL 29G<br>12.7MM 29 GAUGE X 1/2"            | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"            | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRA-FINE SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                          |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA-FINE SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 15/64"          | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-FINE SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"           | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-FINE SYR 1 ML 30G<br>12.7MM 1 ML 30 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-THIN II 1 ML 31GX5/16" 1<br>ML 31 GAUGE X 5/16               | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-THIN II INS 0.3 ML 30G<br>0.3 ML 30 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-THIN II INS 0.3 ML 31G<br>0.3 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 29G<br>0.5 ML 29 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 30G<br>0.5 ML 30 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 31G<br>0.5 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-THIN II INS SYR 1 ML<br>29G 1 ML 29 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-THIN II INS SYR 1 ML<br>30G 1 ML 30 GAUGE X 5/16             | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| ULTRA-THIN II PEN NDL<br>29GX1/2" 29 GAUGE X 1/2"                  | (pen needle, diabetic)            | 1         | PA; ST              |
| ULTRA-THIN II PEN NDL<br>31GX5/16 31 GAUGE X 5/16"                 | (pen needle, diabetic)            | 1         | PA; ST              |
| UNIFINE OTC PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                 | (pen needle, diabetic)            | 1         | PA; ST              |
| UNIFINE OTC PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"                 | (pen needle, diabetic)            | 1         | PA; ST              |
| UNIFINE PEN NEEDLE 32G 4MM<br>32 GAUGE X 5/32"                     | (pen needle, diabetic)            | 1         | PA; ST              |
| UNIFINE PENTIPS 12MM 29G<br>29GX12MM, STRL 29 GAUGE X<br>1/2"      | (pen needle, diabetic)            | 1         | PA; ST              |
| UNIFINE PENTIPS 31GX3/16"<br>31GX5MM,STRL,MINI 31 GAUGE<br>X 3/16" | (pen needle, diabetic)            | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------|------------------|----------------------------|
| UNIFINE PENTIPS 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                       | 1                | PA; ST                     |
| UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)                       | 1                | PA; ST                     |
| UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)                     | 1                | PA; ST                     |
| UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)                        | 1                | PA; ST                     |
| UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)                 | 1                | PA; ST                     |
| UNIFINE PENTIPS NEEDLES 29G 29 GAUGE                                                  | 1                | PA; ST                     |
| UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" (pen needle, diabetic)             | 1                | PA; ST                     |
| UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)                | 1                | PA; ST                     |
| UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 1                | PA; ST                     |
| UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16" (pen needle, diabetic)           | 1                | PA; ST                     |
| UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16" (pen needle, diabetic)          | 1                | PA; ST                     |
| UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)                | 1                | PA; ST                     |
| UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)                | 1                | PA; ST                     |
| UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"                                              | 1                | PA; ST                     |
| UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"                                              | 1                | PA; ST                     |
| UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"                                              | 1                | PA; ST                     |
| UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"                                          | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                         |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| UNIFINE SAFECONTROL 30G<br>8MM 30 GAUGE X 5/16"                   |                                   | 1         | PA; ST              |
| UNIFINE SAFECONTROL 31G<br>5MM 31 GAUGE X 3/16"                   | (pen needle, diabetic,<br>safety) | 1         | PA; ST              |
| UNIFINE SAFECONTROL 31G<br>6MM 31 GAUGE X 1/4"                    |                                   | 1         | PA; ST              |
| UNIFINE SAFECONTROL 31G<br>8MM 31 GAUGE X 5/16"                   |                                   | 1         | PA; ST              |
| UNIFINE SAFECONTROL 32G<br>4MM 32 GAUGE X 5/32"                   |                                   | 1         | PA; ST              |
| UNIFINE ULTRA PEN NDL 31G<br>5MM 31 GAUGE X 3/16"                 | (pen needle, diabetic)            | 1         | PA; ST              |
| UNIFINE ULTRA PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                  | (pen needle, diabetic)            | 1         | PA; ST              |
| UNIFINE ULTRA PEN NDL 31G<br>8MM 31 GAUGE X 5/16"                 | (pen needle, diabetic)            | 1         | PA; ST              |
| UNIFINE ULTRA PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                 | (pen needle, diabetic)            | 1         | PA; ST              |
| VANISHPOINT 0.5 ML 30GX1/2"<br>SY OUTER 0.5 ML 30 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| VANISHPOINT INS 1 ML<br>30GX3/16" 1 ML 30 GAUGE X<br>3/16"        |                                   | 1         | PA; ST              |
| VANISHPOINT U-100 29X1/2 SYR<br>1 ML 29 GAUGE X 1/2"              | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| VERIFINE INS SYR 1 ML 29G 1/2"<br>1 ML 29 GAUGE X 1/2"            | (insulin syringe-needle<br>u-100) | 1         | PA; ST              |
| VERIFINE PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"                   | (pen needle, diabetic)            | 1         | PA; ST              |
| VERIFINE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                   | (pen needle, diabetic)            | 1         | PA; ST              |
| VERIFINE PEN NEEDLE 31G X<br>6MM 31 GAUGE X 1/4"                  | (pen needle, diabetic)            | 1         | PA; ST              |
| VERIFINE PEN NEEDLE 31G X<br>8MM 31 GAUGE X 5/16"                 | (pen needle, diabetic)            | 1         | PA; ST              |
| VERIFINE PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"                    | (pen needle, diabetic)            | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                       |                                | Drug Tier | Requirements/Limits          |
|-----------------------------------------------------------------|--------------------------------|-----------|------------------------------|
| VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"                  | (pen needle, diabetic)         | 1         | PA; ST                       |
| VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"                  | (pen needle, diabetic)         | 1         | PA; ST                       |
| VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"                  | (pen needle, diabetic)         | 1         | PA; ST                       |
| VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"                  | (pen needle, diabetic)         | 1         | PA; ST                       |
| VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"                  | (pen needle, diabetic)         | 1         | PA; ST                       |
| VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32" |                                | 1         | PA; ST                       |
| VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"          | (insulin syringe-needle u-100) | 1         | PA; ST                       |
| VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"            | (insulin syringe-needle u-100) | 1         | PA; ST                       |
| VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"         | (insulin syringe-needle u-100) | 1         | PA; ST                       |
| VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"         | (insulin syringe-needle u-100) | 1         | PA; ST                       |
| VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "         |                                | 1         | PA; ST                       |
| V-GO 20 DEVICE                                                  |                                | 3         | QL (30 per 30 days)          |
| V-GO 30 DEVICE                                                  |                                | 3         | QL (30 per 30 days)          |
| V-GO 40 DEVICE                                                  |                                | 3         | QL (30 per 30 days)          |
| WEBCOL ALCOHOL PREPS 20'S,LARGE                                 | (alcohol swabs)                | 1         | PA; ST                       |
| <b>Enzyme Cofactors/Chaperones</b>                              |                                |           |                              |
| <b>Enzyme Cofactors/Chaperones</b>                              |                                |           |                              |
| MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG               |                                | 5         | PA; NDS; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                                                                                                                                                                      | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Enzyme Replacement/Modifiers</b>                                                                                                                                                                                                                                            |           |                     |
| <b>Enzyme Replacement/Modifiers</b>                                                                                                                                                                                                                                            |           |                     |
| CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT                                                                                        | 3         |                     |
| <i>javygtor oral tablet, soluble 100 mg</i> (sapropterin)                                                                                                                                                                                                                      | 5         | PA; NDS             |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)                                                                                                                                                                                                              | 5         | PA; NDS             |
| ORFADIN ORAL SUSPENSION 4 MG/ML                                                                                                                                                                                                                                                | 5         | PA; NDS             |
| PULMOZYME INHALATION SOLUTION 1 MG/ML                                                                                                                                                                                                                                          | 5         | PA BvD; NDS         |
| <i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)                                                                                                                                                                                                                      | 5         | PA; NDS             |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML                                                                                                                                                                                             | 5         | PA; LA; NDS         |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT | 3         |                     |
| <b>Eye, Ear, Nose, Throat Agents</b>                                                                                                                                                                                                                                           |           |                     |
| <b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>                                                                                                                                                                                                                            |           |                     |
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)                                                                                                                                                                                                                   | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                        | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>azelastine nasal spray,non-aerosol</i><br>137 mcg (0.1 %)                                     | 1         | QL (60 per 30 days) |
| <i>azelastine nasal spray,non-aerosol</i> (Astepro Allergy)<br>205.5 mcg (0.15 %)                | 1         | QL (30 per 25 days) |
| <i>azelastine ophthalmic (eye) drops</i><br>0.05 %                                               | 2         |                     |
| <i>cromolyn ophthalmic (eye) drops</i> 4 %                                                       | 1         |                     |
| <i>epinastine ophthalmic (eye) drops</i><br>0.05 %                                               | 2         |                     |
| <i>ipratropium bromide nasal</i><br><i>spray,non-aerosol</i> 21 mcg (0.03 %)                     | 2         | QL (30 per 28 days) |
| <i>ipratropium bromide nasal</i><br><i>spray,non-aerosol</i> 42 mcg (0.06 %)                     | 2         | QL (15 per 10 days) |
| MIEBO (PF) OPHTHALMIC (EYE)<br>DROPS 100 %                                                       | 3         | QL (12 per 28 days) |
| <i>olopatadine ophthalmic (eye) drops</i> (Eye Allergy Itch-<br>0.1 % Redness Rlf)               | 1         |                     |
| <i>olopatadine ophthalmic (eye) drops</i> (Advanced Eye Relief<br>0.2 % (olopatad))              | 1         |                     |
| <b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>                                             |           |                     |
| <i>acetic acid otic (ear) solution</i> 2 %                                                       | 1         |                     |
| <i>bacitracin ophthalmic (eye) ointment</i><br>500 unit/gram                                     | 2         |                     |
| <i>bacitracin-polymyxin b ophthalmic</i> (Polycin)<br><i>(eye) ointment</i> 500-10,000 unit/gram | 1         |                     |
| <i>ciprofloxacin hcl ophthalmic (eye)</i><br><i>drops</i> 0.3 %                                  | 1         |                     |
| <i>ciprofloxacin-dexamethasone otic</i><br><i>(ear) drops,suspension</i> 0.3-0.1 %               | 2         | QL (7.5 per 7 days) |
| <i>erythromycin ophthalmic (eye)</i><br><i>ointment</i> 5 mg/gram (0.5 %)                        | 1         | QL (3.5 per 4 days) |
| <i>gentak ophthalmic (eye) ointment</i> 0.3<br>% (3 mg/gram)                                     | 2         |                     |
| <i>gentamicin ophthalmic (eye) drops</i><br>0.3 %                                                | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>                                                        | 2                |                            |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)                                                      | 2                |                            |
| NATACYN OPTHALMIC (EYE) DROPS,SUSPENSION 5 %                                                                    | 4                |                            |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)       | 2                |                            |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)      | 2                |                            |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol) | 1                |                            |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)          | 1                |                            |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>                      | 2                |                            |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>                           | 2                |                            |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>                                   | 2                |                            |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)       | 2                |                            |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)      | 2                |                            |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)                                                         | 1                |                            |
| <i>ofloxacin otic (ear) drops 0.3 %</i>                                                                         | 2                |                            |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b)                          | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                        | Drug Tier | Requirements/Limits          |
|----------------------------------------------------------------------------------|-----------|------------------------------|
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> | 1         |                              |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>                          | 2         |                              |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>                       | 2         |                              |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>    | 1         |                              |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i>                                   | 1         |                              |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>      | 2         |                              |
| <i>trifluridine ophthalmic (eye) drops 1 %</i>                                   | 2         |                              |
| XDEMVIY OPTHALMIC (EYE) DROPS 0.25 %                                             | 5         | PA; NDS; QL (10 per 42 days) |
| ZIRGAN OPTHALMIC (EYE) GEL 0.15 %                                                | 4         |                              |
| ZYLET OPTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %                                 | 3         |                              |
| <b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>                           |           |                              |
| ALREX OPTHALMIC (EYE) DROPS,SUSPENSION 0.2 % (loteprednol etabonate)             | 3         | ST                           |
| <i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)                        | 2         |                              |
| <i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)                       | 2         |                              |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i>                                   | 2         |                              |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)               | 2         | QL (60 per 30 days)          |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>               | 2         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>                                          | 1                |                            |
| <i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)                                   | 2                |                            |
| EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %                                               | 3                | QL (8.3 per 14 days)       |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>                                    | 2                | QL (50 per 25 days)        |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)                       | 2                |                            |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)                 | 4                |                            |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>                                       | 2                |                            |
| <i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief) | 1                | QL (16 per 30 days)        |
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %                                                 | 3                |                            |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %                                                 | 3                | QL (5.6 per 14 days)       |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)                                         | 1                | QL (10 per 25 days)        |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %                                                        | 3                | QL (3.5 per 14 days)       |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %                                                   | 3                | QL (5 per 16 days)         |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)                        | 2                | QL (10 per 14 days)        |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)                   | 2                | ST                         |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>                           | 2                | QL (15 per 19 days)        |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))        | 2                | QL (34 per 30 days)        |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)                 | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                     | Drug Tier | Requirements/Limits     |
|---------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
| XIIDRA OPTHALMIC (EYE)<br>DROPPERETTE 5 %                                                                     | 3         | QL (60 per 30 days)     |
| <b>Gastrointestinal Agents</b>                                                                                |           |                         |
| <b>Antiulcer Agents And Acid Suppressants</b>                                                                 |           |                         |
| <i>amoxicil-clarithromy-lansopraz oral<br/>combo pack 500-500-30 mg</i>                                       | 2         |                         |
| <i>cimetidine hcl oral solution 300 mg/5<br/>ml</i>                                                           | 2         |                         |
| <i>esomeprazole magnesium oral<br/>capsule, delayed release(dr/ec) 20 mg</i> (Acid Reducer<br>(esomeprazole)) | 2         | QL (30 per 30 days)     |
| <i>esomeprazole magnesium oral<br/>capsule, delayed release(dr/ec) 40 mg</i> (Nexium)                         | 2         | QL (60 per 30 days)     |
| <i>esomeprazole magnesium oral<br/>granules dr for susp in packet 10 mg,<br/>20 mg</i> (Nexium Packet)        | 2         | ST; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral<br/>granules dr for susp in packet 40 mg</i> (Nexium Packet)                   | 2         | ST; QL (60 per 30 days) |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller)                                                         | 1         |                         |
| <i>famotidine oral tablet 40 mg</i> (Pepcid)                                                                  | 1         |                         |
| <i>lansoprazole oral capsule, delayed<br/>release(dr/ec) 15 mg</i> (Acid Reducer<br>(lansoprazole))           | 2         | QL (30 per 30 days)     |
| <i>lansoprazole oral capsule, delayed<br/>release(dr/ec) 30 mg</i> (Prevacid)                                 | 2         | QL (60 per 30 days)     |
| <i>misoprostol oral tablet 100 mcg, 200<br/>mcg</i> (Cytotec)                                                 | 2         |                         |
| <i>omeprazole oral capsule, delayed<br/>release(dr/ec) 10 mg, 20 mg, 40 mg</i>                                | 1         |                         |
| <i>pantoprazole oral tablet, delayed<br/>release (dr/ec) 20 mg</i> (Protonix)                                 | 1         | QL (30 per 30 days)     |
| <i>pantoprazole oral tablet, delayed<br/>release (dr/ec) 40 mg</i> (Protonix)                                 | 1         | QL (60 per 30 days)     |
| <i>rabeprazole oral tablet, delayed<br/>release (dr/ec) 20 mg</i> (AcipHex)                                   | 2         | QL (30 per 30 days)     |
| <i>sucralfate oral tablet 1 gram</i> (Carafate)                                                               | 1         |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                         | Drug Tier | Requirements/Limits  |
|-------------------------------------------------------------------|-----------|----------------------|
| <b>Gastrointestinal Agents, Other</b>                             |           |                      |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)  | 5         | PA; NDS              |
| <i>constulose oral solution 10 gram/15 ml</i> (lactulose)         | 1         |                      |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)         | 2         |                      |
| <i>dicyclomine oral capsule 10 mg</i>                             | 1         |                      |
| <i>dicyclomine oral solution 10 mg/5 ml</i>                       | 2         |                      |
| <i>dicyclomine oral tablet 20 mg</i>                              | 1         |                      |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)  | 1         |                      |
| <i>enulose oral solution 10 gram/15 ml</i> (lactulose)            | 1         |                      |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose)           | 1         |                      |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul)                  | 2         |                      |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)            | 2         |                      |
| <i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>    | 2         |                      |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose)         | 1         |                      |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG                     | 3         | QL (30 per 30 days)  |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM                     | 3         |                      |
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide)) | 1         |                      |
| <i>lubiprostone oral capsule 24 mcg</i> (Amitiza)                 | 2         | QL (60 per 30 days)  |
| <i>lubiprostone oral capsule 8 mcg</i> (Amitiza)                  | 2         | QL (120 per 30 days) |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i>                 | 1         |                      |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)        | 1         |                      |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG                               | 3         | QL (30 per 30 days)  |
| <i>sodium polystyrene sulfonate oral powder 15 gram</i>           | 2         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                       | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>sps (with sorbitol) oral suspension<br/>15-20 gram/60 ml</i>                                 | 2         |                              |
| <i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)                                           | 5         | NDS                          |
| <i>ursodiol oral capsule 300 mg</i>                                                             | 2         |                              |
| <i>ursodiol oral tablet 250 mg</i>                                                              | 2         |                              |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte)                                                 | 2         |                              |
| VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM                           | 3         |                              |
| XERMELO ORAL TABLET 250 MG                                                                      | 5         | PA; NDS; QL (84 per 28 days) |
| <b>Laxatives</b>                                                                                |           |                              |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML            | 3         |                              |
| <i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)             | 1         |                              |
| <i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)             | 1         |                              |
| <i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)                               | 2         |                              |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)             | 1         |                              |
| <i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)                               | 1         |                              |
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit) | 3         |                              |
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>          | 2         |                              |
| SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM                                                       | 3         |                              |
| <b>Phosphate Binders</b>                                                                        |           |                              |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i>                                       | 2         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                       | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|-----------|---------------------|
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i>                        | 2         |                     |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)   | 2         |                     |
| <i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)                         | 2         |                     |
| <i>sevelamer hcl oral tablet 400 mg, 800 mg</i>                                 | 2         |                     |
| <b>Genitourinary Agents</b>                                                     |           |                     |
| <b>Antispasmodics, Urinary</b>                                                  |           |                     |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>               | 2         |                     |
| <i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)      | 2         |                     |
| <i>flavoxate oral tablet 100 mg</i>                                             | 2         |                     |
| <i>mirabegron oral tablet extended release 24 hr 25 mg, 50 mg</i> (Myrbetriq)   | 2         |                     |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i>                                 | 1         |                     |
| <i>oxybutynin chloride oral tablet 5 mg</i>                                     | 1         |                     |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i> | 1         |                     |
| <i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)                           | 1         |                     |
| <i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>                | 2         |                     |
| <i>tolterodine oral tablet 1 mg, 2 mg</i>                                       | 2         |                     |
| <i>tropium oral capsule,extended release 24hr 60 mg</i>                         | 2         |                     |
| <i>tropium oral tablet 20 mg</i>                                                | 2         |                     |
| <b>Genitourinary Agents, Miscellaneous</b>                                      |           |                     |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)           | 1         | QL (30 per 30 days) |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart)                                | 1         |                     |
| <i>finasteride oral tablet 5 mg</i> (Proscar)                                   | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                       | Drug Tier | Requirements/Limits           |
|-------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>tamsulosin oral capsule 0.4 mg</i> (Flomax)                                                  | 1         |                               |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                           | 1         |                               |
| <b>Heavy Metal Antagonists</b>                                                                  |           |                               |
| <b>Heavy Metal Antagonists</b>                                                                  |           |                               |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)              | 5         | PA; NDS                       |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)                                   | 2         | PA                            |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)                                       | 5         | PA; NDS                       |
| <i>trientine oral capsule 250 mg</i> (Syprine)                                                  | 5         | PA; NDS; QL (240 per 30 days) |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying</b>                                         |           |                               |
| <b>Androgens</b>                                                                                |           |                               |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>                                               | 2         |                               |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i>                                                    | 2         | PA                            |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)        | 1         | PA                            |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>                                | 1         | PA                            |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i>                                       | 2         | PA; QL (5 per 28 days)        |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)     | 2         | PA; QL (300 per 30 days)      |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel) | 2         | PA; QL (150 per 30 days)      |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>                               | 2         | PA; QL (300 per 30 days)      |
| <i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> (Vogelxo)                      | 2         | PA; QL (300 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                                                   | Drug Tier | Requirements/Limits    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------|
| XYOSTED SUBCUTANEOUS<br>AUTO-INJECTOR 100 MG/0.5 ML,<br>50 MG/0.5 ML, 75 MG/0.5 ML                                                                          | 3         | PA; QL (2 per 28 days) |
| <b>Estrogens And Antiestrogens</b>                                                                                                                          |           |                        |
| <i>abigale lo oral tablet 0.5-0.1 mg</i> (estradiol-norethindrone<br>acet)                                                                                  | 1         |                        |
| <i>abigale oral tablet 1-0.5 mg</i> (estradiol-norethindrone<br>acet)                                                                                       | 2         |                        |
| DUAVEE ORAL TABLET 0.45-20<br>MG                                                                                                                            | 3         |                        |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2<br/>mg</i>                                                                                                         | 1         |                        |
| <i>estradiol transdermal patch (Dotti)<br/>semiweekly 0.025 mg/24 hr, 0.0375<br/>mg/24 hr, 0.05 mg/24 hr, 0.075<br/>mg/24 hr, 0.1 mg/24 hr</i>              | 2         | QL (8 per 28 days)     |
| <i>estradiol transdermal patch weekly (Climara)<br/>0.025 mg/24 hr, 0.0375 mg/24 hr,<br/>0.05 mg/24 hr, 0.06 mg/24 hr, 0.075<br/>mg/24 hr, 0.1 mg/24 hr</i> | 2         | QL (4 per 28 days)     |
| <i>estradiol vaginal cream 0.01 % (0.1 (Estrace)<br/>mg/gram)</i>                                                                                           | 2         |                        |
| <i>estradiol vaginal tablet 10 mcg (Yuvaferm)</i>                                                                                                           | 2         | QL (18 per 28 days)    |
| <i>estradiol-norethindrone acet oral (Abigale Lo)<br/>tablet 0.5-0.1 mg</i>                                                                                 | 2         |                        |
| <i>estradiol-norethindrone acet oral (Abigale)<br/>tablet 1-0.5 mg</i>                                                                                      | 2         |                        |
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone<br>acet)                                                                                        | 2         |                        |
| PREMARIN ORAL TABLET 0.3<br>MG, 0.45 MG, 0.9 MG                                                                                                             | 3         |                        |
| PREMARIN ORAL TABLET 0.625 (conjugated estrogens)<br>MG, 1.25 MG                                                                                            | 3         |                        |
| PREMARIN VAGINAL CREAM<br>0.625 MG/GRAM                                                                                                                     | 3         |                        |
| PREMPHASE ORAL TABLET<br>0.625 MG (14)/ 0.625MG-5MG(14)                                                                                                     | 3         |                        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------|-----------|---------------------|
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG                       | 3         |                     |
| <i>raloxifene oral tablet 60 mg</i> (Evista)                                                | 2         |                     |
| <i>yuvafem vaginal tablet 10 mcg</i> (estradiol)                                            | 2         | QL (18 per 28 days) |
| <b>Glucocorticoids/Mineralocorticoids</b>                                                   |           |                     |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i>                                              | 1         |                     |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>            | 1         |                     |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>                  | 1         |                     |
| <i>fludrocortisone oral tablet 0.1 mg</i>                                                   | 1         |                     |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)                               | 1         |                     |
| <i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)               | 2         |                     |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)                            | 1         |                     |
| <i>methylprednisolone oral tablet 32 mg</i>                                                 | 1         |                     |
| <i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))                       | 1         |                     |
| <i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>                                | 1         | PA BvD              |
| <i>prednisolone oral solution 15 mg/5 ml</i>                                                | 1         | PA BvD              |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>                     | 2         | PA BvD              |
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred) | 2         | PA BvD              |
| <i>prednisone oral solution 5 mg/5 ml</i>                                                   | 2         | PA BvD              |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                       | 1         | PA BvD              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                             | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i> | 1         |                                   |
| <i>triamcinolone acetonide injection</i> (Kenalog)<br><i>suspension 40 mg/ml</i>      | 1         |                                   |
| <b>Pituitary</b>                                                                      |           |                                   |
| ACTHAR INJECTION GEL 80 UNIT/ML                                                       | 5         | PA; NDS; QL (35 per 28 days)      |
| ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML                              | 5         | PA; NDS; QL (15 per 30 days)      |
| ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML                                  | 5         | PA; NDS; QL (30 per 30 days)      |
| CORTROPHIN GEL INJECTION GEL 80 UNIT/ML                                               | 5         | PA; NDS; QL (35 per 28 days)      |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>                           | 2         |                                   |
| <i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>                     | 2         |                                   |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)                                | 2         |                                   |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML                                               | 5         | PA; NDS                           |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)               | 5         | PA NSO; NDS; QL (0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG                             | 5         | PA NSO; NDS                       |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG                                        | 5         | PA NSO; NDS                       |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG                  | 5         | PA; NDS                           |
| LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG                                      | 5         | PA; NDS                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                                                    | Drug Tier | Requirements/Limits                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| LUTRATE DEPOT (3 MONTH)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 22.5 MG<br>(leuprolide acetate (3 month))                                          | 4         | PA NSO                               |
| NORDITROPIN FLEXP<br>SUBCUTANEOUS PEN INJECTOR<br>10 MG/1.5 ML (6.7 MG/ML), 15<br>MG/1.5 ML (10 MG/ML), 30 MG/3<br>ML (10 MG/ML), 5 MG/1.5 ML (3.3<br>MG/ML) | 5         | PA; NDS                              |
| <i>octreotide acetate injection solution</i><br><i>1,000 mcg/ml, 200 mcg/ml</i>                                                                              | 2         |                                      |
| <i>octreotide acetate injection solution</i><br><i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i><br>(Sandostatin)                                                    | 2         |                                      |
| ORGOVYX ORAL TABLET 120<br>MG                                                                                                                                | 5         | PA NSO; NDS                          |
| ORILISSA ORAL TABLET 150 MG                                                                                                                                  | 5         | PA; NDS; QL (28 per 28<br>days)      |
| ORILISSA ORAL TABLET 200 MG                                                                                                                                  | 5         | PA; NDS; QL (56 per 28<br>days)      |
| SEROSTIM SUBCUTANEOUS<br>RECON SOLN 4 MG, 5 MG, 6 MG                                                                                                         | 5         | PA; NDS                              |
| SIGNIFOR SUBCUTANEOUS<br>SOLUTION 0.3 MG/ML (1 ML), 0.6<br>MG/ML (1 ML), 0.9 MG/ML (1 ML)                                                                    | 5         | PA; NDS; QL (60 per 30<br>days)      |
| SOMATULINE DEPOT<br>SUBCUTANEOUS SYRINGE 60<br>MG/0.2 ML<br>(lanreotide)                                                                                     | 5         | PA NSO; NDS; QL (0.2<br>per 28 days) |
| SOMATULINE DEPOT<br>SUBCUTANEOUS SYRINGE 90<br>MG/0.3 ML<br>(lanreotide)                                                                                     | 5         | PA NSO; NDS; QL (0.3<br>per 28 days) |
| SOMAVERT SUBCUTANEOUS<br>RECON SOLN 10 MG, 15 MG, 20<br>MG, 25 MG, 30 MG                                                                                     | 5         | PA; NDS                              |
| <b>Progestins</b>                                                                                                                                            |           |                                      |
| DEPO-SUBQ PROVERA 104<br>SUBCUTANEOUS SYRINGE 104<br>MG/0.65 ML                                                                                              | 3         | QL (0.65 per 84 days)                |
| <i>gallifrey oral tablet 5 mg</i><br>(norethindrone acetate)                                                                                                 | 2         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                                 | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)                                                              | 1         |                     |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)                                                                 | 1         |                     |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)                                                                      | 1         |                     |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>                                                         | 2         |                     |
| <i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)                                                                                 | 2         |                     |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)                                                                   | 2         |                     |
| <b>Thyroid And Antithyroid Agents</b>                                                                                                     |           |                     |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox) | 1         |                     |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T)                                                                                         | 1         |                     |
| <i>liomny oral tablet 25 mcg, 5 mcg, 50 mcg</i> (liothyronine)                                                                            | 2         |                     |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Liomny)                                                                            | 2         |                     |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                                                                                | 1         |                     |
| <i>propylthiouracil oral tablet 50 mg</i>                                                                                                 | 2         |                     |
| <b>Immunological Agents</b>                                                                                                               |           |                     |
| <b>Immunological Agents</b>                                                                                                               |           |                     |
| ACTEMRA ACTPEN<br>SUBCUTANEOUS PEN INJECTOR<br>162 MG/0.9 ML                                                                              | 5         | PA; NDS             |
| ACTEMRA INTRAVENOUS<br>SOLUTION 200 MG/10 ML (20<br>MG/ML), 400 MG/20 ML (20<br>MG/ML), 80 MG/4 ML (20 MG/ML)                             | 5         | PA; NDS             |
| ACTEMRA SUBCUTANEOUS<br>SYRINGE 162 MG/0.9 ML                                                                                             | 5         | PA; NDS             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|--------------------------------------------------------------------------------|------------------|------------------------------------|
| ARCALYST SUBCUTANEOUS<br>RECON SOLN 220 MG                                     | 5                | PA; NDS                            |
| ASTAGRAF XL ORAL (tacrolimus)<br>CAPSULE,EXTENDED RELEASE<br>24HR 0.5 MG, 1 MG | 4                | PA BvD                             |
| ASTAGRAF XL ORAL (tacrolimus)<br>CAPSULE,EXTENDED RELEASE<br>24HR 5 MG         | 5                | PA BvD; NDS                        |
| <i>azathioprine oral tablet 50 mg</i> (Imuran)                                 | 2                | PA BvD                             |
| <i>azathioprine sodium injection recon<br/>soln 100 mg</i>                     | 1                | PA BvD                             |
| BENLYSTA SUBCUTANEOUS<br>AUTO-INJECTOR 200 MG/ML                               | 5                | PA; NDS; QL (8 per 28<br>days)     |
| BENLYSTA SUBCUTANEOUS<br>SYRINGE 200 MG/ML                                     | 5                | PA; NDS; QL (8 per 28<br>days)     |
| BESREMI SUBCUTANEOUS<br>SYRINGE 500 MCG/ML                                     | 5                | PA NSO; NDS; QL (2<br>per 28 days) |
| CIMZIA POWDER FOR RECONST<br>SUBCUTANEOUS KIT 400 MG<br>(200 MG X 2 VIALS)     | 5                | PA; NDS                            |
| CIMZIA SUBCUTANEOUS<br>SYRINGE KIT 400 MG/2 ML (200<br>MG/ML X 2)              | 5                | PA; NDS                            |
| COSENTYX (2 SYRINGES)<br>SUBCUTANEOUS SYRINGE 150<br>MG/ML                     | 5                | PA; NDS                            |
| COSENTYX PEN (2 PENS)<br>SUBCUTANEOUS PEN INJECTOR<br>150 MG/ML                | 5                | PA; NDS                            |
| COSENTYX SUBCUTANEOUS<br>SYRINGE 75 MG/0.5 ML                                  | 5                | PA; NDS                            |
| COSENTYX UNOREADY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>300 MG/2 ML              | 5                | PA; NDS                            |
| <i>cyclosporine intravenous solution</i> (Sandimmune)<br><i>250 mg/5 ml</i>    | 2                | PA BvD                             |
| <i>cyclosporine modified oral capsule</i> (Gengraf)<br><i>100 mg, 25 mg</i>    | 2                | PA BvD                             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>cyclosporine modified oral capsule</i><br>50 mg                                                                     | 2                | PA BvD                     |
| <i>cyclosporine modified oral solution</i> (Gengraf)<br>100 mg/ml                                                      | 2                | PA BvD                     |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)                                                            | 2                | PA BvD                     |
| CYLTEZO(CF) PEN CROHN'S-UC-<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML (adalimumab-adbm)     | 5                | PA; NDS                    |
| CYLTEZO(CF) PEN PSORIASIS-<br>UV SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML (adalimumab-adbm)      | 5                | PA; NDS                    |
| CYLTEZO(CF) PEN<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)                       | 5                | PA; NDS                    |
| CYLTEZO(CF) SUBCUTANEOUS<br>SYRINGE KIT 10 MG/0.2 ML, 20<br>MG/0.4 ML, 40 MG/0.4 ML, 40<br>MG/0.8 ML (adalimumab-adbm) | 5                | PA; NDS                    |
| DUPIXENT PEN<br>SUBCUTANEOUS PEN INJECTOR<br>200 MG/1.14 ML, 300 MG/2 ML                                               | 5                | PA; NDS                    |
| DUPIXENT SYRINGE<br>SUBCUTANEOUS SYRINGE 100<br>MG/0.67 ML, 200 MG/1.14 ML, 300<br>MG/2 ML                             | 5                | PA; NDS                    |
| ENBREL MINI SUBCUTANEOUS<br>CARTRIDGE 50 MG/ML (1 ML)                                                                  | 5                | PA; NDS                    |
| ENBREL SUBCUTANEOUS<br>RECON SOLN 25 MG (1 ML)                                                                         | 5                | PA; NDS                    |
| ENBREL SUBCUTANEOUS<br>SOLUTION 25 MG/0.5 ML                                                                           | 5                | PA; NDS                    |
| ENBREL SUBCUTANEOUS<br>SYRINGE 25 MG/0.5 ML (0.5), 50<br>MG/ML (1 ML)                                                  | 5                | PA; NDS                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>                |
|----------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------|
| ENBREL SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>50 MG/ML (1 ML)                                         | 5                | PA; NDS                                   |
| <i>everolimus (immunosuppressive) oral</i> (Zortress)<br><i>tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i>    | 5                | PA BvD; NDS                               |
| GAMUNEX-C INJECTION<br>SOLUTION 1 GRAM/10 ML (10 %)                                                      | 5                | PA BvD; NDS                               |
| <i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)                                        | 2                | PA BvD                                    |
| <i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)                                           | 2                | PA BvD                                    |
| HUMIRA PEN CROHNS-UC-HS<br>START SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                           | 5                | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA PEN PSOR-UVEITS-<br>ADOL HS SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                         | 5                | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA PEN SUBCUTANEOUS<br>PEN INJECTOR KIT 40 MG/0.8 ML                                                 | 5                | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA SUBCUTANEOUS<br>SYRINGE KIT 40 MG/0.8 ML                                                          | 5                | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) PEDI CROHNS<br>STARTER SUBCUTANEOUS<br>SYRINGE KIT 80 MG/0.8 ML, 80<br>MG/0.8 ML-40 MG/0.4 ML | 5                | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) PEN CROHNS-UC-<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML                            | 5                | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) PEN PEDIATRIC<br>UC SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML                             | 5                | PA; NDS                                   |
| HUMIRA(CF) PEN PSOR-UV-<br>ADOL HS SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML-40<br>MG/0.4 ML         | 5                | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) PEN<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 80 MG/0.8 ML                            | 5                | PA; NDS; Only NDCs<br>starting with 00074 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                  | Drug Tier | Requirements/Limits                    |
|--------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML               | 5         | PA; NDS; Only NDCs starting with 00074 |
| <i>infliximab intravenous recon soln 100 mg</i> (Remicade)                                 | 5         | PA; NDS                                |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML                                                | 5         | PA; NDS                                |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)                                        | 2         |                                        |
| <i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)    | 2         | PA BvD                                 |
| <i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)                                | 2         | PA BvD                                 |
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)       | 5         | PA BvD; NDS                            |
| <i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)                                 | 2         | PA BvD                                 |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic) | 2         | PA BvD                                 |
| NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML                                                     | 5         | PA NSO; NDS                            |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG                                                      | 5         | PA BvD; NDS                            |
| ORENCIA (WITH MALTOS) INTRAVENOUS RECON SOLN 250 MG                                        | 5         | PA; NDS                                |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML                                     | 5         | PA; NDS                                |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML                       | 5         | PA; NDS                                |
| OTEZLA ORAL TABLET 20 MG, 30 MG                                                            | 5         | PA; NDS                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                                                                      | Drug Tier | Requirements/Limits           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)                                                      | 5         | PA; NDS                       |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML                                                                                                                                           | 4         | PA BvD                        |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG                                                                                                                                   | 4         | PA BvD                        |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML | 4         | ST                            |
| REZUROCK ORAL TABLET 200 MG                                                                                                                                                    | 5         | PA NSO; NDS                   |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML                                                                                                                                                | 5         | PA; NDS; QL (360 per 30 days) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG                                                                                                                  | 5         | PA; NDS                       |
| SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML                                                                                                                                     | 5         | PA; NDS                       |
| SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML (ustekinumab-aekn)                                                                                                                  | 3         | PA                            |
| SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML (ustekinumab-aekn)                                                                                                                      | 5         | PA; NDS                       |
| <i>sirolimus oral solution 1 mg/ml</i>                                                                                                                                         | 5         | PA BvD; NDS                   |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                                                                | 2         | PA BvD                        |
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML                                                                                                                                          | 5         | PA; NDS                       |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML                                                                                                                                    | 5         | PA; NDS                       |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML                                                                                                                          | 5         | PA; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                   | Drug Tier | Requirements/Limits           |
|---------------------------------------------------------------------------------------------|-----------|-------------------------------|
| SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)                             | 5         | PA; NDS                       |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | 5         | PA; NDS                       |
| STELARA INTRAVENOUS SOLUTION 130 MG/26 ML (ustekinumab)                                     | 5         | PA; NDS                       |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML (ustekinumab)                                    | 5         | PA; NDS                       |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML (ustekinumab)                           | 5         | PA; NDS                       |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)                                 | 2         | PA BvD                        |
| TAVNEOS ORAL CAPSULE 10 MG                                                                  | 5         | PA; NDS; QL (180 per 30 days) |
| TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)                                        | 5         | PA; NDS                       |
| TREMFYA ONE-PRESS SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                                      | 5         | PA; NDS                       |
| TREMFYA PEN INDUCTION PK-CROHN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML                        | 5         | PA; NDS                       |
| TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML                                           | 5         | PA; NDS                       |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML                                         | 5         | PA; NDS                       |
| TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML                                 | 5         | PA; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)      | 5         | PA; NDS             |
| TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML                                                                | 5         | PA; NDS             |
| XELJANZ ORAL SOLUTION 1 MG/ML                                                                            | 5         | PA; NDS             |
| XELJANZ ORAL TABLET 10 MG, 5 MG                                                                          | 5         | PA; NDS             |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG                                               | 5         | PA; NDS             |
| YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML                                                               | 5         | PA; NDS             |
| YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML                                                              | 3         | PA                  |
| YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML                                                               | 3         | PA                  |
| YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML                                                                   | 5         | PA; NDS             |
| YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty)<br>HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML          | 5         | PA; NDS             |
| YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty)<br>SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML | 5         | PA; NDS             |
| YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty)<br>SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML                     | 5         | PA; NDS             |
| <b>Vaccines</b>                                                                                          |           |                     |
| ABRYSVO (PF)<br>INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML                                                  | 6         | \$0 copay           |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML                                                       | 6         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SUSPENSION<br>2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 6                | \$0 copay                  |
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SYRINGE 2<br>LF-(2.5-5-3-5 MCG)-5LF/0.5 ML    | 6                | \$0 copay                  |
| AREXVY (PF) INTRAMUSCULAR<br>SUSPENSION FOR<br>RECONSTITUTION 120 MCG/0.5<br>ML                  | 6                | \$0 copay                  |
| BCG VACCINE, LIVE (PF)<br>PERCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION 50 MG                    | 6                | \$0 copay                  |
| BEXSERO INTRAMUSCULAR<br>SYRINGE 50-50-50-25 MCG/0.5<br>ML                                       | 6                | \$0 copay                  |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SUSPENSION<br>2.5-8-5 LF-MCG-LF/0.5ML                             | 6                | \$0 copay                  |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SYRINGE 2.5-<br>8-5 LF-MCG-LF/0.5ML                               | 6                | \$0 copay                  |
| DAPTACEL (DTAP PEDIATRIC)<br>(PF) INTRAMUSCULAR<br>SUSPENSION 15-10-5 LF-MCG-<br>LF/0.5ML        | 6                |                            |
| DENG VAXIA (PF)<br>SUBCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION<br>10EXP4.5-6 CCID50/0.5 ML     | 6                | QL (3 per 365 days)        |
| ENGERIX-B (PF)<br>INTRAMUSCULAR SUSPENSION<br>20 MCG/ML                                          | 6                | PA BvD; \$0 copay          |
| ENGERIX-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/ML                                             | 6                | PA BvD; \$0 copay          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------|------------------|----------------------------|
| ENGERIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/0.5 ML         | 6                | PA BvD; \$0 copay          |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SUSPENSION<br>0.5 ML                      | 6                | \$0 copay                  |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SYRINGE 0.5<br>ML                         | 6                | \$0 copay                  |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 1,440 ELISA UNIT/ML                   | 6                | \$0 copay                  |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT/0.5 ML                 | 6                |                            |
| HEPLISAV-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/0.5 ML                  | 6                | PA BvD; \$0 copay          |
| HIBERIX (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                     | 6                |                            |
| IMOVAX RABIES VACCINE (PF)<br>INTRAMUSCULAR RECON SOLN<br>2.5 UNIT         | 6                | PA BvD; \$0 copay          |
| INFANRIX (DTAP) (PF)<br>INTRAMUSCULAR SYRINGE 25-<br>58-10 LF-MCG-LF/0.5ML | 6                |                            |
| IPOL INJECTION SUSPENSION<br>40-8-32 UNIT/0.5 ML                           | 6                | \$0 copay                  |
| IXIARO (PF) INTRAMUSCULAR<br>SYRINGE 6 MCG/0.5 ML                          | 6                | \$0 copay                  |
| JYNNEOS (PF) SUBCUTANEOUS<br>SUSPENSION 0.5X TO 3.95X<br>10EXP8 UNIT/0.5   | 6                | \$0 copay                  |
| KINRIX (PF) INTRAMUSCULAR<br>SYRINGE 25 LF-58 MCG-10 LF/0.5<br>ML          | 6                |                            |
| MENACTRA (PF)<br>INTRAMUSCULAR SOLUTION 4<br>MCG/0.5 ML                    | 6                | \$0 copay                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| MENQUADFI (PF)<br>INTRAMUSCULAR SOLUTION 10<br>MCG/0.5 ML                                           | 6                | \$0 copay                  |
| MENVEO A-C-Y-W-135-DIP (PF)<br>INTRAMUSCULAR KIT 10-5<br>MCG/0.5 ML                                 | 6                | \$0 copay                  |
| M-M-R II (PF) SUBCUTANEOUS<br>RECON SOLN 1,000-12,500<br>TCID50/0.5 ML                              | 6                | \$0 copay                  |
| MRESVIA (PF)<br>INTRAMUSCULAR SYRINGE 50<br>MCG/0.5 ML                                              | 6                | \$0 copay                  |
| PEDIARIX (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG-25LF-25 MCG-10LF/0.5 ML                            | 6                |                            |
| PEDVAX HIB (PF)<br>INTRAMUSCULAR SOLUTION<br>7.5 MCG/0.5 ML                                         | 6                |                            |
| PENBRAYA (PF)<br>INTRAMUSCULAR KIT 5-120<br>MCG/0.5 ML                                              | 6                | \$0 copay                  |
| PENBRAYA MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 5<br>MCG/0.5 ML | 6                | \$0 copay                  |
| PENBRAYA MENB COMPONENT<br>(PF) INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                             | 6                | \$0 copay                  |
| PENMENVY MEN A-B-C-W-Y<br>(PF) INTRAMUSCULAR KIT 0.5<br>ML                                          | 6                | \$0 copay                  |
| PENMENVY MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 10-5<br>MCG     | 6                | \$0 copay                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------|------------------|----------------------------|
| PENMENVY MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML                   | 6                | \$0 copay                  |
| PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-20MCG-5LF- 62 DU/0.5 ML | 6                |                            |
| PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML                                          | 6                | PA BvD; \$0 copay          |
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2-3.3CCID50/0.5ML        | 6                | \$0 copay                  |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3-3.99 TCID50/0.5        | 6                |                            |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML                       | 6                |                            |
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML                          | 6                |                            |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT                          | 6                | PA BvD; \$0 copay          |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML              | 6                | PA BvD; \$0 copay          |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML                            | 6                | PA BvD; \$0 copay          |
| ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML                                               | 6                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b>                  | <b>Requirements/Limits</b>        |
|--------------------------------------------------------------------------------------|-----------------------------------|-----------------------------------|
| ROTARIX ORAL SUSPENSION<br>FOR RECONSTITUTION 10EXP6<br>CCID50/ML                    | 6                                 |                                   |
| ROTATEQ VACCINE ORAL<br>SOLUTION 2 ML                                                | 6                                 |                                   |
| SHINGRIX (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 50<br>MCG/0.5 ML     | 6                                 | \$0 copay; QL (2 per 365<br>days) |
| TDVAX INTRAMUSCULAR<br>SUSPENSION 2-2 LF UNIT/0.5 ML                                 | 6                                 | \$0 copay                         |
| TENIVAC (PF)<br>INTRAMUSCULAR SUSPENSION<br>5 LF UNIT- 2 LF UNIT/0.5ML               | 6                                 | \$0 copay                         |
| TENIVAC (PF)<br>INTRAMUSCULAR SYRINGE 5-2<br>LF UNIT/0.5 ML                          | 6                                 | \$0 copay                         |
| TETANUS,DIPHThERIA TOX<br>PED(PF) INTRAMUSCULAR<br>SUSPENSION 5-25 LF UNIT/0.5<br>ML | 6                                 |                                   |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 1.2 MCG/0.25 ML                                     | 6                                 |                                   |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 2.4 MCG/0.5 ML                                      | 6                                 | \$0 copay                         |
| TRUMENBA INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                                     | 6                                 | \$0 copay                         |
| TWINRIX (PF)<br>INTRAMUSCULAR SYRINGE 720<br>ELISA UNIT- 20 MCG/ML                   | 6                                 | \$0 copay                         |
| TYPHIM VI INTRAMUSCULAR<br>SOLUTION 25 MCG/0.5 ML                                    | 6                                 | \$0 copay                         |
| TYPHIM VI INTRAMUSCULAR<br>SYRINGE 25 MCG/0.5 ML                                     | (typhoid vi polysacch<br>vaccine) | \$0 copay                         |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 25 UNIT/0.5 ML                                | 6                                 |                                   |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 50 UNIT/ML                                    | 6                                 | \$0 copay                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML                                                                         | 6                |                            |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML                                                                             | 6                | \$0 copay                  |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML                                               | 6                | \$0 copay                  |
| VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT                                       | 6                | \$0 copay                  |
| VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML                                                                            | 6                | \$0 copay                  |
| VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT                                                              | 6                | \$0 copay                  |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | 6                | \$0 copay                  |

## Inflammatory Bowel Disease Agents

### Inflammatory Bowel Disease Agents

|                                                                  |             |   |  |
|------------------------------------------------------------------|-------------|---|--|
| <i>alosetron oral tablet 0.5 mg, 1 mg</i>                        | (Lotronex)  | 2 |  |
| <i>balsalazide oral capsule 750 mg</i>                           | (Colazal)   | 2 |  |
| <i>budesonide oral capsule, delayed, extend. release 3 mg</i>    |             | 2 |  |
| <i>budesonide rectal foam 2 mg/actuation</i>                     | (Uceris)    | 2 |  |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i>                  | (Cortenema) | 2 |  |
| <i>mesalamine oral capsule, extended release 500 mg</i>          | (Pentasa)   | 2 |  |
| <i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> | (Apriso)    | 2 |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                             | Drug Tier | Requirements/Limits         |
|---------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)              | 2         | QL (120 per 30 days)        |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)                                  | 1         |                             |
| <i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs) | 4         |                             |
| <b>Metabolic Bone Disease Agents</b>                                                  |           |                             |
| <b>Metabolic Bone Disease Agents</b>                                                  |           |                             |
| <i>alendronate oral solution 70 mg/75 ml</i>                                          | 2         | QL (300 per 28 days)        |
| <i>alendronate oral tablet 10 mg</i>                                                  | 1         | QL (30 per 30 days)         |
| <i>alendronate oral tablet 35 mg</i>                                                  | 1         | QL (4 per 28 days)          |
| <i>alendronate oral tablet 70 mg</i> (Fosamax)                                        | 1         | QL (4 per 28 days)          |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>                | 2         |                             |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>                                      | 1         |                             |
| <i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)                                 | 2         | QL (60 per 30 days)         |
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar)                                        | 5         | NDS; QL (120 per 30 days)   |
| <i>ibandronate oral tablet 150 mg</i>                                                 | 1         | QL (1 per 28 days)          |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE    | 5         | PA; NDS; QL (2 per 28 days) |
| OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                               | 5         | PA; NDS                     |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)                               | 2         |                             |
| <i>paricalcitol oral capsule 4 mcg</i>                                                | 2         |                             |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML                                                  | 3         | QL (1 per 180 days)         |
| RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG                                  | 3         | QL (60 per 30 days)         |
| STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML                                                | 3         | QL (1 per 180 days)         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                           | Drug Tier | Requirements/Limits            |
|-------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity) | 5         | PA; NDS; QL (2.48 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)                         | 5         | PA; NDS; QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                                | 5         | PA; NDS                        |
| <b>Miscellaneous Therapeutic Agents</b>                                             |           |                                |
| <b>Miscellaneous Therapeutic Agents</b>                                             |           |                                |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML                                      | 5         | PA; NDS                        |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION                                     | 3         |                                |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane)                                 | 5         | PA; NDS                        |
| <i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                      | 1         |                                |
| COSENTYX INTRAVENOUS SOLUTION 25 MG/ML                                              | 5         | PA; NDS                        |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)                               | 2         |                                |
| <i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)                | 5         | PA; NDS; QL (180 per 30 days)  |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML          | 3         |                                |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML            | 3         |                                |
| GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML                                             | 3         |                                |
| <i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>                                | 1         |                                |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>                     | 2         |                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                  | Drug Tier | Requirements/Limits              |
|----------------------------------------------------------------------------|-----------|----------------------------------|
| <i>mesna oral tablet 400 mg</i> (Mesnex)                                   | 5         | NDS                              |
| <i>nitroglycerin rectal ointment 0.4 %</i> (Rectiv)<br>(w/w)               | 2         | QL (30 per 30 days)              |
| <i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)                 | 2         |                                  |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG                        | 5         | PA NSO; NDS; QL (56 per 28 days) |
| TYBOST ORAL TABLET 150 MG                                                  | 3         | QL (30 per 30 days)              |
| VEOZAH ORAL TABLET 45 MG                                                   | 4         | PA; QL (30 per 30 days)          |
| VOWST ORAL CAPSULE                                                         | 5         | PA; NDS; QL (12 per 30 days)     |
| ZEGALOGUE AUTOINJECTOR<br>SUBCUTANEOUS AUTO-<br>INJECTOR 0.6 MG/0.6 ML     | 3         |                                  |
| ZEGALOGUE SYRINGE<br>SUBCUTANEOUS SYRINGE 0.6<br>MG/0.6 ML                 | 3         |                                  |
| <b>Ophthalmic Agents</b>                                                   |           |                                  |
| <b>Antiglaucoma Agents</b>                                                 |           |                                  |
| <i>acetazolamide oral capsule, extended<br/>release 500 mg</i>             | 2         |                                  |
| <i>acetazolamide oral tablet 125 mg,<br/>250 mg</i>                        | 2         |                                  |
| <i>acetazolamide sodium injection<br/>recon soln 500 mg</i>                | 1         |                                  |
| <i>betaxolol ophthalmic (eye) drops 0.5<br/>%</i>                          | 1         |                                  |
| <i>bimatoprost ophthalmic (eye) drops<br/>0.03 %</i>                       | 2         | QL (2.5 per 25 days)             |
| <i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)       | 2         |                                  |
| <i>brimonidine ophthalmic (eye) drops<br/>0.2 %</i>                        | 2         |                                  |
| <i>brimonidine-timolol ophthalmic (eye)<br/>drops 0.2-0.5 %</i> (Combigan) | 2         |                                  |
| <i>brinzolamide ophthalmic (eye)<br/>drops,suspension 1 %</i> (Azopt)      | 2         |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                   |                                  | Drug Tier | Requirements/Limits  |
|-----------------------------------------------------------------------------|----------------------------------|-----------|----------------------|
| <i>carteolol ophthalmic (eye) drops 1 %</i>                                 |                                  | 1         |                      |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i>                               |                                  | 1         |                      |
| <i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)   |                                  | 1         |                      |
| <i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)                 |                                  | 1         | QL (2.5 per 25 days) |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i>                             |                                  | 1         |                      |
| LUMIGAN OPTHALMIC (EYE) DROPS 0.01 %                                        |                                  | 3         | QL (2.5 per 25 days) |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                               |                                  | 2         |                      |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>                 |                                  | 2         |                      |
| RHOPRESSA OPTHALMIC (EYE) DROPS 0.02 %                                      |                                  | 3         | QL (2.5 per 25 days) |
| ROCKLATAN OPTHALMIC (EYE) DROPS 0.02-0.005 %                                |                                  | 3         | QL (2.5 per 25 days) |
| SIMBRINZA OPTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %                          |                                  | 3         |                      |
| <i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF)) |                                  | 2         | QL (30 per 30 days)  |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>                 |                                  | 1         |                      |
| <i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)                       |                                  | 1         |                      |
| <i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)               |                                  | 2         | QL (2.5 per 25 days) |
| VYZULTA OPTHALMIC (EYE) DROPS 0.024 %                                       |                                  | 4         | QL (5 per 30 days)   |
| <b>Replacement Preparations</b>                                             |                                  |           |                      |
| <b>Replacement Preparations</b>                                             |                                  |           |                      |
| <i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i>       | (d5 % and 0.9 % sodium chloride) | 1         |                      |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>       | (D5 % (d-glucose)-0.9 % sodchlr) | 1         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>                    | 2                |                            |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)     | 1                |                            |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)     | 1                |                            |
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)     | 1                |                            |
| <i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>                          | 4                |                            |
| <i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>                           | 2                |                            |
| <i>potassium chloride intravenous solution 2 meq/ml</i>                               | 2                | PA BvD                     |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>                | 1                |                            |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>                      | 2                |                            |
| <i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)           | 1                |                            |
| <i>potassium chloride oral tablet extended release 15 meq</i>                         | 2                |                            |
| <i>potassium chloride oral tablet extended release 20 meq</i>                         | 1                |                            |
| <i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)             | 1                |                            |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)     | 1                |                            |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)     | 1                |                            |
| <i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)     | 1                |                            |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10) | 2                |                            |
| <i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)            | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                                              | Drug Tier | Requirements/Limits          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>                                                                                   | 2         |                              |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>                                                                                   | 2         |                              |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i>                                                                                           | 2         |                              |
| <i>sodium chloride 0.9% solution mini-bag, single use</i>                                                                                              | 2         |                              |
| <b>Respiratory Tract Agents</b>                                                                                                                        |           |                              |
| <b>Anti-Inflammatories, Inhaled Corticosteroids</b>                                                                                                    |           |                              |
| ADVAIR HFA INHALATION HFA (fluticasone propion-salmeterol)<br>AEROSOL INHALER 115-21<br>MCG/ACTUATION, 230-21<br>MCG/ACTUATION, 45-21<br>MCG/ACTUATION | 3         | QL (12 per 30 days)          |
| AIRSUPRA 90-80 MCG INHALER<br>90-80 MCG/ACTUATION                                                                                                      | 3         | QL (32.1 per 30 days)        |
| ARNUITY ELLIPTA (fluticasone furoate)<br>INHALATION BLISTER WITH<br>DEVICE 100 MCG/ACTUATION,<br>200 MCG/ACTUATION, 50<br>MCG/ACTUATION                | 3         | QL (30 per 30 days)          |
| BREO ELLIPTA INHALATION (fluticasone furoate-vilanterol)<br>BLISTER WITH DEVICE 100-25<br>MCG/DOSE, 200-25 MCG/DOSE                                    | 3         | QL (60 per 30 days)          |
| BREO ELLIPTA INHALATION<br>BLISTER WITH DEVICE 50-25<br>MCG/DOSE                                                                                       | 3         | QL (60 per 30 days)          |
| <i>breyana inhalation hfa aerosol inhaler</i> (budesonide-formoterol)<br><i>160-4.5 mcg/actuation, 80-4.5<br/>mcg/actuation</i>                        | 1         | QL (30.9 per 30 days)        |
| <i>budesonide inhalation suspension for</i> (Pulmicort)<br><i>nebulization 0.25 mg/2 ml, 0.5 mg/2<br/>ml, 1 mg/2 ml</i>                                | 2         | PA BvD; QL (120 per 30 days) |
| <i>budesonide-formoterol inhalation hfa</i> (Breyna)<br><i>aerosol inhaler 160-4.5<br/>mcg/actuation, 80-4.5 mcg/actuation</i>                         | 1         | QL (30.6 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                                                             | Drug Tier | Requirements/Limits   |
|---------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------|
| <i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>                                                        | 1         | QL (12 per 30 days)   |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>                                                        | 1         | QL (24 per 30 days)   |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>                                                         | 1         | QL (21.2 per 30 days) |
| <i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub) | 1         | QL (60 per 30 days)   |
| <i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol) | 1         | QL (60 per 30 days)   |
| <b>Antileukotrienes</b>                                                                                                               |           |                       |
| <i>montelukast oral tablet 10 mg</i> (Singulair)                                                                                      | 1         |                       |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)                                                                       | 1         |                       |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)                                                                                | 2         |                       |
| <b>Bronchodilators</b>                                                                                                                |           |                       |
| AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION                                                                           | 3         | QL (32.1 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)                                               | 2         | QL (17 per 30 days)   |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>                                                  | 2         | QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>                                                  | 2         | QL (36 per 30 days)   |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>       | 1         | PA BvD                |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)                                          | 3         | QL (60 per 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|--------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| ATROVENT HFA INHALATION<br>HFA AEROSOL INHALER 17<br>MCG/ACTUATION                                           | 4                | QL (25.8 per 28 days)           |
| BREZTRI AEROSPHERE<br>INHALATION HFA AEROSOL<br>INHALER 160-9-4.8<br>MCG/ACTUATION                           | 3                | QL (10.7 per 30 days)           |
| COMBIVENT RESPIMAT<br>INHALATION MIST 20-100<br>MCG/ACTUATION                                                | 3                | QL (8 per 30 days)              |
| <i>ipratropium bromide inhalation<br/>solution 0.02 %</i>                                                    | 1                | PA BvD                          |
| <i>ipratropium-albuterol inhalation<br/>solution for nebulization 0.5 mg-3<br/>mg(2.5 mg base)/3 ml</i>      | 1                | PA BvD; QL (540 per 30<br>days) |
| SEREVENT DISKUS<br>INHALATION BLISTER WITH<br>DEVICE 50 MCG/DOSE                                             | 3                | QL (60 per 30 days)             |
| SPIRIVA RESPIMAT<br>INHALATION MIST 1.25<br>MCG/ACTUATION, 2.5<br>MCG/ACTUATION                              | 3                | QL (4 per 30 days)              |
| STIOLTO RESPIMAT<br>INHALATION MIST 2.5-2.5<br>MCG/ACTUATION                                                 | 3                | QL (4 per 30 days)              |
| STRIVERDI RESPIMAT<br>INHALATION MIST 2.5<br>MCG/ACTUATION                                                   | 3                | QL (4 per 28 days)              |
| <i>theophylline oral solution 80 mg/15<br/>ml</i>                                                            | 2                |                                 |
| <i>theophylline oral tablet extended<br/>release 12 hr 100 mg, 200 mg, 300<br/>mg, 450 mg</i>                | 2                |                                 |
| <i>theophylline oral tablet extended<br/>release 24 hr 400 mg, 600 mg</i>                                    | 2                |                                 |
| <i>tiotropium bromide inhalation</i> (Spiriva with<br><i>capsule, w/inhalation device 18 mcg</i> HandiHaler) | 2                | QL (30 per 30 days)             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                 | Drug Tier | Requirements/Limits                  |
|-------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| TRELEGY ELLIPTA<br>INHALATION BLISTER WITH<br>DEVICE 100-62.5-25 MCG, 200-<br>62.5-25 MCG | 3         | QL (60 per 30 days)                  |
| <b>Respiratory Tract Agents, Other</b>                                                    |           |                                      |
| <i>acetylcysteine solution 100 mg/ml (10<br/>%), 200 mg/ml (20 %)</i>                     | 2         | PA BvD                               |
| ALYFTREK ORAL TABLET 10-<br>50-125 MG                                                     | 5         | PA; NDS; QL (60 per 30<br>days)      |
| ALYFTREK ORAL TABLET 4-20-<br>50 MG                                                       | 5         | PA; NDS; QL (90 per 30<br>days)      |
| BRONCHITOL INHALATION<br>CAPSULE, W/INHALATION<br>DEVICE 40 MG                            | 5         | NDS; QL (560 per 28<br>days)         |
| CINQAIR INTRAVENOUS<br>SOLUTION 10 MG/ML                                                  | 5         | PA; NDS                              |
| <i>cromolyn inhalation solution for<br/>nebulization 20 mg/2 ml</i>                       | 2         | PA BvD                               |
| FASENRA PEN SUBCUTANEOUS<br>AUTO-INJECTOR 30 MG/ML                                        | 5         | PA; NDS; QL (1 per 28<br>days)       |
| FASENRA SUBCUTANEOUS<br>SYRINGE 10 MG/0.5 ML, 30<br>MG/ML                                 | 5         | PA; NDS; QL (1 per 28<br>days)       |
| KALYDECO ORAL GRANULES<br>IN PACKET 13.4 MG, 25 MG, 5.8<br>MG, 50 MG, 75 MG               | 5         | PA; NDS; QL (56 per 28<br>days)      |
| KALYDECO ORAL TABLET 150<br>MG                                                            | 5         | PA; NDS; QL (56 per 28<br>days)      |
| NUCALA SUBCUTANEOUS<br>AUTO-INJECTOR 100 MG/ML                                            | 5         | PA; LA; NDS; QL (3 per<br>28 days)   |
| NUCALA SUBCUTANEOUS<br>RECON SOLN 100 MG                                                  | 5         | PA; LA; NDS; QL (3 per<br>28 days)   |
| NUCALA SUBCUTANEOUS<br>SYRINGE 100 MG/ML                                                  | 5         | PA; LA; NDS; QL (3 per<br>28 days)   |
| NUCALA SUBCUTANEOUS<br>SYRINGE 40 MG/0.4 ML                                               | 5         | PA; LA; NDS; QL (0.4<br>per 28 days) |
| OFEV ORAL CAPSULE 100 MG,<br>150 MG                                                       | 5         | PA; NDS; QL (60 per 30<br>days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                      | Drug Tier | Requirements/Limits           |
|--------------------------------------------------------------------------------|-----------|-------------------------------|
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                                     | 5         | PA; NDS; QL (112 per 28 days) |
| <i>pirfenidone oral capsule 267 mg</i> (Esbriet)                               | 5         | PA; NDS; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet)                                | 5         | PA; NDS; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 534 mg</i>                                          | 5         | PA; NDS; QL (90 per 30 days)  |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet)                                | 5         | PA; NDS; QL (90 per 30 days)  |
| <i>roflumilast oral tablet 250 mcg</i> (Daliresp)                              | 2         | QL (28 per 28 days)           |
| <i>roflumilast oral tablet 500 mcg</i> (Daliresp)                              | 2         | QL (30 per 30 days)           |
| WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2) | 5         | PA; NDS; QL (1 per 21 days)   |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML         | 5         | PA; NDS                       |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG                                          | 5         | PA; NDS                       |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML               | 5         | PA; NDS                       |

## Skeletal Muscle Relaxants

### Skeletal Muscle Relaxants

|                                                       |   |  |
|-------------------------------------------------------|---|--|
| <i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i> | 2 |  |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>        | 1 |  |
| <i>dantrolene oral capsule 100 mg, 50 mg</i>          | 2 |  |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium)       | 2 |  |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i>       | 1 |  |
| <i>tizanidine oral tablet 2 mg</i>                    | 1 |  |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex)         | 1 |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                       | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------|-----------|-----------------------------------|
| <b>Sleep Disorder Agents</b>                                                    |           |                                   |
| <b>Sleep Disorder Agents</b>                                                    |           |                                   |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)          | 2         | PA; QL (30 per 30 days)           |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG                                  | 3         | QL (30 per 30 days)               |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)                       | 2         | QL (30 per 30 days)               |
| <i>modafinil oral tablet 100 mg</i> (Provigil)                                  | 2         | PA; QL (30 per 30 days)           |
| <i>modafinil oral tablet 200 mg</i> (Provigil)                                  | 2         | PA; QL (60 per 30 days)           |
| <i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)                           | 5         | PA; LA; NDS; QL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                        | 1         | QL (30 per 30 days)               |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)                                | 1         | QL (30 per 30 days)               |
| <i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR) | 1         | QL (30 per 30 days)               |
| <b>Vasodilating Agents</b>                                                      |           |                                   |
| <b>Vasodilating Agents</b>                                                      |           |                                   |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG                          | 5         | PA; NDS; QL (90 per 30 days)      |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))                  | 2         | PA; QL (60 per 30 days)           |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)                          | 5         | PA; LA; NDS; QL (60 per 30 days)  |
| OPSUMIT ORAL TABLET 10 MG                                                       | 5         | PA; NDS; QL (30 per 30 days)      |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)               | 2         | PA; QL (360 per 30 days)          |
| <i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)                     | 2         | EX; CB (6 EA per 30 days)         |
| <i>tadalafil oral tablet 2.5 mg</i>                                             | 2         | PA                                |
| <i>tadalafil oral tablet 5 mg</i> (Cialis)                                      | 2         | PA                                |
| UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG                                        | 5         | PA; NDS; QL (60 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| Drug Name                                                                                 | Drug Tier | Requirements/Limits           |
|-------------------------------------------------------------------------------------------|-----------|-------------------------------|
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG | 5         | PA; NDS; QL (60 per 30 days)  |
| UPTRAVI ORAL TABLET 200 MCG                                                               | 5         | PA; NDS; QL (240 per 30 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)                                | 5         | PA; NDS                       |

## Vitamins And Minerals

### Vitamins And Minerals

|                                                                              |   |  |
|------------------------------------------------------------------------------|---|--|
| <i>bal-care dha combo pack 27-1-430 mg</i>                                   | 1 |  |
| <i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>                   | 1 |  |
| <i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>                           | 1 |  |
| <i>completenate tablet chew 29 mg iron- 1 mg</i>                             | 1 |  |
| <i>folivane-ob capsule 85-1 mg</i>                                           | 1 |  |
| <i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>                        | 1 |  |
| <i>marnatal-f capsule 60 mg iron-1 mg</i>                                    | 1 |  |
| <i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1 |  |
| <i>mynatal advance oral tablet 90-1-50 mg</i>                                | 1 |  |
| <i>mynatal capsule 65 mg iron- 1 mg</i>                                      | 1 |  |
| <i>mynatal oral tablet 90-1-50 mg</i>                                        | 1 |  |
| <i>mynatal plus captab 65 mg iron- 1 mg</i>                                  | 1 |  |
| <i>mynatal-z captab 65 mg iron- 1 mg</i>                                     | 1 |  |
| <i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>           | 1 |  |
| <i>newgen tablet 32-1,000 mg-mcg</i>                                         | 1 |  |
| <i>niva-plus tablet 27 mg iron- 1 mg</i>                                     | 1 |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                              | <b>Drug Tier</b>                      | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------|---------------------------------------|----------------------------|
| <i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>                     | 1                                     |                            |
| <i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i> | 1                                     |                            |
| <i>o-cal prenatal oral tablet 15 mg iron-1,000 mcg</i>                        | 1                                     |                            |
| <i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>                                  | 1                                     |                            |
| <i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>       | (pnv,calcium 72-iron-folic acid)<br>1 |                            |
| <i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>                      | 1                                     |                            |
| <i>pnv-omega softgel 28-1-300 mg</i>                                          | 1                                     |                            |
| <i>pr natal 400 combo pack 29-1-400 mg</i>                                    | 1                                     |                            |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i>                                 | 1                                     |                            |
| <i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>                        | 1                                     |                            |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i>                                 | 1                                     |                            |
| <i>prena1 true combo pack 30 mg iron-1.4 mg-300 mg</i>                        | 1                                     |                            |
| <i>prenaissance oral capsule 29-1.25-55-325 mg</i>                            | 1                                     |                            |
| <i>prenaissance plus oral capsule 28-1-50-250 mg</i>                          | 1                                     |                            |
| <i>prenatabs fa tablet 29-1 mg</i>                                            | 1                                     |                            |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>         | 1                                     |                            |
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>                           | 1                                     |                            |
| <i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>                         | 1                                     |                            |
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>                        | (pnv,calcium 72-iron,carb-folic)<br>1 |                            |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>            | (pnv,calcium 72-iron-folic acid)<br>1 |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------|------------------|----------------------------|
| <i>prenatal-u capsule 106.5-1 mg</i>                                         | 1                |                            |
| <i>preplus oral tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i> | 1                |                            |
| <i>pretab oral tablet 29-1 mg</i>                                            | 1                |                            |
| <i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>                            | 1                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                            | 1                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                            | 1                |                            |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>                          | 1                |                            |
| <i>taron-c dha capsule 35-1-200 mg</i>                                       | 1                |                            |
| <i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>   | 1                |                            |
| <i>virt-c dha oral capsule 35-1-200 mg</i>                                   | 1                |                            |
| <i>virt-nate dha softgel 28 mg iron-1 mg-200 mg</i>                          | 1                |                            |
| <i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>                      | 1                |                            |
| <i>virt-pn plus oral capsule 28-1-300 mg</i>                                 | 1                |                            |
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i>                                 | 1                |                            |
| <i>vitafol nano oral tablet 18 mg iron- 1 mg</i>                             | 1                |                            |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i>                                 | 1                |                            |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>                  | 1                |                            |
| <i>vp-pnv-dha oral capsule 28 mg iron-1 mg-200 mg</i>                        | 1                |                            |
| <i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>                         | 1                |                            |
| <i>zatean-pn plus softgel 28-1-300 mg</i>                                    | 1                |                            |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>                         | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Effective Date: 11/01/2025

Formulary ID: 25197.000

## INDEX

|                                     |          |                                         |          |                                             |        |
|-------------------------------------|----------|-----------------------------------------|----------|---------------------------------------------|--------|
| 1ST TIER UNIFINE PENTIPS .....      | 102, 103 | ADVOCATE PEN NEEDLE .....               | 103, 104 | <i>amitriptyline</i> .....                  | 41     |
| 1ST TIER UNIFINE PENTIPS PLUS ..... | 103      | ADVOCATE SYRINGES .....                 | 103      | <i>amlodipine</i> .....                     | 81     |
| <i>abacavir</i> .....               | 64       | <i>afirmelle</i> .....                  | 89       | <i>amlodipine-atorvastatin</i> .....        | 82, 83 |
| <i>abacavir-lamivudine</i> .....    | 64       | AIMOVIG AUTOINJECTOR... 52              |          | <i>amlodipine-benazepril</i> .....          | 81     |
| ABELCET .....                       | 49       | AIRSUPRA .....                          | 182, 183 | <i>amlodipine-olmesartan</i> .....          | 81     |
| <i>abigale</i> .....                | 159      | AJOVY AUTOINJECTOR .....                | 52       | <i>amlodipine-valsartan</i> .....           | 81     |
| <i>abigale lo</i> .....             | 159      | AJOVY SYRINGE .....                     | 52       | <i>amlodipine-valsartan-hcthiiazid</i> ..   | 81     |
| ABILIFY ASIMTUFII .....             | 57       | AKEEGA .....                            | 17       | <i>ammonium lactate</i> .....               | 98     |
| ABILIFY MAINTENA .....              | 58       | <i>ala-cort</i> .....                   | 100      | <i>amoxapine</i> .....                      | 41     |
| <i>abiraterone</i> .....            | 16       | <i>albendazole</i> .....                | 55       | <i>amoxicil-clarithromy-lansopraz</i> ..... | 154    |
| <i>abirtega</i> .....               | 17       | <i>albuterol sulfate</i> .....          | 183      | <i>amoxicillin</i> .....                    | 13     |
| ABOUTTIME PEN NEEDLE..103           |          | ALCOHOL PADS .....                      | 104      | <i>amoxicillin-pot clavulanate</i> ..       | 13, 14 |
| ABRYSVO (PF) .....                  | 170      | ALCOHOL PREP PADS .....                 | 124      | <i>amphotericin b</i> .....                 | 49     |
| <i>acamprosate</i> .....            | 7        | ALCOHOL PREP SWABS .....                | 104      | <i>amphotericin b liposome</i> .....        | 49     |
| <i>acarbose</i> .....               | 44       | ALCOHOL SWABS .....                     | 104      | <i>ampicillin</i> .....                     | 14     |
| <i>acebutolol</i> .....             | 78       | ALCOHOL WIPES .....                     | 104      | <i>ampicillin sodium</i> .....              | 14     |
| <i>acetaminophen-codeine</i> .....  | 3        | ALECENSA .....                          | 17       | <i>ampicillin-sulbactam</i> .....           | 14     |
| <i>acetazolamide</i> .....          | 179      | <i>alendronate</i> .....                | 177      | <i>anagrelide</i> .....                     | 73, 74 |
| <i>acetazolamide sodium</i> .....   | 179      | <i>alfuzosin</i> .....                  | 157      | <i>anastrozole</i> .....                    | 17     |
| <i>acetic acid</i> .....            | 150      | <i>aliskiren</i> .....                  | 84       | ANKTIVA .....                               | 17     |
| <i>acetylcysteine</i> .....         | 185      | <i>allopurinol</i> .....                | 51       | ANORO ELLIPTA .....                         | 183    |
| <i>acitretin</i> .....              | 98       | <i>alosetron</i> .....                  | 176      | <i>aprepitant</i> .....                     | 54     |
| ACTEMRA .....                       | 163      | <i>alprazolam</i> .....                 | 8        | APRETUDE .....                              | 65     |
| ACTEMRA ACTPEN .....                | 163      | ALREX .....                             | 152      | <i>apri</i> .....                           | 89     |
| ACTHAR .....                        | 161      | <i>altavera (28)</i> .....              | 89       | APTIVUS .....                               | 65     |
| ACTHAR SELFJECT .....               | 161      | ALTRENO .....                           | 102      | AQINJECT PEN NEEDLE .....                   | 104    |
| ACTHIB (PF) .....                   | 170      | ALUNBRIG .....                          | 17       | ARCALYST .....                              | 164    |
| ACTIMMUNE .....                     | 178      | ALVAIZ .....                            | 73       | AREXVY (PF) .....                           | 171    |
| <i>acyclovir</i> .....              | 71, 98   | <i>alyacen 1/35 (28)</i> .....          | 89       | ARIKAYCE .....                              | 9      |
| <i>acyclovir sodium</i> .....       | 71       | <i>alyacen 7/7/7 (28)</i> .....         | 89       | <i>aripiprazole</i> .....                   | 58     |
| ADACEL(TDAP .....                   |          | ALYFTREK .....                          | 185      | ARISTADA .....                              | 58     |
| ADOLESN/ADULT)(PF) .....            | 171      | <i>alyq</i> .....                       | 187      | ARISTADA INITIO .....                       | 58     |
| <i>adapalene</i> .....              | 102      | <i>amantadine hcl</i> .....             | 56       | <i>armodafinil</i> .....                    | 187    |
| <i>adefovir</i> .....               | 71       | <i>amethyst (28)</i> .....              | 89       | ARNUITY ELLIPTA .....                       | 182    |
| ADEMPAS .....                       | 187      | <i>amikacin</i> .....                   | 9        | <i>asenapine maleate</i> .....              | 58     |
| <i>adrucil</i> .....                | 17       | <i>amiloride</i> .....                  | 81       | <i>aspirin-dipyridamole</i> .....           | 74     |
| ADVAIR HFA .....                    | 182      | <i>amiloride-hydrochlorothiazide</i> .. | 81       | ASSURE ID DUO PRO SFTY PEN NDL .....        | 104    |
|                                     |          | <i>amiodarone</i> .....                 | 77       |                                             |        |

|                                      |          |                                     |        |                                          |     |
|--------------------------------------|----------|-------------------------------------|--------|------------------------------------------|-----|
| ASSURE ID DUO-SHIELD ....            | 104      | <i>aztreonam</i> .....              | 13     | BD VEO INSULIN SYRINGE                   |     |
| ASSURE ID INSULIN                    |          | <i>azurette (28)</i> .....          | 90     | UF .....                                 | 107 |
| SAFETY .....                         | 104, 105 | <i>bacitracin</i> .....             | 150    | BELSOMRA .....                           | 187 |
| ASSURE ID PEN NEEDLE .....           | 104      | <i>bacitracin-polymyxin b</i> ..... | 150    | <i>benazepril</i> .....                  | 76  |
| ASSURE ID PRO PEN                    |          | <i>baclofen</i> .....               | 186    | <i>benazepril-hydrochlorothiazide</i> .. | 76  |
| NEEDLE .....                         | 104      | <i>bal-care dha</i> .....           | 188    | <i>bendamustine</i> .....                | 18  |
| ASTAGRAF XL .....                    | 164      | <i>bal-care dha essential</i> ..... | 188    | BENDAMUSTINE .....                       | 18  |
| <i>atazanavir</i> .....              | 65       | <i>balsalazide</i> .....            | 176    | BENDEKA .....                            | 18  |
| <i>atenolol</i> .....                | 78       | BALVERSA .....                      | 17, 18 | BENLYSTA .....                           | 164 |
| <i>atenolol-chlorthalidone</i> ..... | 78       | BAQSIMI .....                       | 178    | <i>benztropine</i> .....                 | 56  |
| <i>atomoxetine</i> .....             | 85       | BCG VACCINE, LIVE (PF) ....         | 171    | BESREMI .....                            | 164 |
| <i>atorvastatin</i> .....            | 83       | BD ALCOHOL SWABS .....              | 106    | <i>betaine</i> .....                     | 178 |
| <i>atovaquone</i> .....              | 55       | BD AUTOSHIELD DUO PEN               |        | <i>betamethasone dipropionate</i> ....   | 100 |
| <i>atovaquone-proguanil</i> .....    | 55       | NEEDLE .....                        | 105    | <i>betamethasone valerate</i> .....      | 100 |
| <i>atropine</i> .....                | 149      | BD ECLIPSE LUER-LOK .....           | 105    | <i>betamethasone, augmented</i> .....    | 100 |
| ATROVENT HFA .....                   | 184      | BD INSULIN SYRINGE .....            | 105    | BETASERON .....                          | 86  |
| <i>aubra eq</i> .....                | 89       | BD INSULIN SYRINGE                  |        | <i>betaxolol</i> .....                   | 179 |
| AUGTYRO .....                        | 17       | (HALF UNIT) .....                   | 105    | <i>bethanechol chloride</i> .....        | 157 |
| <i>aurovela 1.5/30 (21)</i> .....    | 89       | BD INSULIN SYRINGE SLIP             |        | <i>bexarotene</i> .....                  | 18  |
| <i>aurovela 1/20 (21)</i> .....      | 89       | TIP .....                           | 105    | BEXSERO .....                            | 171 |
| <i>aurovela 24 fe</i> .....          | 89       | BD INSULIN SYRINGE                  |        | <i>bicalutamide</i> .....                | 18  |
| <i>aurovela fe 1.5/30 (28)</i> ..... | 90       | ULTRA-FINE .....                    | 105    | BICILLIN L-A .....                       | 14  |
| <i>aurovela fe 1-20 (28)</i> .....   | 90       | BD LO-DOSE ULTRA-FINE ..            | 106    | BIKTARVY .....                           | 65  |
| AUSTEDO .....                        | 85       | BD NANO 2ND GEN PEN                 |        | <i>bimatoprost</i> .....                 | 179 |
| AUSTEDO XR .....                     | 85, 86   | NEEDLE .....                        | 106    | <i>bisoprolol fumarate</i> .....         | 78  |
| AUSTEDO XR TITRATION                 |          | BD SAFETYGLIDE INSULIN              |        | <i>bisoprolol-hydrochlorothiazide</i> .. | 78  |
| KT(WK1-4) .....                      | 86       | SYRINGE .....                       | 106    | BIZENGRI .....                           | 18  |
| AUTOSHIELD DUO PEN                   |          | BD SAFETYGLIDE SYRINGE              |        | <i>bleomycin</i> .....                   | 18  |
| NEEDLE .....                         | 105      | .....                               | 106    | <i>blisovi 24 fe</i> .....               | 90  |
| AUVELITY .....                       | 41       | BD ULTRA-FINE MICRO                 |        | <i>blisovi fe 1.5/30 (28)</i> .....      | 90  |
| <i>aviane</i> .....                  | 90       | PEN NEEDLE .....                    | 106    | <i>blisovi fe 1/20 (28)</i> .....        | 90  |
| AVMAPKI .....                        | 17       | BD ULTRA-FINE MINI PEN              |        | BOOSTRIX TDAP .....                      | 171 |
| AVMAPKI-FAKZYNJA .....               | 17       | NEEDLE .....                        | 106    | BORDERED GAUZE .....                     | 107 |
| AVONEX .....                         | 86       | BD ULTRA-FINE NANO PEN              |        | <i>bortezomib</i> .....                  | 18  |
| AXTLE .....                          | 17       | NEEDLE .....                        | 106    | BORUZU .....                             | 18  |
| <i>ayuna</i> .....                   | 90       | BD ULTRA-FINE ORIG PEN              |        | <i>bosentan</i> .....                    | 187 |
| AYVAKIT .....                        | 17       | NEEDLE .....                        | 106    | BOSULIF .....                            | 18  |
| <i>azacitidine</i> .....             | 17       | BD ULTRA-FINE SHORT                 |        | BRAFTOVI .....                           | 18  |
| <i>azathioprine</i> .....            | 164      | PEN NEEDLE .....                    | 107    | BREO ELLIPTA .....                       | 182 |
| <i>azathioprine sodium</i> .....     | 164      | BD VEO INSULIN SYR                  |        | <i>breyana</i> .....                     | 182 |
| <i>azelastine</i> .....              | 150      | (HALF UNIT) .....                   | 107    | BREZTRI AEROSPHERE .....                 | 184 |
| <i>azithromycin</i> .....            | 12       |                                     |        | BRILINTA .....                           | 74  |

|                                           |          |                                          |          |                                             |          |
|-------------------------------------------|----------|------------------------------------------|----------|---------------------------------------------|----------|
| <i>brimonidine</i> .....                  | 179      | CARETOUCH ALCOHOL                        |          | <i>cinacalcet</i> .....                     | 177      |
| <i>brimonidine-timolol</i> .....          | 179      | PREP PAD.....                            | 107      | CINQAIR.....                                | 185      |
| <i>brinzolamide</i> .....                 | 179      | CARETOUCH INSULIN                        |          | <i>ciprofloxacin hcl</i> .....              | 15, 150  |
| BRIVIACT.....                             | 35       | SYRINGE.....                             | 108      | <i>ciprofloxacin in 5 % dextrose</i> ....   | 15       |
| <i>bromfenac</i> .....                    | 152      | CARETOUCH PEN NEEDLE                     |          | <i>ciprofloxacin-dexamethasone</i> ...      | 150      |
| <i>bromocriptine</i> .....                | 56       | .....                                    | 107, 108 | <i>citalopram</i> .....                     | 41       |
| BRONCHITOL.....                           | 185      | <i>carglumic acid</i> .....              | 155      | <i>clarithromycin</i> .....                 | 12       |
| BRUKINSA.....                             | 18       | <i>carteolol</i> .....                   | 180      | CLENPIQ.....                                | 156      |
| <i>budesonide</i> .....                   | 176, 182 | <i>cartia xt</i> .....                   | 79       | CLICKFINE PEN NEEDLE                        |          |
| <i>budesonide-formoterol</i> .....        | 182      | <i>carvedilol</i> .....                  | 78       | .....                                       | 108, 120 |
| <i>bumetanide</i> .....                   | 81       | CAYSTON.....                             | 13       | <i>clindamycin hcl</i> .....                | 10       |
| <i>buprenorphine</i> .....                | 3        | <i>cefaclor</i> .....                    | 11       | <i>clindamycin phosphate</i> ... 10, 52, 99 |          |
| <i>buprenorphine hcl</i> .....            | 7        | <i>cefadroxil</i> .....                  | 11       | <i>clindamycin-benzoyl peroxide</i> ....    | 99       |
| <i>buprenorphine-naloxone</i> .....       | 7        | <i>cefazolin</i> .....                   | 11       | CLINIMIX 6%-D5W                             |          |
| <i>bupropion hcl</i> .....                | 41       | <i>cefdinir</i> .....                    | 11       | (SULFITE-FREE).....                         | 74       |
| <i>bupropion hcl (smoking deter)</i> .... | 7        | <i>cefepime</i> .....                    | 11       | CLINIMIX 8%-                                |          |
| <i>buspirone</i> .....                    | 178      | <i>cefixime</i> .....                    | 11       | D10W(SULFITE-FREE).....                     | 74       |
| <i>butalbital-acetaminop-caf-cod</i> .... | 3        | <i>cefoxitin</i> .....                   | 11       | CLINIMIX 8%-                                |          |
| <i>butalbital-acetaminophen-caff</i> .... | 3        | <i>cefpodoxime</i> .....                 | 11       | D14W(SULFITE-FREE).....                     | 74       |
| CABENUVA.....                             | 65       | <i>cefprozil</i> .....                   | 11       | CLINIMIX E 8%-D10W                          |          |
| <i>cabergoline</i> .....                  | 56       | <i>ceftazidime</i> .....                 | 11       | SULFITEFREE.....                            | 74       |
| CABOMETYX.....                            | 19       | <i>ceftriaxone</i> .....                 | 11       | CLINIMIX E 8%-D14W                          |          |
| <i>cabotegravir</i> .....                 | 65       | <i>cefuroxime axetil</i> .....           | 11       | SULFITEFREE.....                            | 74       |
| <i>calcipotriene</i> .....                | 99       | <i>cefuroxime sodium</i> .....           | 11       | <i>clobazam</i> .....                       | 35       |
| <i>calcitonin (salmon)</i> .....          | 177      | <i>celecoxib</i> .....                   | 5        | <i>clobetasol</i> .....                     | 100, 101 |
| <i>calcitriol</i> .....                   | 177      | <i>cephalexin</i> .....                  | 12       | <i>clobetasol-emollient</i> .....           | 101      |
| <i>calcium acetate(phosphat bind)</i>     |          | <i>cevimeline</i> .....                  | 98       | <i>clomipramine</i> .....                   | 41       |
| .....                                     | 156, 157 | <i>chateal eq (28)</i> .....             | 90       | <i>clonazepam</i> .....                     | 8        |
| CALQUENCE.....                            | 19       | <i>chlordiazepoxide hcl</i> .....        | 8        | <i>clonidine</i> .....                      | 75       |
| CALQUENCE                                 |          | <i>chlorhexidine gluconate</i> .....     | 98       | <i>clonidine hcl</i> .....                  | 75       |
| (ACALABRUTINIB MAL).....                  | 19       | <i>chloroquine phosphate</i> .....       | 55       | <i>clopidogrel</i> .....                    | 74       |
| <i>camila</i> .....                       | 90       | <i>chlorpromazine</i> .....              | 58, 59   | <i>clorazepate dipotassium</i> .....        | 8        |
| CAMZYOS.....                              | 80       | <i>chlorthalidone</i> .....              | 81       | <i>clotrimazole</i> .....                   | 49, 50   |
| <i>candesartan</i> .....                  | 75       | <i>cholestyramine (with sugar)</i> ..... | 83       | <i>clotrimazole-betamethasone</i> .....     | 50       |
| <i>candesartan-hydrochlorothiazid</i>     | 75       | <i>cholestyramine light</i> .....        | 83       | <i>clozapine</i> .....                      | 59       |
| CAPLYTA.....                              | 58       | <i>ciclopirox</i> .....                  | 49       | <i>c-nate dha</i> .....                     | 188      |
| CAPRELSA.....                             | 19       | <i>cilostazol</i> .....                  | 74       | COARTEM.....                                | 55       |
| <i>captopril</i> .....                    | 76       | CIMDUO.....                              | 65       | COBENFY.....                                | 59       |
| <i>carbamazepine</i> .....                | 35       | <i>cimetidine hcl</i> .....              | 154      | COBENFY STARTER PACK... 59                  |          |
| <i>carbidopa-levodopa</i> .....           | 56, 57   | CIMZIA.....                              | 164      | <i>colchicine</i> .....                     | 51       |
| CAREFINE PEN NEEDLE.....                  | 107      | CIMZIA POWDER FOR                        |          | <i>colesevelam</i> .....                    | 83       |
|                                           |          | RECONST.....                             | 164      | <i>colestipol</i> .....                     | 83       |

|                                           |               |                                            |          |                                          |          |
|-------------------------------------------|---------------|--------------------------------------------|----------|------------------------------------------|----------|
| <i>colistin (colistimethate na)</i> ..... | 10            | <i>cyred eq</i> .....                      | 90       | <i>dexamethasone sodium</i>              |          |
| COMBIVENT RESPIMAT.....                   | 184           | <i>d5 % (d-glucose)-0.9 % sodchlr</i>      |          | <i>phosphate</i> .....                   | 152, 160 |
| COMETRIQ.....                             | 19            | .....                                      | 180      | <i>dextroamphetamine-</i>                |          |
| COMFORT EZ INSULIN                        |               | <i>d5 % and 0.9 % sodium</i>               |          | <i>amphetamine</i> .....                 | 86       |
| SYRINGE.....                              | 108, 109, 110 | <i>chloride</i> .....                      | 180      | <i>dextrose 5 % in water (d5w)</i> ..... | 74       |
| COMFORT EZ PEN                            |               | <i>d5 %-0.45 % sodium chloride..</i>       | 181      | DIACOMIT.....                            | 35, 36   |
| NEEDLES.....                              | 109           | <i>dabigatran etexilate</i> .....          | 71       | <i>diazepam</i> .....                    | 8, 36    |
| COMFORT EZ PRO SAFETY                     |               | <i>dalfampridine</i> .....                 | 86       | <i>diazepam intensol</i> .....           | 8        |
| PEN NDL.....                              | 109, 110      | <i>danazol</i> .....                       | 158      | <i>diazoxide</i> .....                   | 178      |
| COMFORT TOUCH PEN                         |               | <i>dantrolene</i> .....                    | 186      | <i>diclofenac epolamine</i> .....        | 5        |
| NEEDLE.....                               | 110, 111      | DANYELZA.....                              | 19       | <i>diclofenac potassium</i> .....        | 5        |
| <i>completenate</i> .....                 | 188           | DANZITEN.....                              | 19       | <i>diclofenac sodium</i> .....           | 5, 153   |
| <i>compro</i> .....                       | 54            | <i>dapsone</i> .....                       | 53       | <i>diclofenac-misoprostol</i> .....      | 5, 6     |
| <i>constulose</i> .....                   | 155           | DAPTACEL (DTAP                             |          | <i>dicloxacillin</i> .....               | 14       |
| COPIKTRA.....                             | 19            | PEDIATRIC) (PF).....                       | 171      | <i>dicyclomine</i> .....                 | 155      |
| CORLANOR.....                             | 80            | <i>daptomycin</i> .....                    | 10       | <i>didanosine</i> .....                  | 65       |
| CORTROPHIN GEL.....                       | 161           | <i>darunavir</i> .....                     | 65       | DIFICID.....                             | 12       |
| COSENTYX.....                             | 164, 178      | <i>dasatinib</i> .....                     | 19, 20   | <i>difluprednate</i> .....               | 153      |
| COSENTYX (2 SYRINGES)...                  | 164           | <i>dasetta 1/35 (28)</i> .....             | 90       | <i>digoxin</i> .....                     | 80       |
| COSENTYX PEN (2 PENS)....                 | 164           | <i>dasetta 7/7/7 (28)</i> .....            | 90       | <i>dihydroergotamine</i> .....           | 52       |
| COSENTYX UNOREADY                         |               | DATROWAY.....                              | 20       | <i>diltiazem hcl</i> .....               | 79       |
| PEN.....                                  | 164           | DAURISMO.....                              | 20       | <i>dilt-xr</i> .....                     | 79       |
| COTELLIC.....                             | 19            | <i>deblitane</i> .....                     | 90       | <i>dimethyl fumarate</i> .....           | 86       |
| CREON.....                                | 149           | <i>decitabine</i> .....                    | 20       | <i>diphenoxylate-atropine</i> .....      | 155      |
| CRESEMBA.....                             | 50            | <i>deferasirox</i> .....                   | 158      | <i>dipyridamole</i> .....                | 74       |
| <i>cromolyn</i> .....                     | 150, 155, 185 | DELSTRIGO.....                             | 65       | <i>disulfiram</i> .....                  | 7        |
| <i>cryselle (28)</i> .....                | 90            | <i>demeclocycline</i> .....                | 15       | <i>divalproex</i> .....                  | 36       |
| CURAD GAUZE PAD.....                      | 111           | DENG VAXIA (PF).....                       | 171      | <i>dofetilide</i> .....                  | 77       |
| CURITY ALCOHOL SWABS                      | 111           | <i>denta 5000 plus</i> .....               | 98       | <i>dolishale</i> .....                   | 91       |
| CURITY GAUZE.....                         | 111           | <i>dentagel</i> .....                      | 98       | <i>donepezil</i> .....                   | 40       |
| <i>cyclafem 1/35 (28)</i> .....           | 90            | DEPO-SUBQ PROVERA                          | 104, 162 | <i>dorzolamide</i> .....                 | 180      |
| <i>cyclafem 7/7/7 (28)</i> .....          | 90            | DERMACEA.....                              | 111      | <i>dorzolamide-timolol</i> .....         | 180      |
| <i>cyclobenzaprine</i> .....              | 186           | DERMACEA NON-WOVEN..                       | 111      | DOVATO.....                              | 65       |
| <i>cyclophosphamide</i> .....             | 19            | <i>dermacinrx lidocan</i> .....            | 6        | <i>doxazosin</i> .....                   | 75       |
| <i>cyclosporine</i> .....                 | 152, 164, 165 | DESCOVY.....                               | 65       | <i>doxepin</i> .....                     | 41, 42   |
| <i>cyclosporine modified</i> .....        | 164, 165      | <i>desipramine</i> .....                   | 41       | <i>doxorubicin, peg-liposomal</i> .....  | 20       |
| CYLTEZO(CF).....                          | 165           | <i>desmopressin</i> .....                  | 161      | <i>doxy-100</i> .....                    | 15       |
| CYLTEZO(CF) PEN.....                      | 165           | <i>desog-e.estradiol/e.estradiol</i> ..... | 90       | <i>doxycycline hyclate</i> .....         | 16       |
| CYLTEZO(CF) PEN                           |               | <i>desogestrel-ethinyl estradiol</i> ..... | 91       | <i>doxycycline monohydrate</i> .....     | 16       |
| CROHN'S-UC-HS.....                        | 165           | <i>desvenlafaxine succinate</i> .....      | 41       | DRIZALMA SPRINKLE.....                   | 42       |
| CYLTEZO(CF) PEN                           |               | <i>dexamethasone</i> .....                 | 160      | <i>dronabinol</i> .....                  | 54       |
| PSORIASIS-UV.....                         | 165           |                                            |          |                                          |          |

|                                                  |                                                    |                                                      |
|--------------------------------------------------|----------------------------------------------------|------------------------------------------------------|
| DROPLET INSULIN<br>SYR(HALF UNIT)..... 111, 112  | EASY TOUCH LUER LOCK<br>INSULIN..... 118           | <i>enalapril-hydrochlorothiazide</i><br>..... 76, 77 |
| DROPLET INSULIN<br>SYRINGE..... 111, 112, 113    | EASY TOUCH PEN NEEDLE 118                          | ENBREL.....165                                       |
| DROPLET MICRON PEN<br>NEEDLE.....113             | EASY TOUCH SAFETY PEN<br>NEEDLE.....118, 119       | ENBREL MINI.....165                                  |
| DROPLET PEN NEEDLE<br>..... 113, 114             | EASY TOUCH<br>SHEATHLOCK INSULIN<br>..... 117, 118 | ENBREL SURECLICK..... 166                            |
| DROPSAFE ALCOHOL PREP<br>PADS..... 114           | EASY TOUCH UNI-SLIP..... 119                       | <i>endocet</i> .....3                                |
| DROPSAFE INSULIN<br>SYRINGE..... 114             | <i>econazole nitrate</i> .....50                   | ENERGIX-B (PF).....171                               |
| DROPSAFE PEN NEEDLE.....114                      | EDURANT.....65                                     | ENERGIX-B PEDIATRIC (PF)<br>..... 172                |
| <i>droxidopa</i> .....75                         | EDURANT PED.....65                                 | <i>enilloring</i> ..... 91                           |
| DUAVEE..... 159                                  | <i>efavirenz</i> .....65                           | <i>enoxaparin</i> ..... 71, 72                       |
| <i>duloxetine</i> .....42                        | <i>efavirenz-emtricitabin-tenofov</i> ...66        | <i>enpresse</i> ..... 91                             |
| DUPIXENT PEN.....165                             | <i>efavirenz-lamivu-tenofov disop</i> ...66        | <i>enskyce</i> .....91                               |
| DUPIXENT SYRINGE.....165                         | ELAHERE.....20                                     | <i>entacapone</i> .....57                            |
| <i>dutasteride</i> ..... 157                     | ELEPSIA XR.....36                                  | <i>entecavir</i> ..... 71                            |
| EASY COMFORT ALCOHOL<br>PAD.....115              | ELIGARD.....20                                     | ENTRESTO SPRINKLE.....75                             |
| EASY COMFORT INSULIN<br>SYRINGE..... 115, 116    | ELIGARD (3 MONTH)..... 20                          | <i>enulose</i> ..... 155                             |
| EASY COMFORT PEN<br>NEEDLES..... 116             | ELIGARD (4 MONTH)..... 20                          | EPCLUSA..... 70                                      |
| EASY COMFORT SAFETY<br>PEN NEEDLE..... 115       | ELIGARD (6 MONTH)..... 20                          | EPIDIOLEX..... 36                                    |
| EASY GLIDE INSULIN<br>SYRINGE..... 116           | <i>elinest</i> .....91                             | <i>epinastine</i> .....150                           |
| EASY GLIDE PEN NEEDLE..116                       | ELIQUIS.....71                                     | <i>epinephrine</i> .....80                           |
| EASY TOUCH.....118                               | ELIQUIS DVT-PE TREAT<br>30D START.....71           | <i>epitol</i> .....36                                |
| EASY TOUCH ALCOHOL<br>PREP PADS..... 117         | ELREXFIO.....20                                    | EPIVIR HBV.....66                                    |
| EASY TOUCH FLIPLOCK<br>INSULIN..... 118          | <i>eltrombopag olamine</i> .....73                 | EPKINLY.....20                                       |
| EASY TOUCH FLIPLOCK<br>SYRINGE.....117           | <i>eluryng</i> .....91                             | <i>eplerenone</i> ..... 84                           |
| EASY TOUCH INSULIN<br>SAFETY SYR..... 117        | EMBRACE PEN NEEDLE.....119                         | ERBITUX.....20                                       |
| EASY TOUCH INSULIN<br>SYRINGE..... 117, 118, 119 | EMCYT.....20                                       | <i>ergoloid</i> .....40                              |
|                                                  | EMGALITY PEN.....52                                | ERIVEDGE.....21                                      |
|                                                  | EMGALITY SYRINGE..... 52, 53                       | ERLEADA.....21                                       |
|                                                  | <i>emoquette</i> .....91                           | <i>erlotinib</i> ..... 21                            |
|                                                  | EMRELIS.....20                                     | <i>errin</i> .....91                                 |
|                                                  | EMSAM.....42                                       | <i>ertapenem</i> ..... 13                            |
|                                                  | <i>emtricitabine</i> .....66                       | <i>erythromycin</i> ..... 12, 150                    |
|                                                  | <i>emtricitabine-tenofov</i> ir (tdf) ..... 66     | <i>erythromycin ethylsuccinate</i> ..... 12          |
|                                                  | <i>emtricitabine-rilpivirine-tenof</i> df.....66   | <i>erythromycin with ethanol</i> .....99             |
|                                                  | EMTRIVA.....66                                     | ERZOFRI..... 59                                      |
|                                                  | <i>emzahh</i> .....91                              | <i>escitalopram oxalate</i> .....42                  |
|                                                  | <i>enalapril maleate</i> .....76                   | <i>eslicarbazepine</i> .....36                       |
|                                                  |                                                    | <i>esomeprazole magnesium</i> ..... 154              |
|                                                  |                                                    | <i>estarylla</i> ..... 91                            |
|                                                  |                                                    | <i>estradiol</i> .....159                            |
|                                                  |                                                    | <i>estradiol-norethindrone acet</i> .... 159         |

|                                             |     |                                             |               |                                            |            |
|---------------------------------------------|-----|---------------------------------------------|---------------|--------------------------------------------|------------|
| <i>eszopiclone</i> .....                    | 187 | <i>fentanyl</i> .....                       | 3             | <i>fosamprenavir</i> .....                 | 66         |
| <i>ethambutol</i> .....                     | 54  | <i>fentanyl citrate</i> .....               | 3             | <i>fosinopril</i> .....                    | 77         |
| <i>ethosuximide</i> .....                   | 36  | <i>fesoterodine</i> .....                   | 157           | <i>fosinopril-hydrochlorothiazide</i> ...  | 77         |
| <i>ethynodiol diac-eth estradiol</i> .....  | 91  | FETZIMA.....                                | 42            | <i>fosphenytoin</i> .....                  | 36         |
| <i>etodolac</i> .....                       | 6   | FIASP FLEXTOUCH U-100                       |               | FOTIVDA.....                               | 22         |
| <i>etonogestrel-ethinyl estradiol</i> ..... | 91  | INSULIN.....                                | 46            | FREESTYLE PRECISION.....                   | 120        |
| ETOPOPHOS.....                              | 21  | FIASP PENFILL U-100                         |               | FRUZAQLA.....                              | 22         |
| <i>etoposide</i> .....                      | 21  | INSULIN.....                                | 46            | <i>fulvestrant</i> .....                   | 22         |
| <i>etravirine</i> .....                     | 66  | FIASP U-100 INSULIN.....                    | 46            | <i>furosemide</i> .....                    | 81, 82     |
| EUCRISA.....                                | 101 | <i>fidaxomicin</i> .....                    | 12            | FUZEON.....                                | 66         |
| EULEXIN.....                                | 21  | <i>finasteride</i> .....                    | 157           | FYARRO.....                                | 22         |
| <i>everolimus (antineoplastic)</i> .....    | 21  | <i>fingolimod</i> .....                     | 87            | FYCOMPA.....                               | 36         |
| <i>everolimus</i>                           |     | FINTEPLA.....                               | 36            | <i>gabapentin</i> .....                    | 37         |
| <i>(immunosuppressive)</i> .....            | 166 | FIRMAGON KIT W                              |               | <i>galantamine</i> .....                   | 40         |
| EVOTAZ.....                                 | 66  | DILUENT SYRINGE.....                        | 21            | <i>gallifrey</i> .....                     | 162        |
| <i>exemestane</i> .....                     | 21  | <i>flavoxate</i> .....                      | 157           | GAMUNEX-C.....                             | 166        |
| EXTENCILLINE.....                           | 14  | <i>flecainide</i> .....                     | 77            | GARDASIL 9 (PF).....                       | 172        |
| EYSUVIS.....                                | 153 | <i>floxuridine</i> .....                    | 21            | GAUZE PAD.....                             | 120        |
| <i>ezetimibe</i> .....                      | 83  | <i>fluconazole</i> .....                    | 50            | <i>gavilyte-c</i> .....                    | 156        |
| <i>ezetimibe-simvastatin</i> .....          | 83  | <i>fluconazole in nacl (iso-osm)</i> .....  | 50            | <i>gavilyte-g</i> .....                    | 156        |
| FAKZYNJA.....                               | 21  | <i>flucytosine</i> .....                    | 50            | <i>gavilyte-n</i> .....                    | 156        |
| <i>falmina (28)</i> .....                   | 91  | <i>fludrocortisone</i> .....                | 160           | GAVRETO.....                               | 22         |
| <i>famciclovir</i> .....                    | 71  | <i>flunisolide</i> .....                    | 153           | <i>gefitinib</i> .....                     | 22         |
| <i>famotidine</i> .....                     | 154 | <i>fluocinolone</i> .....                   | 101           | <i>gemfibrozil</i> .....                   | 83         |
| FANAPT.....                                 | 59  | <i>fluocinolone acetonide oil</i> .....     | 153           | <i>generlac</i> .....                      | 155        |
| FANAPT TITRATION PACK                       |     | <i>fluocinonide</i> .....                   | 101           | <i>engraf</i> .....                        | 166        |
| A.....                                      | 59  | <i>fluoride (sodium)</i> .....              | 98            | <i>gentak</i> .....                        | 150        |
| FANAPT TITRATION PACK                       |     | <i>fluorometholone</i> .....                | 153           | <i>gentamicin</i> .....                    | 9, 99, 150 |
| B.....                                      | 59  | <i>fluorouracil</i> .....                   | 21, 99        | <i>gentamicin sulfate (ped) (pf)</i> ..... | 9          |
| FANAPT TITRATION PACK                       |     | <i>fluoxetine</i> .....                     | 42            | <i>gentamicin sulfate (pf)</i> .....       | 9          |
| C.....                                      | 60  | <i>fluphenazine decanoate</i> .....         | 60            | GENVOYA.....                               | 66         |
| FARXIGA.....                                | 44  | <i>fluphenazine hcl</i> .....               | 60            | GILOTRIF.....                              | 22         |
| FASENRA.....                                | 185 | <i>flurbiprofen</i> .....                   | 6             | <i>glatiramer</i> .....                    | 87         |
| FASENRA PEN.....                            | 185 | <i>flurbiprofen sodium</i> .....            | 153           | <i>glatopa</i> .....                       | 87         |
| <i>febuxostat</i> .....                     | 51  | <i>flutamide</i> .....                      | 21            | GLEOSTINE.....                             | 22         |
| <i>feirza</i> .....                         | 91  | <i>fluticasone propionate</i>               |               | <i>glimepiride</i> .....                   | 49         |
| <i>felbamate</i> .....                      | 36  | .....                                       | 101, 153, 183 | <i>glipizide</i> .....                     | 49         |
| <i>felodipine</i> .....                     | 81  | <i>fluticasone propion-salmeterol</i> ..... | 183           | <i>glipizide-metformin</i> .....           | 49         |
| <i>femynor</i> .....                        | 91  | <i>fluvastatin</i> .....                    | 83            | <i>glutamine (sickle cell)</i> .....       | 178        |
| <i>fenofibrate</i> .....                    | 83  | <i>fluvoxamine</i> .....                    | 42            | <i>glyburide</i> .....                     | 49         |
| <i>fenofibrate micronized</i> .....         | 83  | <i>folivane-ob</i> .....                    | 188           | <i>glyburide micronized</i> .....          | 49         |
| <i>fenofibrate nanocrystallized</i> .....   | 83  | <i>fondaparinux</i> .....                   | 72            | <i>glyburide-metformin</i> .....           | 49         |

|                                          |        |                                         |                                             |          |
|------------------------------------------|--------|-----------------------------------------|---------------------------------------------|----------|
| <i>glycopyrrolate</i> .....              | 155    | HUMIRA(CF) PEDI CROHNS                  | IMJUDO.....                                 | 23       |
| <i>glydo</i> .....                       | 6      | STARTER.....                            | IMKELDI.....                                | 23       |
| GLYXAMBI.....                            | 44     | HUMIRA(CF) PEN.....                     | IMOVAX RABIES VACCINE                       |          |
| GOMEKLI.....                             | 22     | HUMIRA(CF) PEN CROHNS-                  | (PF).....                                   | 172      |
| <i>griseofulvin microsize</i> .....      | 50     | UC-HS.....                              | IMPAVIDO.....                               | 55       |
| <i>griseofulvin ultramicrosize</i> ..... | 50     | HUMIRA(CF) PEN                          | <i>incassia</i> .....                       | 92       |
| <i>guanfacine</i> .....                  | 75, 87 | PEDIATRIC UC.....                       | INCONTROL ALCOHOL                           |          |
| GVOKE.....                               | 178    | HUMIRA(CF) PEN PSOR-UV-                 | PADS.....                                   | 121      |
| GVOKE HYPOPEN 2-PACK..                   | 178    | ADOL HS.....                            | INCONTROL PEN NEEDLE                        |          |
| GVOKE PFS 1-PACK                         |        | HUMULIN R U-500 (CONC)                  | .....                                       | 121, 122 |
| SYRINGE.....                             | 178    | INSULIN.....                            | INCRELEX.....                               | 161      |
| HAEGARDA.....                            | 73     | HUMULIN R U-500 (CONC)                  | <i>indapamide</i> .....                     | 82       |
| <i>hailey 24 fe</i> .....                | 91     | KWIKPEN.....                            | <i>indomethacin</i> .....                   | 6        |
| <i>hailey fe 1.5/30 (28)</i> .....       | 92     | <i>hydralazine</i> .....                | INFANRIX (DTAP) (PF).....                   | 172      |
| <i>hailey fe 1/20 (28)</i> .....         | 92     | <i>hydrochlorothiazide</i> .....        | <i>infliximab</i> .....                     | 167      |
| <i>halobetasol propionate</i> .....      | 101    | <i>hydrocodone-acetaminophen</i> .....  | INGREZZA.....                               | 87       |
| <i>haloette</i> .....                    | 92     | <i>hydrocortisone</i> .....             | INGREZZA INITIATION                         |          |
| <i>haloperidol</i> .....                 | 60     | 101, 160, 176                           | PK(TARDIV).....                             | 87       |
| <i>haloperidol decanoate</i> .....       | 60     | <i>hydrocortisone valerate</i> .....    | INGREZZA SPRINKLE.....                      | 87       |
| <i>haloperidol lactate</i> .....         | 60     | 101                                     | INLEXZO.....                                | 23       |
| HARVONI.....                             | 70     | <i>hydrocortisone-acetic acid</i> ..... | INLYTA.....                                 | 23       |
| HAVRIX (PF).....                         | 172    | 151                                     | INPEN (FOR HUMALOG)                         |          |
| HEALTHWISE INSULIN                       |        | <i>hydromorphone</i> .....              | BLUE.....                                   | 122      |
| SYRINGE.....                             | 121    | <i>hydroxychloroquine</i> .....         | INPEN (NOVOLOG OR                           |          |
| HEALTHWISE PEN NEEDLE                    | 121    | <i>hydroxyurea</i> .....                | FIASP) BLUE.....                            | 122      |
| HEALTHY ACCENTS                          |        | <i>hydroxyzine hcl</i> .....            | INQOVI.....                                 | 24       |
| UNIFINE PENTIP.....                      | 121    | <i>hydroxyzine pamoate</i> .....        | INREBIC.....                                | 24       |
| <i>heather</i> .....                     | 92     | 178                                     | <i>insulin asp prt-insulin aspart</i> ..... | 47       |
| <i>heparin (porcine)</i> .....           | 72     | <i>ibandronate</i> .....                | <i>insulin aspart u-100</i> .....           | 47       |
| HEPLISAV-B (PF).....                     | 172    | 177                                     | <i>insulin glargine-yfgn</i> .....          | 47       |
| HERCEPTIN HYLECTA.....                   | 22     | IBRANCE.....                            | INSULIN SYR/NDL U100                        |          |
| HERNEXEOS.....                           | 22     | 22, 23                                  | HALF MARK.....                              | 122      |
| HERZUMA.....                             | 22     | IBTROZI.....                            | INSULIN SYRINGE.....                        | 106      |
| HIBERIX (PF).....                        | 172    | <i>ibu</i> .....                        | INSULIN SYRINGE                             |          |
| HUMIRA.....                              | 166    | <i>ibuprofen</i> .....                  | MICROFINE.....                              | 105      |
| HUMIRA PEN.....                          | 166    | 6                                       | INSULIN SYRINGE                             |          |
| HUMIRA PEN CROHNS-UC-                    |        | <i>icatibant</i> .....                  | NEEDLELESS.....                             | 123      |
| HS START.....                            | 166    | 80                                      | INSULIN SYRINGE-NEEDLE                      |          |
| HUMIRA PEN PSOR-                         |        | <i>iclevia</i> .....                    | U-100                                       |          |
| UVEITS-ADOL HS.....                      | 166    | 92                                      | 119, 120, 122, 123, 127, 129, 131,          |          |
| HUMIRA(CF).....                          | 167    | ICLUSIG.....                            | 135, 139, 140                               |          |
|                                          |        | <i>icosapent ethyl</i> .....            |                                             |          |
|                                          |        | 83                                      |                                             |          |
|                                          |        | IDHIFA.....                             |                                             |          |
|                                          |        | 23                                      |                                             |          |
|                                          |        | <i>ifosfamide</i> .....                 |                                             |          |
|                                          |        | 23                                      |                                             |          |
|                                          |        | ILEVRO.....                             |                                             |          |
|                                          |        | 153                                     |                                             |          |
|                                          |        | <i>imatinib</i> .....                   |                                             |          |
|                                          |        | 23                                      |                                             |          |
|                                          |        | IMBRUVICA.....                          |                                             |          |
|                                          |        | 23                                      |                                             |          |
|                                          |        | IMDELLTRA.....                          |                                             |          |
|                                          |        | 23                                      |                                             |          |
|                                          |        | <i>imipenem-cilastatin</i> .....        |                                             |          |
|                                          |        | 13                                      |                                             |          |
|                                          |        | <i>imipramine hcl</i> .....             |                                             |          |
|                                          |        | 42                                      |                                             |          |
|                                          |        | <i>imiquimod</i> .....                  |                                             |          |
|                                          |        | 99                                      |                                             |          |

|                                          |          |                                        |        |                                            |     |
|------------------------------------------|----------|----------------------------------------|--------|--------------------------------------------|-----|
| INSULIN U-500 SYRINGE-<br>NEEDLE.....    | 123      | <i>juleber</i> .....                   | 92     | <i>lamotrigine</i> .....                   | 37  |
| INSUPEN PEN NEEDLE 123, 124              |          | JULUCA.....                            | 67     | <i>lanreotide</i> .....                    | 161 |
| INTELENCE.....                           | 66       | <i>junel 1.5/30 (21)</i> .....         | 92     | <i>lansoprazole</i> .....                  | 154 |
| INTRON A.....                            | 70       | <i>junel 1/20 (21)</i> .....           | 92     | LANTUS SOLOSTAR U-100                      |     |
| <i>introvale</i> .....                   | 92       | <i>junel fe 1.5/30 (28)</i> .....      | 92     | INSULIN.....                               | 47  |
| INVEGA HAFYERA.....                      | 60       | <i>junel fe 1/20 (28)</i> .....        | 92     | LANTUS U-100 INSULIN.....                  | 47  |
| INVEGA SUSTENNA.....                     | 60, 61   | <i>junel fe 24</i> .....               | 92     | <i>lapatinib</i> .....                     | 25  |
| INVEGA TRINZA.....                       | 61       | JYLAMVO.....                           | 24     | <i>larin 1.5/30 (21)</i> .....             | 93  |
| INVELTYS.....                            | 153      | JYNNEOS (PF).....                      | 172    | <i>larin 1/20 (21)</i> .....               | 93  |
| IPOL.....                                | 172      | KALETRA.....                           | 67     | <i>larin 24 fe</i> .....                   | 93  |
| <i>ipratropium bromide</i> .....         | 150, 184 | KALYDECO.....                          | 185    | <i>larin fe 1.5/30 (28)</i> .....          | 93  |
| <i>ipratropium-albuterol</i> .....       | 184      | <i>kariva (28)</i> .....               | 92     | <i>larin fe 1/20 (28)</i> .....            | 93  |
| <i>irbesartan</i> .....                  | 75       | <i>kelnor 1/35 (28)</i> .....          | 92     | <i>larissia</i> .....                      | 93  |
| <i>irbesartan-hydrochlorothiazide</i> .. | 75       | <i>kelnor 1/50 (28)</i> .....          | 93     | <i>latanoprost</i> .....                   | 180 |
| ISENTRESS.....                           | 66, 67   | KERENDIA.....                          | 84     | LAZCLUZE.....                              | 25  |
| ISENTRESS HD.....                        | 66       | KESIMPTA PEN.....                      | 87     | <i>leflunomide</i> .....                   | 167 |
| <i>isibloom</i> .....                    | 92       | <i>ketoconazole</i> .....              | 50     | <i>lenalidomide</i> .....                  | 25  |
| <i>isoniazid</i> .....                   | 54       | <i>ketorolac</i> .....                 | 6, 153 | LENTOCILIN S.....                          | 14  |
| ISOPROPYL ALCOHOL.....                   | 99       | KEYTRUDA.....                          | 24     | LENVIMA.....                               | 25  |
| <i>isosorbide dinitrate</i> .....        | 85       | KIMMTRAK.....                          | 24     | <i>lessina</i> .....                       | 93  |
| <i>isosorbide mononitrate</i> .....      | 85       | KINERET.....                           | 167    | <i>letrozole</i> .....                     | 25  |
| ITOVEBI.....                             | 24       | KINRIX (PF).....                       | 172    | <i>leucovorin calcium</i> .....            | 178 |
| <i>itraconazole</i> .....                | 50       | <i>kionex (with sorbitol)</i> .....    | 155    | LEUKERAN.....                              | 25  |
| IV PREP WIPES.....                       | 124      | KISQALI.....                           | 24, 25 | <i>leuprolide</i> .....                    | 25  |
| <i>ivabradine</i> .....                  | 80       | KISQALI FEMARA CO-<br>PACK.....        | 24     | <i>leuprolide acetate (3 month)</i> .....  | 25  |
| <i>ivermectin</i> .....                  | 56       | KLISYRI (250 MG).....                  | 99     | <i>levetiracetam</i> .....                 | 37  |
| IWILFIN.....                             | 24       | <i>klor-con m10</i> .....              | 181    | <i>levobunolol</i> .....                   | 180 |
| IXIARO (PF).....                         | 172      | <i>klor-con m15</i> .....              | 181    | <i>levocetirizine</i> .....                | 52  |
| JAKAFI.....                              | 24       | <i>klor-con m20</i> .....              | 181    | <i>levofloxacin</i> .....                  | 15  |
| <i>jantoven</i> .....                    | 72       | KLOXXADO.....                          | 7      | <i>levofloxacin in d5w</i> .....           | 15  |
| JANUMET.....                             | 44       | KOSELUGO.....                          | 25     | <i>levonest (28)</i> .....                 | 93  |
| JANUMET XR.....                          | 44       | <i>kosher prenatal plus iron</i> ..... | 188    | <i>levonorgest-eth.estradiol-iron</i> .... | 93  |
| JANUVIA.....                             | 44       | KRAZATI.....                           | 25     | <i>levonorgestrel-ethinyl estrad</i> ..... | 93  |
| JARDIANCE.....                           | 44       | <i>kurvelo (28)</i> .....              | 93     | <i>levonorg-eth estrad triphasic</i> ..... | 93  |
| <i>javygtor</i> .....                    | 149      | KYLEENA.....                           | 93     | <i>levora-28</i> .....                     | 93  |
| JAYPIRCA.....                            | 24       | KYNMOBI.....                           | 57     | <i>levothyroxine</i> .....                 | 163 |
| JEMPERLI.....                            | 24       | <i>labetalol</i> .....                 | 78     | LEXIVA.....                                | 67  |
| <i>jencycla</i> .....                    | 92       | <i>lacosamide</i> .....                | 37     | LIBERVANT.....                             | 37  |
| JENTADUETO.....                          | 44       | <i>lactulose</i> .....                 | 155    | <i>lidocaine</i> .....                     | 6   |
| JENTADUETO XR.....                       | 44       | <i>lamivudine</i> .....                | 67     | <i>lidocaine hcl</i> .....                 | 6   |
| <i>jolessa</i> .....                     | 92       | <i>lamivudine-zidovudine</i> .....     | 67     | <i>lidocaine viscous</i> .....             | 6   |
|                                          |          |                                        |        | <i>lidocaine-prilocaine</i> .....          | 7   |

|                                            |          |                                |                               |
|--------------------------------------------|----------|--------------------------------|-------------------------------|
| <i>lidocan iii</i> .....                   | 7        | LUPRON DEPOT (3 MONTH)         | MAVENCLAD (9 TABLET           |
| LILETTA.....                               | 94       | ..... 26, 161                  | PACK).....                    |
| <i>lillow (28)</i> .....                   | 94       | LUPRON DEPOT (4 MONTH).26      | 88                            |
| <i>linezolid</i> .....                     | 10       | LUPRON DEPOT (6 MONTH).26      | MAXICOMFORT II PEN            |
| <i>linezolid in dextrose 5%</i> .....      | 10       | LUPRON DEPOT-PED.....          | NEEDLE.....125                |
| LINZESS.....                               | 155      | 161                            | MAXICOMFORT INSULIN           |
| <i>liomny</i> .....                        | 163      | LUPRON DEPOT-PED (3            | SYRINGE.....125               |
| <i>liothyronine</i> .....                  | 163      | MONTH).....                    | 161                           |
| LISCO.....                                 | 124      | <i>lurasidone</i> .....        | MAXI-COMFORT INSULIN          |
| <i>lisinopril</i> .....                    | 77       | 61                             | SYRINGE.....125               |
| <i>lisinopril-hydrochlorothiazide</i> .... | 77       | <i>lutra (28)</i> .....        | MAXICOMFORT SAFETY            |
| LITE TOUCH INSULIN PEN                     |          | 94                             | PEN NEEDLE.....125            |
| NEEDLES.....                               | 124      | LUTRATE DEPOT (3               | MAYZENT.....88                |
| LITE TOUCH INSULIN                         |          | MONTH).....                    | MAYZENT STARTER(FOR           |
| SYRINGE.....                               | 124, 125 | 162                            | 1MG MAINT).....               |
| <i>lithium carbonate</i> .....             | 87       | LYBALVI.....                   | 88                            |
| <i>lithium citrate</i> .....               | 87       | 61                             | MAYZENT STARTER(FOR           |
| LIVTENCITY.....                            | 69       | <i>lyleq</i> .....             | 2MG MAINT).....               |
| LOKELMA.....                               | 155      | 94                             | 88                            |
| LONSURF.....                               | 25       | LYNOZYFIC.....                 | meclizine.....                |
| <i>loperamide</i> .....                    | 155      | 26                             | 54                            |
| <i>lopinavir-ritonavir</i> .....           | 67       | LYNPARZA.....                  | medroxyprogesterone.....      |
| LOQTORZI.....                              | 25       | 26                             | 163                           |
| <i>lorazepam</i> .....                     | 8, 9     | LYSODREN.....                  | 56                            |
| <i>lorazepam intensol</i> .....            | 9        | LYTGOBI.....                   | 56                            |
| LORBRENA.....                              | 26       | <i>lyza</i> .....              | mefloquine.....               |
| <i>losartan</i> .....                      | 75       | 94                             | megestrol.....                |
| <i>losartan-hydrochlorothiazide</i> ....   | 75       | MAGELLAN INSULIN               | 27, 163                       |
| LOTEMAX.....                               | 153      | SAFETY SYRNG.....              | MEKINIST.....                 |
| LOTEMAX SM.....                            | 153      | 125                            | 27                            |
| <i>loteprednol etabonate</i> .....         | 153      | MAGELLAN SYRINGE.....          | MEKTOVI.....                  |
| <i>lovastatin</i> .....                    | 83       | 125                            | 27                            |
| <i>low-ogestrel (28)</i> .....             | 94       | <i>magnesium sulfate</i> ..... | meleya.....                   |
| <i>loxapine succinate</i> .....            | 61       | 181                            | 94                            |
| <i>lubiprostone</i> .....                  | 155      | <i>malathion</i> .....         | meloxicam.....                |
| <i>luizza</i> .....                        | 94       | 102                            | 6                             |
| LUMAKRAS.....                              | 26       | <i>maraviroc</i> .....         | memantine.....                |
| LUMIGAN.....                               | 180      | 67                             | 40, 41                        |
| LUNSUMIO.....                              | 26       | MARGENZA.....                  | 172                           |
| LUPRON DEPOT.....                          | 26, 161  | 26                             | MENACTRA (PF).....            |
|                                            |          | <i>marlissa (28)</i> .....     | 172                           |
|                                            |          | 94                             | MENQUADFI (PF).....           |
|                                            |          | 188                            | 173                           |
|                                            |          | MARNATAL-f.....                | MENVEO A-C-Y-W-135-DIP        |
|                                            |          | 42                             | (PF).....                     |
|                                            |          | MARPLAN.....                   | 173                           |
|                                            |          | 27                             | mercaptopurine.....           |
|                                            |          | MAVENCLAD (10 TABLET           | 27                            |
|                                            |          | PACK).....                     | meropenem.....                |
|                                            |          | 87                             | 13                            |
|                                            |          | MAVENCLAD (4 TABLET            | mesalamine.....               |
|                                            |          | PACK).....                     | 176, 177                      |
|                                            |          | 87                             | mesna.....                    |
|                                            |          | MAVENCLAD (5 TABLET            | 179                           |
|                                            |          | PACK).....                     | metformin.....                |
|                                            |          | 88                             | 45                            |
|                                            |          | MAVENCLAD (6 TABLET            | methadone.....                |
|                                            |          | PACK).....                     | 4                             |
|                                            |          | 88                             | methazolamide.....            |
|                                            |          | MAVENCLAD (7 TABLET            | 180                           |
|                                            |          | PACK).....                     | methenamine hippurate.....    |
|                                            |          | 88                             | 10                            |
|                                            |          | MAVENCLAD (8 TABLET            | methimazole.....              |
|                                            |          | PACK).....                     | 163                           |
|                                            |          | 88                             | methocarbamol.....            |
|                                            |          | MAVENCLAD (9 TABLET            | 186                           |
|                                            |          | PACK).....                     | methotrexate sodium.....      |
|                                            |          | 88                             | 27                            |
|                                            |          | MAVENCLAD (10 TABLET           | methotrexate sodium (pf)..... |
|                                            |          | PACK).....                     | 27                            |
|                                            |          | 88                             | methoxsalen.....              |
|                                            |          | MAVENCLAD (11 TABLET           | 99                            |
|                                            |          | PACK).....                     | methsuximide.....             |
|                                            |          | 88                             | 37                            |

|                                            |     |                                           |          |                                           |         |
|--------------------------------------------|-----|-------------------------------------------|----------|-------------------------------------------|---------|
| <i>methylphenidate hcl</i> .....           | 88  | <i>mometasone</i> .....                   | 101, 153 | NAYZILAM.....                             | 37      |
| <i>methylprednisolone</i> .....            | 160 | MONOJECT INSULIN                          |          | <i>nebivolol</i> .....                    | 78      |
| <i>methylprednisolone acetate</i> .....    | 160 | SAFETY SYRING.....                        | 127      | <i>nefazodone</i> .....                   | 43      |
| <i>metoclopramide hcl</i> .....            | 155 | MONOJECT INSULIN                          |          | <i>neomycin</i> .....                     | 9       |
| <i>metolazone</i> .....                    | 82  | SYRINGE.....                              | 126, 127 | <i>neomycin-bacitracin-poly-hc</i> ....   | 151     |
| <i>metoprolol succinate</i> .....          | 78  | MONOJECT SYRINGE.....                     | 126      | <i>neomycin-bacitracin-polymyxin</i>      | 151     |
| <i>metoprolol tartrate</i> .....           | 78  | MONOJECT ULTRA                            |          | <i>neomycin-polymyxin b-</i>              |         |
| <i>metronidazole</i> ..... 10, 52, 99, 100 |     | COMFORT INSULIN.....                      | 142      | <i>dexameth</i> .....                     | 151     |
| <i>metronidazole in nacl (iso-os)</i> .... | 10  | <i>mono-lynyah</i> .....                  | 94       | <i>neomycin-polymyxin-gramicidin</i>      |         |
| <i>metirosine</i> .....                    | 80  | <i>montelukast</i> .....                  | 183      | .....                                     | 151     |
| <i>micafungin</i> .....                    | 50  | <i>morphine</i> .....                     | 4        | <i>neomycin-polymyxin-hc</i> .....        | 151     |
| <i>miconazole-3</i> .....                  | 50  | MORPHINE.....                             | 4        | <i>neo-polycin</i> .....                  | 151     |
| MICRODOT INSULIN PEN                       |     | <i>morphine concentrate</i> .....         | 4        | <i>neo-polycin hc</i> .....               | 151     |
| NEEDLE.....                                | 126 | MOUNJARO.....                             | 45       | NERLYNX.....                              | 27      |
| MICRODOT READYGARD                         |     | MOVANTIK.....                             | 155      | <i>neuac</i> .....                        | 100     |
| PEN NEEDLE.....                            | 126 | <i>moxifloxacin</i> .....                 | 15, 151  | NEULASTA ONPRO.....                       | 73      |
| <i>microgestin 1.5/30 (21)</i> .....       | 94  | <i>moxifloxacin-sod.ace,sul-water</i> ..  | 15       | <i>nevirapine</i> .....                   | 67      |
| <i>microgestin 1/20 (21)</i> .....         | 94  | <i>moxifloxacin-sod.chloride(iso)</i> ... | 15       | <i>newgen</i> .....                       | 188     |
| <i>microgestin 24 fe</i> .....             | 94  | MRESVIA (PF).....                         | 173      | NEXLETOL.....                             | 84      |
| <i>microgestin fe 1.5/30 (28)</i> .....    | 94  | MULTAQ.....                               | 77       | NEXLIZET.....                             | 84      |
| <i>microgestin fe 1/20 (28)</i> .....      | 94  | <i>mupirocin</i> .....                    | 100      | NEXPLANON.....                            | 94      |
| <i>midodrine</i> .....                     | 75  | MVASI.....                                | 27       | <i>niacin</i> .....                       | 84      |
| MIEBO (PF).....                            | 150 | <i>mycophenolate mofetil</i> .....        | 167      | <i>niacor</i> .....                       | 84      |
| <i>mifepristone</i> .....                  | 45  | <i>mycophenolate mofetil (hcl)</i> .....  | 167      | NICOTROL NS.....                          | 7       |
| <i>mili</i> .....                          | 94  | <i>mycophenolate sodium</i> .....         | 167      | <i>nifedipine</i> .....                   | 81      |
| <i>mimvey</i> .....                        | 159 | <i>mynatal</i> .....                      | 188      | NIKTIMVO.....                             | 167     |
| MINI ULTRA-THIN II.....                    | 126 | <i>mynatal advance</i> .....              | 188      | <i>nilotinib hcl</i> .....                | 27      |
| <i>minitran</i> .....                      | 85  | <i>mynatal plus</i> .....                 | 188      | NILOTINIB TARTRATE....                    | 27, 28  |
| <i>minocycline</i> .....                   | 16  | <i>mynatal-z</i> .....                    | 188      | <i>nilutamide</i> .....                   | 28      |
| <i>minoxidil</i> .....                     | 85  | <i>mynate 90 plus</i> .....               | 188      | NINLARO.....                              | 28      |
| MIPLYFFA.....                              | 148 | <i>nabumetone</i> .....                   | 6        | <i>nitazoxanide</i> .....                 | 56      |
| <i>mirabegron</i> .....                    | 157 | <i>nafcilin</i> .....                     | 14       | <i>nitisinone</i> .....                   | 149     |
| MIRENA.....                                | 94  | <i>naloxone</i> .....                     | 7        | <i>nitrofurantoin macrocrystal</i> .....  | 10      |
| <i>mirtazapine</i> .....                   | 42  | <i>naltrexone</i> .....                   | 7        | <i>nitrofurantoin monohyd/m-cryst</i> .   | 10      |
| <i>misoprostol</i> .....                   | 154 | NANO 2ND GEN PEN                          |          | <i>nitroglycerin</i> .....                | 85, 179 |
| <i>mitoxantrone</i> .....                  | 27  | NEEDLE.....                               | 127      | <i>niva-plus</i> .....                    | 188     |
| M-M-R II (PF).....                         | 173 | NANO PEN NEEDLE.....                      | 128      | NIVESTYM.....                             | 73      |
| <i>m-natal plus</i> .....                  | 188 | <i>naproxen</i> .....                     | 6        | NORDITROPIN FLEXPPO....                   | 162     |
| <i>modafinil</i> .....                     | 187 | <i>naratriptan</i> .....                  | 53       | <i>norelgestromin-ethin.estradiol</i> ... | 95      |
| MODEYSO.....                               | 27  | NATACYN.....                              | 151      | <i>norethindrone (contraceptive)</i> .... | 95      |
| <i>moexipril</i> .....                     | 77  | <i>nateglinide</i> .....                  | 45       | <i>norethindrone acetate</i> .....        | 163     |
| <i>molindone</i> .....                     | 61  | NATPARA.....                              | 177      | <i>norethindrone-e.estradiol-iron</i> ... | 95      |

|                                             |     |                                             |     |                                       |      |
|---------------------------------------------|-----|---------------------------------------------|-----|---------------------------------------|------|
| <i>norgestimate-ethinyl estradiol</i> ..... | 95  | OFEV.....                                   | 185 | ORENCIA (WITH MALTOSE)                |      |
| <i>norlyda</i> .....                        | 95  | <i>ofloxacin</i> .....                      | 151 | .....                                 | 167  |
| <i>nortrel 1/35 (21)</i> .....              | 95  | OGIVRI.....                                 | 28  | ORENCIA CLICKJECT.....                | 167  |
| <i>nortrel 1/35 (28)</i> .....              | 95  | OGSIVEO.....                                | 28  | ORFADIN.....                          | 149  |
| <i>nortrel 7/7/7 (28)</i> .....             | 95  | OJEMDA.....                                 | 28  | ORGOVYX.....                          | 162  |
| <i>nortriptyline</i> .....                  | 43  | OJJAARA.....                                | 28  | ORILISSA.....                         | 162  |
| NORVIR.....                                 | 67  | <i>olanzapine</i> .....                     | 62  | ORKAMBI.....                          | 186  |
| NOVOFINE 30.....                            | 128 | <i>olmesartan</i> .....                     | 76  | <i>orquidea</i> .....                 | 95   |
| NOVOFINE 32.....                            | 128 | <i>olmesartan-amlodipin-hcthiazid</i> ..... | 76  | ORSERDU.....                          | 29   |
| NOVOFINE PLUS.....                          | 128 | <i>olmesartan-hydrochlorothiazide</i> ..... | 76  | <i>oseltamivir</i> .....              | 69   |
| NOVOLIN 70/30 U-100                         |     | <i>olopatadine</i> .....                    | 150 | OSEVELT.....                          | 177  |
| INSULIN.....                                | 47  | <i>omega-3 acid ethyl esters</i> .....      | 84  | OTEZLA.....                           | 167  |
| NOVOLIN 70-30 FLEXPEN                       |     | <i>omeprazole</i> .....                     | 154 | OTEZLA STARTER.....                   | 168  |
| U-100.....                                  | 47  | OMNIPOD 5 (G6/LIBRE 2                       |     | <i>oxandrolone</i> .....              | 158  |
| NOVOLIN N FLEXPEN.....                      | 48  | PLUS).....                                  | 128 | <i>oxcarbazepine</i> .....            | 37   |
| NOVOLIN N NPH U-100                         |     | OMNIPOD 5 G6-G7 INTRO                       |     | <i>oxybutynin chloride</i> .....      | 157  |
| INSULIN.....                                | 48  | KT(GEN5).....                               | 128 | <i>oxycodone</i> .....                | 4, 5 |
| NOVOLIN R FLEXPEN.....                      | 48  | OMNIPOD 5 G6-G7 PODS                        |     | <i>oxycodone-acetaminophen</i> .....  | 5    |
| NOVOLIN R REGULAR U100                      |     | (GEN 5).....                                | 128 | OZEMPIC.....                          | 45   |
| INSULIN.....                                | 48  | OMNIPOD 5                                   |     | <i>pacerone</i> .....                 | 78   |
| NOVOTWIST.....                              | 128 | INTRO(G6/LIBRE2PLUS).....                   | 128 | <i>paclitaxel protein-bound</i> ..... | 29   |
| NUBEQA.....                                 | 28  | OMNIPOD CLASSIC PDM                         |     | <i>paliperidone</i> .....             | 62   |
| NUCALA.....                                 | 185 | KIT(GEN 3).....                             | 128 | PANRETIN.....                         | 99   |
| NULOJIX.....                                | 167 | OMNIPOD CLASSIC PODS                        |     | <i>pantoprazole</i> .....             | 154  |
| NUPLAZID.....                               | 61  | (GEN 3).....                                | 128 | <i>paricalcitol</i> .....             | 177  |
| NURTEC ODT.....                             | 53  | OMNIPOD DASH INTRO KIT                      |     | <i>paromomycin</i> .....              | 56   |
| <i>nyamyc</i> .....                         | 50  | (GEN 4).....                                | 128 | <i>paroxetine hcl</i> .....           | 43   |
| <i>nylia 1/35 (28)</i> .....                | 95  | OMNIPOD DASH PDM KIT                        |     | PAXLOVID.....                         | 70   |
| <i>nylia 7/7/7 (28)</i> .....               | 95  | (GEN 4).....                                | 128 | <i>pazopanib</i> .....                | 29   |
| <i>nymyo</i> .....                          | 95  | OMNIPOD DASH PODS                           |     | PEDIARIX (PF).....                    | 173  |
| <i>nystatin</i> .....                       | 51  | (GEN 4).....                                | 128 | PEDVAX HIB (PF).....                  | 173  |
| <i>nystatin-triamcinolone</i> .....         | 51  | ONAPGO.....                                 | 57  | <i>peg 3350-electrolytes</i> .....    | 156  |
| <i>nystop</i> .....                         | 51  | <i>ondansetron</i> .....                    | 54  | PEGASYS.....                          | 71   |
| NYVEPRIA.....                               | 73  | <i>ondansetron hcl</i> .....                | 54  | <i>peg-electrolyte soln</i> .....     | 156  |
| <i>obstetrix dha</i> .....                  | 189 | ONTRUZANT.....                              | 28  | PEMAZYRE.....                         | 29   |
| <i>obstetrix dha prenatal duo</i> .....     | 189 | ONUREG.....                                 | 28  | <i>pemetrexed disodium</i> .....      | 29   |
| <i>o-cal prenatal</i> .....                 | 189 | OPDIVO.....                                 | 28  | PENRYDI RTU.....                      | 29   |
| OCREVUS.....                                | 88  | OPDIVO QVANTIG.....                         | 28  | PEN NEEDLE.....                       | 129  |
| OCREVUS ZUNOVO.....                         | 88  | OPDUALAG.....                               | 28  | PEN NEEDLE, DIABETIC                  |      |
| <i>octreotide acetate</i> .....             | 162 | OPIPZA.....                                 | 62  | .. 110, 120, 121, 126, 128, 129, 131  |      |
| ODEFSEY.....                                | 67  | OPSUMIT.....                                | 187 | PEN NEEDLE, DIABETIC,                 |      |
| ODOMZO.....                                 | 28  | ORENCIA.....                                | 167 | SAFETY.....                           | 132  |

|                                         |         |                                          |          |                                              |        |
|-----------------------------------------|---------|------------------------------------------|----------|----------------------------------------------|--------|
| PENBRAYA (PF).....                      | 173     | <i>pirfenidone</i> .....                 | 186      | <i>prenatal vitamin plus low iron</i> ..     | 189    |
| PENBRAYA MENACWY                        |         | <i>pirmella</i> .....                    | 96       | <i>prenatal-u</i> .....                      | 190    |
| COMPONENT(PF).....                      | 173     | <i>pitavastatin calcium</i> .....        | 84       | <i>preplus</i> .....                         | 190    |
| PENBRAYA MENB                           |         | PLEGRIDY.....                            | 88, 89   | <i>pretab</i> .....                          | 190    |
| COMPONENT (PF).....                     | 173     | <i>pnv 29-1</i> .....                    | 189      | <i>prevalite</i> .....                       | 84     |
| <i>penicillamine</i> .....              | 158     | <i>pnv-dha + docusate</i> .....          | 189      | PREVENT DROPSAFE PEN                         |        |
| <i>penicillin g potassium</i> .....     | 14      | <i>pnv-omega</i> .....                   | 189      | NEEDLE.....                                  | 130    |
| <i>penicillin g procaine</i> .....      | 14      | <i>podofilox</i> .....                   | 99       | <i>previfem</i> .....                        | 96     |
| <i>penicillin v potassium</i> .....     | 14      | <i>polycin</i> .....                     | 151      | PREVYMIS.....                                | 70     |
| PENMENVY MEN A-B-C-W-                   |         | <i>polymyxin b sulf-trimethoprim</i> ..  | 152      | PREZCOBIX.....                               | 68     |
| Y (PF).....                             | 173     | POMALYST.....                            | 29       | PREZISTA.....                                | 68     |
| PENMENVY MENACWY                        |         | <i>portia 28</i> .....                   | 96       | PRIFTIN.....                                 | 54     |
| COMPONENT(PF).....                      | 173     | <i>posaconazole</i> .....                | 51       | PRIMAQUINE.....                              | 56     |
| PENMENVY MENB                           |         | <i>potassium chloride</i> .....          | 181      | <i>primidone</i> .....                       | 38     |
| COMPONENT (PF).....                     | 174     | <i>potassium citrate</i> .....           | 181, 182 | PRIORIX (PF).....                            | 174    |
| PENTACEL (PF).....                      | 174     | <i>pr natal 400</i> .....                | 189      | PRO COMFORT ALCOHOL                          |        |
| <i>pentamidine</i> .....                | 56      | <i>pr natal 400 ec</i> .....             | 189      | PADS.....                                    | 130    |
| PENTIPS PEN NEEDLE.....                 | 129     | <i>pr natal 430</i> .....                | 189      | PRO COMFORT INSULIN                          |        |
| <i>pentoxifylline</i> .....             | 74      | <i>pr natal 430 ec</i> .....             | 189      | SYRINGE.....                                 | 130    |
| <i>perampanel</i> .....                 | 38      | <i>pramipexole</i> .....                 | 57       | PRO COMFORT PEN                              |        |
| <i>perindopril erbumine</i> .....       | 77      | <i>prasugrel hcl</i> .....               | 74       | NEEDLE.....                                  | 130    |
| <i>periogard</i> .....                  | 98      | <i>pravastatin</i> .....                 | 84       | <i>probenecid</i> .....                      | 51     |
| <i>permethrin</i> .....                 | 102     | <i>praziquantel</i> .....                | 56       | <i>probenecid-colchicine</i> .....           | 51     |
| <i>perphenazine</i> .....               | 62      | <i>prazosin</i> .....                    | 75       | PROCALAMINE 3%.....                          | 74     |
| <i>perphenazine-amitriptyline</i> ..... | 43      | <i>prednisolone</i> .....                | 160      | <i>prochlorperazine</i> .....                | 55     |
| PERSERIS.....                           | 62      | <i>prednisolone acetate</i> .....        | 153      | <i>prochlorperazine edisylate</i> ... 54, 62 |        |
| <i>phenelzine</i> .....                 | 43      | <i>prednisolone sodium phosphate</i> 160 |          | <i>prochlorperazine maleate</i> .....        | 55     |
| <i>phenobarbital</i> .....              | 38      | <i>prednisone</i> .....                  | 160, 161 | <i>procto-med hc</i> .....                   | 102    |
| PHENYTEK.....                           | 38      | <i>pregabalin</i> .....                  | 38       | <i>proctosol hc</i> .....                    | 102    |
| <i>phenytoin</i> .....                  | 38      | PREHEVBRIO (PF).....                     | 174      | <i>proctozone-hc</i> .....                   | 102    |
| <i>phenytoin sodium</i> .....           | 38      | PREMARIN.....                            | 159      | PRODIGY INSULIN                              |        |
| <i>phenytoin sodium extended</i> .....  | 38      | PREMPHASE.....                           | 159      | SYRINGE.....                                 | 130    |
| PIFELTRO.....                           | 67      | PREMPRO.....                             | 160      | <i>progesterone micronized</i> .....         | 163    |
| <i>pilocarpine hcl</i> .....            | 98, 180 | <i>prenal true</i> .....                 | 189      | PROGRAF.....                                 | 168    |
| <i>pimecrolimus</i> .....               | 101     | <i>prenaissance</i> .....                | 189      | PROLIA.....                                  | 177    |
| <i>pimozide</i> .....                   | 62      | <i>prenaissance plus</i> .....           | 189      | <i>promethazine</i> .....                    | 55     |
| <i>pimtree (28)</i> .....               | 95      | <i>prenatabs fa</i> .....                | 189      | <i>promethegan</i> .....                     | 55     |
| <i>pioglitazone</i> .....               | 45      | <i>prenatal 19</i> .....                 | 189      | <i>propafenone</i> .....                     | 78     |
| <i>pioglitazone-metformin</i> .....     | 45      | <i>prenatal 19 (with docusate)</i> ..... | 189      | <i>propranolol</i> .....                     | 78, 79 |
| PIP PEN NEEDLE.....                     | 129     | <i>prenatal low iron</i> .....           | 189      | <i>propylthiouracil</i> .....                | 163    |
| <i>piperacillin-tazobactam</i> .....    | 15      | <i>prenatal plus</i> .....               | 189      | PROQUAD (PF).....                            | 174    |
| PIQRAY.....                             | 29      | <i>prenatal plus (calcium carb)</i> .... | 189      | <i>protriptyline</i> .....                   | 43     |

|                                          |          |                                       |          |                                          |          |
|------------------------------------------|----------|---------------------------------------|----------|------------------------------------------|----------|
| PULMOZYME.....                           | 149      | RHOPRESSA.....                        | 180      | SAVELLA.....                             | 89       |
| PURE COMFORT ALCOHOL                     |          | RIABNI.....                           | 30       | SCSEMBLIX.....                           | 30       |
| PADS.....                                | 131      | <i>ribavirin</i> .....                | 71       | <i>scopolamine base</i> .....            | 55       |
| PURE COMFORT PEN                         |          | <i>rifabutin</i> .....                | 54       | SECUADO.....                             | 63       |
| NEEDLE.....                              | 131      | <i>rifampin</i> .....                 | 54       | SECURESAFE INSULIN                       |          |
| PURE COMFORT SAFETY                      |          | <i>rilpivirine</i> .....              | 68       | SYRINGE.....                             | 132      |
| PEN NEEDLE.....                          | 130, 131 | <i>riluzole</i> .....                 | 89       | SECURESAFE PEN NEEDLE                    | 132      |
| <i>pyrazinamide</i> .....                | 54       | RINVOQ.....                           | 168      | SELARSDI.....                            | 168      |
| <i>pyridostigmine bromide</i> .....      | 179      | RINVOQ LQ.....                        | 168      | <i>select-ob</i> .....                   | 190      |
| <i>pyrimethamine</i> .....               | 56       | <i>risperidone</i> .....              | 63       | <i>select-ob (folic acid)</i> .....      | 190      |
| QINLOCK.....                             | 29       | <i>risperidone microspheres</i> ..... | 62, 63   | <i>selegiline hcl</i> .....              | 57       |
| QUADRACEL (PF).....                      | 174      | <i>ritonavir</i> .....                | 68       | <i>selenium sulfide</i> .....            | 100      |
| <i>quetiapine</i> .....                  | 62       | RITUXAN HYCELA.....                   | 30       | SELZENTRY.....                           | 68       |
| <i>quinapril</i> .....                   | 77       | <i>rivaroxaban</i> .....              | 72       | SEMGLEE(INSULIN                          |          |
| <i>quinapril-hydrochlorothiazide</i> ... | 77       | <i>rivastigmine</i> .....             | 41       | GLARGINE-YFGN).....                      | 48       |
| <i>quinidine sulfate</i> .....           | 78       | <i>rivastigmine tartrate</i> .....    | 41       | SEMGLEE(INSULIN GLARG-                   |          |
| <i>quinine sulfate</i> .....             | 56       | <i>rizatriptan</i> .....              | 53       | YFGN)PEN.....                            | 48       |
| QULIPTA.....                             | 53       | <i>r-natal ob</i> .....               | 190      | <i>se-natal 19 chewable</i> .....        | 190      |
| RABAVERT (PF).....                       | 174      | ROCKLATAN.....                        | 180      | SEREVENT DISKUS.....                     | 184      |
| <i>rabeprazole</i> .....                 | 154      | <i>roflumilast</i> .....              | 186      | SEROSTIM.....                            | 162      |
| RALDESY.....                             | 43       | ROMVIMZA.....                         | 30       | <i>sertraline</i> .....                  | 43       |
| <i>raloxifene</i> .....                  | 160      | <i>ropinirole</i> .....               | 57       | <i>setlakin</i> .....                    | 96       |
| <i>ramipril</i> .....                    | 77       | <i>rosadan</i> .....                  | 100      | <i>sevelamer carbonate</i> .....         | 157      |
| <i>ranolazine</i> .....                  | 80, 81   | <i>rosuvastatin</i> .....             | 84       | <i>sevelamer hcl</i> .....               | 157      |
| <i>rasagiline</i> .....                  | 57       | ROTARIX.....                          | 174, 175 | SEZABY.....                              | 38       |
| RASUVO (PF).....                         | 168      | ROTATEQ VACCINE.....                  | 175      | <i>sf 5000 plus</i> .....                | 98       |
| RAYALDEE.....                            | 177      | ROZLYTREK.....                        | 30       | <i>sharobel</i> .....                    | 96       |
| <i>reclipsen (28)</i> .....              | 96       | RUBRACA.....                          | 30       | SHINGRIX (PF).....                       | 175      |
| RECOMBIVAX HB (PF).....                  | 174      | <i>rufinamide</i> .....               | 38       | SIGNIFOR.....                            | 162      |
| RELENZA DISKHALER.....                   | 70       | RUKOBIA.....                          | 68       | <i>sildenafil</i> .....                  | 187      |
| <i>repaglinide</i> .....                 | 45       | RUXIENCE.....                         | 30       | <i>sildenafil (pulm.hypertension)</i> .. | 187      |
| REPATHA PUSHTRONEX.....                  | 84       | RYBELSUS.....                         | 45       | <i>silver sulfadiazine</i> .....         | 100      |
| REPATHA SURECLICK.....                   | 84       | RYBREVANT.....                        | 30       | SIMBRINZA.....                           | 180      |
| REPATHA SYRINGE.....                     | 84       | RYDAPT.....                           | 30       | <i>simliya (28)</i> .....                | 96       |
| RETACRIT.....                            | 73       | RYKINDO.....                          | 63       | SIMPLI PEN NEEDLE.....                   | 120      |
| RETEVMO.....                             | 29       | RYTELO.....                           | 30       | <i>simvastatin</i> .....                 | 84       |
| RETROVIR.....                            | 68       | <i>sacubitril-valsartan</i> .....     | 76       | <i>sirolimus</i> .....                   | 168      |
| REVUFORJ.....                            | 30       | SAFESNAP INSULIN                      |          | SIRTURO.....                             | 54       |
| REXULTI.....                             | 62       | SYRINGE.....                          | 131, 132 | SKY SAFETY PEN NEEDLE.                   | 132      |
| REYATAZ.....                             | 68       | SAFETY PEN NEEDLE.....                | 132      | SKYLA.....                               | 96       |
| REZLIDHIA.....                           | 30       | SANTYL.....                           | 99       | SKYRIZI.....                             | 168, 169 |
| REZUROCK.....                            | 168      | <i>sapropterin</i> .....              | 149      | <i>sodium chloride 0.45 %</i> .....      | 182      |

|                                          |     |                                      |          |                                            |          |
|------------------------------------------|-----|--------------------------------------|----------|--------------------------------------------|----------|
| <i>sodium chloride 0.9 %</i> .....       | 182 | <i>sumatriptan succinate</i> .....   | 53       | <i>tazarotene</i> .....                    | 102      |
| <i>sodium fluoride-pot nitrate</i> ..... | 98  | <i>sunitinib malate</i> .....        | 31       | <i>tazicef</i> .....                       | 12       |
| <i>sodium oxybate</i> .....              | 187 | SUNLENCA.....                        | 68       | <i>taztia xt</i> .....                     | 79       |
| <i>sodium polystyrene sulfonate</i> .... | 155 | SURE COMFORT ALCOHOL                 |          | TAZVERIK.....                              | 31       |
| <i>sodium,potassium,mag sulfates</i>     | 156 | PREP PADS.....                       | 133      | TDVAX.....                                 | 175      |
| <i>solifenacin</i> .....                 | 157 | SURE COMFORT INS. SYR.               |          | TECHLITE INSULIN                           |          |
| SOLQUA 100/33.....                       | 48  | U-100.....                           | 132      | SYRINGE.....                               | 135      |
| SOLTAMOX.....                            | 31  | SURE COMFORT INSULIN                 |          | TECHLITE INSULN                            |          |
| SOMATULINE DEPOT.....                    | 162 | SYRINGE.....                         | 133      | SYR(HALF UNIT).....                        | 134      |
| SOMAVERT.....                            | 162 | SURE COMFORT PEN                     |          | TECHLITE PEN NEEDLE.....                   | 135      |
| <i>sorafenib</i> .....                   | 31  | NEEDLE.....                          | 133      | TECHLITE PLUS PEN                          |          |
| <i>sorine</i> .....                      | 79  | SURE COMFORT SAFETY                  |          | NEEDLE.....                                | 135      |
| <i>sotalol</i> .....                     | 79  | PEN NEEDLE.....                      | 132      | TECVAYLI.....                              | 31       |
| <i>sotalol af</i> .....                  | 79  | SURE-FINE PEN NEEDLES..              | 134      | TEFLARO.....                               | 12       |
| SPIRIVA RESPIMAT.....                    | 184 | SURE-JECT INSULIN                    |          | <i>telmisartan</i> .....                   | 76       |
| <i>spironolactone</i> .....              | 82  | SYRINGE.....                         | 134      | <i>telmisartan-hydrochlorothiazid</i> ..   | 76       |
| <i>spironolacton-hydrochlorothiaz</i>    | 82  | SURE-PREP ALCOHOL PREP               |          | <i>temazepam</i> .....                     | 9        |
| SPRAVATO.....                            | 43  | PADS.....                            | 134      | TEMIXYS.....                               | 68       |
| <i>sprintec (28)</i> .....               | 96  | SUTAB.....                           | 156      | TENIVAC (PF).....                          | 175      |
| SPRITAM.....                             | 39  | SYMPAZAN.....                        | 39       | <i>tenofovir disoproxil fumarate</i> ..... | 69       |
| <i>sps (with sorbitol)</i> .....         | 156 | SYMTUZA.....                         | 68       | TEPMETKO.....                              | 31       |
| <i>sronyx</i> .....                      | 96  | SYNJARDY.....                        | 45       | <i>terazosin</i> .....                     | 158      |
| <i>ssd</i> .....                         | 100 | SYNJARDY XR.....                     | 46       | <i>terbinafine hcl</i> .....               | 51       |
| <i>stavudine</i> .....                   | 68  | SYNRIBO.....                         | 31       | <i>terconazole</i> .....                   | 52       |
| STELARA.....                             | 169 | SYRINGE WITH NEEDLE,                 |          | <i>teriparatide</i> .....                  | 178      |
| STERILE PADS.....                        | 132 | SAFETY.....                          | 132      | TERUMO INSULIN                             |          |
| STIOLTO RESPIMAT.....                    | 184 | TABLOID.....                         | 31       | SYRINGE.....                               | 135, 136 |
| STIVARGA.....                            | 31  | TABRECTA.....                        | 31       | <i>testosterone</i> .....                  | 158      |
| STOBOCLO.....                            | 177 | <i>tacrolimus</i> .....              | 102, 169 | <i>testosterone cypionate</i> .....        | 158      |
| STRENSIQ.....                            | 149 | <i>tadalafil</i> .....               | 187      | <i>testosterone enanthate</i> .....        | 158      |
| <i>streptomycin</i> .....                | 9   | TAFINLAR.....                        | 31       | TETANUS,DIPHThERIA                         |          |
| STRIBILD.....                            | 68  | <i>tafluprost (pf)</i> .....         | 180      | TOX PED(PF).....                           | 175      |
| STRIVERDI RESPIMAT.....                  | 184 | TAGRISSO.....                        | 31       | <i>tetrabenazine</i> .....                 | 89       |
| <i>subvenite</i> .....                   | 39  | TALVEY.....                          | 31       | <i>tetracycline</i> .....                  | 16       |
| <i>sucrafate</i> .....                   | 154 | TALZENNA.....                        | 31       | TEVIMBRA.....                              | 31       |
| <i>sulfacetamide sodium</i> .....        | 152 | <i>tamoxifen</i> .....               | 31       | THALOMID.....                              | 179      |
| <i>sulfacetamide-prednisolone</i> .....  | 152 | <i>tamsulosin</i> .....              | 158      | <i>theophylline</i> .....                  | 184      |
| <i>sulfadiazine</i> .....                | 15  | <i>tarina 24 fe</i> .....            | 96       | THINPRO INSULIN                            |          |
| <i>sulfamethoxazole-trimethoprim</i> ..  | 15  | <i>tarina fe 1-20 eq (28)</i> .....  | 96       | SYRINGE.....                               | 136      |
| <i>sulfasalazine</i> .....               | 177 | <i>taron-c dha</i> .....             | 190      | <i>thioridazine</i> .....                  | 63       |
| <i>sulindac</i> .....                    | 6   | <i>taron-prex prenatal-dha</i> ..... | 190      | <i>thiothixene</i> .....                   | 63       |
| <i>sumatriptan</i> .....                 | 53  | TAVNEOS.....                         | 169      | <i>tiadylt er</i> .....                    | 79       |

|                                            |         |                                          |              |                             |               |
|--------------------------------------------|---------|------------------------------------------|--------------|-----------------------------|---------------|
| <i>tiagabine</i> .....                     | 39      | TRAZIMERA.....                           | 32           | TRIUMEQ PD.....             | 69            |
| TIBSOVO.....                               | 31      | <i>trazodone</i> .....                   | 43           | <i>trivora (28)</i> .....   | 97            |
| <i>ticagrelor</i> .....                    | 74      | TRECTOR.....                             | 54           | <i>tri-vylibra</i> .....    | 97            |
| TICE BCG.....                              | 32      | TRELEGY ELLIPTA.....                     | 185          | <i>tri-vylibra lo</i> ..... | 97            |
| TICOVAC.....                               | 175     | TRELSTAR.....                            | 32           | TRIZIVIR.....               | 69            |
| <i>tigecycline</i> .....                   | 16      | TREMFYA.....                             | 169          | TROGARZO.....               | 69            |
| <i>tilia fe</i> .....                      | 96      | TREMFYA ONE-PRESS.....                   | 169          | <i>trosium</i> .....        | 157           |
| <i>timolol</i> .....                       | 180     | TREMFYA PEN.....                         | 169          | TRUE COMFORT ALCOHOL        |               |
| <i>timolol maleate</i> .....               | 79, 180 | TREMFYA PEN INDUCTION                    |              | PADS.....                   | 137           |
| <i>tinidazole</i> .....                    | 56      | PK-CROHN.....                            | 169          | TRUE COMFORT INSULIN        |               |
| <i>tiotropium bromide</i> .....            | 184     | TRESIBA FLEXTOUCH U-                     |              | SYRINGE.....                | 137           |
| TIVDAK.....                                | 32      | 100.....                                 | 48           | TRUE COMFORT PEN            |               |
| TIVICAY.....                               | 69      | TRESIBA FLEXTOUCH U-                     |              | NEEDLE.....                 | 137, 138      |
| TIVICAY PD.....                            | 69      | 200.....                                 | 48           | TRUE COMFORT PRO            |               |
| <i>tizanidine</i> .....                    | 186     | TRESIBA U-100 INSULIN.....               | 48           | ALCOHOL PADS.....           | 138           |
| TOBI PODHALER.....                         | 9       | <i>tretinoin</i> .....                   | 102          | TRUE COMFORT PRO INS        |               |
| <i>tobramycin</i> .....                    | 152     | <i>tretinoin (antineoplastic)</i> .....  | 32           | SYRINGE.....                | 136, 137, 138 |
| <i>tobramycin in 0.225 % nacl</i> .....    | 10      | <i>tri femynor</i> .....                 | 96           | TRUE COMFORT SAFE           |               |
| <i>tobramycin sulfate</i> .....            | 10      | <i>triamcinolone acetanide</i>           |              | INSULIN SYRG.....           | 137, 138      |
| <i>tobramycin-dexamethasone</i> .....      | 152     | .....                                    | 98, 102, 161 | TRUE COMFORT SAFETY         |               |
| <i>tolterodine</i> .....                   | 157     | <i>triamterene-hydrochlorothiazid</i> .. | 82           | PEN NEEDLE.....             | 137           |
| <i>tolvaptan (polycys kidney dis)</i> .... | 82      | <i>triazolam</i> .....                   | 9            | TRUEPLUS INSULIN.....       | 138, 139      |
| TOPCARE CLICKFINE.....                     | 136     | <i>trientine</i> .....                   | 158          | TRUEPLUS PEN NEEDLE.....    | 138           |
| TOPCARE ULTRA                              |         | <i>tri-estarylla</i> .....               | 96           | TRULICITY.....              | 46            |
| COMFORT.....                               | 136     | <i>trifluoperazine</i> .....             | 63           | TRUMENBA.....               | 175           |
| <i>topiramate</i> .....                    | 39      | <i>trifluridine</i> .....                | 152          | TRUQAP.....                 | 32            |
| <i>toposar</i> .....                       | 32      | <i>trihexyphenidyl</i> .....             | 57           | TRUXIMA.....                | 32            |
| <i>toremifene</i> .....                    | 32      | TRIJARDY XR.....                         | 46           | TUKYSA.....                 | 32            |
| <i>torpenz</i> .....                       | 32      | <i>tri-legest fe</i> .....               | 96           | TURALIO.....                | 32            |
| <i>torsemide</i> .....                     | 82      | <i>tri-linyah</i> .....                  | 96           | <i>turqoz (28)</i> .....    | 97            |
| TOUJEO MAX U-300                           |         | <i>tri-lo-estarylla</i> .....            | 97           | TWINRIX (PF).....           | 175           |
| SOLOSTAR.....                              | 48      | <i>tri-lo-marzia</i> .....               | 97           | TYBOST.....                 | 179           |
| TOUJEO SOLOSTAR U-300                      |         | <i>tri-lo-mili</i> .....                 | 97           | TYENNE.....                 | 170           |
| INSULIN.....                               | 48      | <i>tri-lo-sprintec</i> .....             | 97           | TYENNE AUTOINJECTOR..       | 169           |
| TRADJENTA.....                             | 46      | <i>trimethoprim</i> .....                | 10           | TYMLOS.....                 | 178           |
| <i>tramadol</i> .....                      | 5       | <i>tri-mili</i> .....                    | 97           | TYPHIM VI.....              | 175           |
| <i>tramadol-acetaminophen</i> .....        | 5       | <i>trimipramine</i> .....                | 43           | UBRELVY.....                | 53            |
| <i>trandolapril</i> .....                  | 77      | TRINTELLIX.....                          | 43           | ULTICARE.....               | 140, 141      |
| <i>trandolapril-verapamil</i> .....        | 77      | <i>tri-nymyo</i> .....                   | 97           | ULTICARE INSULIN            |               |
| <i>tranexamic acid</i> .....               | 74      | <i>tri-previfem (28)</i> .....           | 97           | SYRINGE.....                | 139, 140      |
| <i>tranylcypromine</i> .....               | 43      | <i>tri-sprintec (28)</i> .....           | 97           | ULTICARE INSULN             |               |
| <i>travoprost</i> .....                    | 180     | TRIUMEQ.....                             | 69           | SYR(HALF UNIT).....         | 139           |

|                           |               |                                           |          |                              |          |
|---------------------------|---------------|-------------------------------------------|----------|------------------------------|----------|
| ULTICARE PEN NEEDLE ..... | 140           | UNIFINE PENTIPS                           |          | VERIFINE INSULIN             |          |
| ULTICARE SAFETY PEN       |               | MAXFLOW .....                             | 146      | SYRINGE .....                | 147, 148 |
| NEEDLE .....              | 140           | UNIFINE PENTIPS PLUS .....                | 146      | VERIFINE PEN NEEDLE          |          |
| ULTIGUARD SAFEPAK-        |               | UNIFINE PENTIPS PLUS                      |          | .....                        | 147, 148 |
| INSULIN SYR .....         | 141           | MAXFLOW .....                             | 146      | VERIFINE PLUS PEN            |          |
| ULTIGUARD SAFEPAK-        |               | UNIFINE PROTECT .....                     | 146      | NEEDLE .....                 | 148      |
| PEN NEEDLE .....          | 141           | UNIFINE SAFECONTROL                       |          | VERIFINE PLUS PEN            |          |
| ULTILET ALCOHOL SWAB.     | 141           | PEN NEEDLE .....                          | 146, 147 | NEEDLE-SHARP .....           | 148      |
| ULTILET INSULIN SYRINGE   |               | UNIFINE ULTRA PEN                         |          | VERQUVO .....                | 81       |
| .....                     | 122, 141, 142 | NEEDLE .....                              | 147      | VERSACLOZ .....              | 64       |
| ULTILET PEN NEEDLE .....  | 142           | UPTRAVI .....                             | 187, 188 | VERSALON .....               | 148      |
| ULTRA CMFT INS SYR        |               | <i>ursodiol</i> .....                     | 156      | VERZENIO .....               | 33       |
| (HALF UNIT) .....         | 120, 132      | UZEDY .....                               | 63, 64   | V-GO 20 .....                | 148      |
| ULTRA COMFORT INSULIN     |               | <i>valacyclovir</i> .....                 | 71       | V-GO 30 .....                | 148      |
| SYRINGE .....             | 115, 120, 142 | VALCHLOR .....                            | 99       | V-GO 40 .....                | 148      |
| ULTRA FLO INSUL           |               | <i>valganciclovir</i> .....               | 71       | <i>vienva</i> .....          | 97       |
| SYR(HALF UNIT) .....      | 142           | <i>valproate sodium</i> .....             | 39       | <i>vigabatrin</i> .....      | 39       |
| ULTRA FLO INSULIN         |               | <i>valproic acid</i> .....                | 39       | <i>vigadrone</i> .....       | 39       |
| SYRINGE .....             | 143           | <i>valproic acid (as sodium salt)</i> ... | 39       | <i>vigpoder</i> .....        | 40       |
| ULTRA FLO PEN NEEDLE      |               | <i>valsartan</i> .....                    | 76       | <i>vilazodone</i> .....      | 44       |
| .....                     | 142, 143      | <i>valsartan-hydrochlorothiazide</i> ..   | 76       | VIMKUNYA .....               | 176      |
| ULTRA THIN PEN NEEDLE.    | 143           | VALTOCO .....                             | 39       | <i>vinorelbine</i> .....     | 33       |
| ULTRACARE INSULIN         |               | <i>valtya</i> .....                       | 97       | <i>violele (28)</i> .....    | 97       |
| SYRINGE .....             | 143           | <i>vancomycin</i> .....                   | 10, 11   | VIRACEPT .....               | 69       |
| ULTRACARE PEN NEEDLE.     | 144           | VANFLYTA .....                            | 32       | VIREAD .....                 | 69       |
| ULTRA-FINE INS SYR        |               | VANISHPOINT INSULIN                       |          | <i>virt-c dha</i> .....      | 190      |
| (HALF UNIT) .....         | 144           | SYRINGE .....                             | 147      | <i>virt-nate dha</i> .....   | 190      |
| ULTRA-FINE INSULIN        |               | VANISHPOINT SYRINGE .....                 | 147      | <i>virt-pn dha</i> .....     | 190      |
| SYRINGE .....             | 144, 145      | VAQTA (PF) .....                          | 175, 176 | <i>virt-pn plus</i> .....    | 190      |
| ULTRA-FINE PEN NEEDLE..   | 144           | <i>varenicline tartrate</i> .....         | 8        | <i>vitafol gummies</i> ..... | 190      |
| ULTRA-THIN II (SHORT)     |               | VARIVAX (PF) .....                        | 176      | <i>vitafol nano</i> .....    | 190      |
| INS SYR .....             | 145           | VAXCHORA VACCINE .....                    | 176      | <i>vitafol-ob+dha</i> .....  | 190      |
| ULTRA-THIN II (SHORT)     |               | VEGZELMA .....                            | 32       | VITRAKVI .....               | 33       |
| PEN NDL .....             | 145           | VELTASSA .....                            | 156      | VIVIMUSTA .....              | 33       |
| ULTRA-THIN II INS PEN     |               | VEMLIDY .....                             | 69       | VIVOTIF .....                | 176      |
| NEEDLES .....             | 145           | VENCLEXTA .....                           | 32, 33   | VIZIMPRO .....               | 33       |
| ULTRA-THIN II INSULIN     |               | VENCLEXTA STARTING                        |          | VOCABRIA .....               | 69       |
| SYRINGE .....             | 145           | PACK .....                                | 33       | <i>volnea (28)</i> .....     | 97       |
| UNIFINE OTC PEN NEEDLE    | 145           | <i>venlafaxine</i> .....                  | 43, 44   | VONJO .....                  | 33       |
| UNIFINE PEN NEEDLE .....  | 145           | VEOZAH .....                              | 179      | VORANIGO .....               | 33       |
| UNIFINE PENTIPS.          | 128, 145, 146 | <i>verapamil</i> .....                    | 80       | <i>voriconazole</i> .....    | 51       |
|                           |               |                                           |          | VOSEVI .....                 | 70       |

|                                        |     |                                       |     |
|----------------------------------------|-----|---------------------------------------|-----|
| VOWST.....                             | 179 | YONSA.....                            | 34  |
| <i>vp-ch-pnv</i> .....                 | 190 | YUFLYMA(CF).....                      | 170 |
| <i>vp-pnv-dha</i> .....                | 190 | YUFLYMA(CF) AI CROHN'S-<br>UC-HS..... | 170 |
| VRAYLAR.....                           | 64  | YUFLYMA(CF)<br>AUTOINJECTOR.....      | 170 |
| VUMERITY.....                          | 89  | <i>yuvaferm</i> .....                 | 160 |
| VYALEV.....                            | 57  | <i>zafemy</i> .....                   | 98  |
| <i>vylibra</i> .....                   | 97  | <i>zafirlukast</i> .....              | 183 |
| VYLOY.....                             | 33  | <i>zaleplon</i> .....                 | 187 |
| VYZULTA.....                           | 180 | <i>zatean-pn dha</i> .....            | 190 |
| <i>warfarin</i> .....                  | 72  | <i>zatean-pn plus</i> .....           | 190 |
| WEBCOL.....                            | 148 | ZEGALOGUE<br>AUTOINJECTOR.....        | 179 |
| WELIREG.....                           | 33  | ZEGALOGUE SYRINGE.....                | 179 |
| WINREVAIR.....                         | 186 | ZEJULA.....                           | 34  |
| <i>wixela inhub</i> .....              | 183 | ZELBORAF.....                         | 34  |
| XALKORI.....                           | 33  | <i>zenatane</i> .....                 | 99  |
| <i>xarah fe</i> .....                  | 97  | ZENPEP.....                           | 149 |
| XARELTO.....                           | 72  | <i>zidovudine</i> .....               | 69  |
| XARELTO DVT-PE TREAT<br>30D START..... | 72  | ZIIHERA.....                          | 34  |
| XATMEP.....                            | 33  | <i>zingiber</i> .....                 | 190 |
| XCOPRI.....                            | 40  | <i>ziprasidone hcl</i> .....          | 64  |
| XCOPRI MAINTENANCE<br>PACK.....        | 40  | <i>ziprasidone mesylate</i> .....     | 64  |
| XCOPRI TITRATION PACK....              | 40  | ZIRABEV.....                          | 34  |
| XDEMVEY.....                           | 152 | ZIRGAN.....                           | 152 |
| XELJANZ.....                           | 170 | ZOLADEX.....                          | 34  |
| XELJANZ XR.....                        | 170 | ZOLINZA.....                          | 35  |
| XERMELO.....                           | 156 | <i>zolpidem</i> .....                 | 187 |
| XGEVA.....                             | 178 | ZONISADE.....                         | 40  |
| XIFAXAN.....                           | 11  | <i>zonisamide</i> .....               | 40  |
| XIGDUO XR.....                         | 46  | <i>zovia 1/35e (28)</i> .....         | 98  |
| XIIDRA.....                            | 154 | <i>zovia 1-35 (28)</i> .....          | 98  |
| XOLAIR.....                            | 186 | ZTALMY.....                           | 40  |
| XOSPATA.....                           | 34  | ZTLIDO.....                           | 7   |
| XPOVIO.....                            | 34  | ZURZUVAE.....                         | 44  |
| XTANDI.....                            | 34  | ZYDELIG.....                          | 35  |
| <i>xulane</i> .....                    | 98  | ZYKADIA.....                          | 35  |
| XULTOPHY 100/3.6.....                  | 49  | ZYLET.....                            | 152 |
| XYOSTED.....                           | 159 | ZYNLONTA.....                         | 35  |
| YERVOY.....                            | 34  | ZYNYZ.....                            | 35  |
| YESINTEK.....                          | 170 | ZYPREXA RELPREVV.....                 | 64  |
| YF-VAX (PF).....                       | 176 |                                       |     |

## **Notice about Nondiscrimination and Accessibility Requirements**

### **Discrimination is Against the Law**

ATRIO Health Plans complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. ATRIO Health Plans does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex. ATRIO Health Plans:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need any of the services listed above, contact ATRIO Member Services toll free at 1-877-672-8620, daily from 8 a.m. to 8 p.m. TTY users should call 711.

If you believe that ATRIO Health Plans has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

ATRIO Compliance Officer:

550 Hawthorne Avenue, Suite 140, Salem, OR 97301

1-877-672-8620 (TTY 711)

File a complaint with ATRIO Compliance Hotline:

1-877-309-9952 or [compliance@atriohp.com](mailto:compliance@atriohp.com)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, contact Member Services toll free at 1-877-672-8620, daily from 8 a.m. to 8 p.m. TTY users should call 711.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services 200 Independence Avenue, SW

Room 509F, HHH Building

Washington, D.C. 20201

1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>

**Español (Spanish) - ATENCIÓN:** si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-877-672-8620 (TTY: 711).

**Tiếng Việt (Vietnamese) - CHÚ Ý:** Nếu quý vị nói tiếng Việt, chúng tôi có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho quý vị. Hãy gọi số 1-877-672-8620 (TTY: 711)

**繁體中文 (Chinese) - 注意：**如果您講國語，您可以免費獲得語言援助服務。請致電 1-877-672-8620 (TTY : 711) 。

**Русский (Russian) - ВНИМАНИЕ!** Если Вы говорите по-русски, Вы можете бесплатно воспользоваться услугами перевода. Телефон: 1-877-672-8620 (телетайп: 711).

**한국어 (Korean) - 유의사항:** 무료 한국어 지원 서비스를 이용하실 수 있습니다. 전화번호는 1-877-672-8620 (TTY: 711) 번입니다.

**Українська (Ukrainian) - УВАГА!** Якщо ви розмовляєте українською мовою, ви можете звернутися до безкоштовної служби мовної підтримки. Телефонуйте за номером 1-877-672-8620 (телетайп: 711).

**日本語 (Japanese) - 注意事項：**日本語でのサービスをご希望の場合、1-877-672-8620 (TTY:711) までご連絡ください。このサービスは無料です。

"إذا كنت تتحدث اللغة العربية، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1-877-672-8620 (رقم هاتف الصم والبكم: 1-800-735-2900)."

**فارسی — (Farsi) توجه:** اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما موجود است. با شماره 1-877-672-8620 تماس بگیرید (TTY: 1-800-735-2900).

**Română (Romanian) - ATENȚIE:** Dacă vorbiți limba română, vă stau la dispoziție servicii de asistență lingvistică, gratuit. Sunați la 1-877-672-8620 (TTY: 711).

**ខ្មែរ (Cambodian) - ប្រឹក្សា:** បើសិនជាអ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា សោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ចូរទូរស័ព្ទ 1-877-672-8620 (TTY: 711)។

**Oroomiffa (Oromo) - XIYYEEFFANNAA:** Afaandubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, niargama. 1-877-672-8620 (TTY: 711) Bilbilaa.

**Deutsch (German) - ACHTUNG:** Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1-877-672-8620 (TTY: 711).

**فارسی — (Farsi) توجه:** اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما موجود است. با شماره 1-877-672-8620 تماس بگیرید (TTY: 1-800-735-2900).

**Français (French) - ATTENTION :** Si vous parlez français, des services d'aide linguistique sont disponibles gratuitement. Appelez le 1-877-672-8620 (ATS : 711).

**ภาษาไทย (Thai) - โปรดทราบ:** ถ้าคุณพูดภาษาไทย คุณสามารถใช้บริการช่วยเหลือทางภาษาได้ฟรี โทร 1-877-672-8620 (TTY: 711)

**Multi-Language Insert**  
**Multi-language Interpreter Services**

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-672-8620. Someone who speaks English/Language can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-672-8620. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-672-8620。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-672-8620。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-672-8620. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-672-8620. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-672-8620 sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-672-8620. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-672-8620 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-672-8620. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** لنقدم خدمات الترجمة الفورية لمجلى في إل حجة عن أي أسئلة تتعلق قبل الصراحة أو جدول ألدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-877-672-8620 سيقيّم شخص خاص ماتيحدث ال عربي قبمساعتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-672-8620 पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-672-8620. Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-672-8620. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-672-8620. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-672-8620. Ta usługa jest bezpłatna.

**Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、1-877-672-8620 にお電話ください。日本語を話す人 者が支援いたします。これは無料のサービスです。

This formulary was updated on 10/31/2025. For more recent information or other questions, please contact ATRIO Health Plans at **1-877-672-8620** (TTY 711), daily from 8 a.m. to 8 p.m. local time or visit **[atriohp.com](https://atriohp.com)**.